



# Contents

INTRODUCING HOME CONNECT OVENS FOR EVERY COOKAHOLIC OVENS – THE COLLECTION COMPACT APPLIANCES & DOUBLE OVENS THE PERFECT COMBINATION COOKING WITH A NEFF OVEN	4-5 6-7 8-15 16-18 19 22-23
OVENS	24-39
Slide&Hide® Pyrolytic Ovens with Vario Steam	24-25
Slide&Hide® Ovens with Added Cleaning	24-25
Slide&Hide® Single Ovens with Full Steam	26-27
Slide&Hide® Single Ovens with Vario Steam	26-27
Slide&Hide® Single Ovens	26-27
Single Pyrolytic Ovens	28-29
Single Ovens	28-29
Compact Combination Ovens with Full Steam	30-31
Compact Coffee Centre	30
Compact Ovens with Microwave and Microwave Combination Ovens	32-33
Microwave Ovens	34-35
Warming and Vacuum Drawers	36-37
Built-in Double Ovens with CircoTherm®	38-39
HOBS	40-73
Venting Hobs	54
Flex Induction Hobs	55-59
Induction and Ceramic Hobs	60-63
Domino Hobs	64-65
Gas Hobs	66-73
EXTRACTOR HOODS	74-107
Worktop Installation	86-87
Ceiling Installation	88-89
Island Hoods	90-91
Wall Installation	92-101
Integrated Furniture Installation	102-107
COOLING	110-131
American-style Fridge Freezers	118-119
Built-in Fridge Freezers	120-123
Built-in Single Door Fridges and Freezers 177cm Built-in Single Door Fridges and Freezers 140cm	
Built-in Single Door Fridges and Freezers 122cm	
Built-in Single Door Fridges and Freezers 122cm	
Single Door Fridges and Freezers 87cm	129
Built-under Single Door Fridges and Freezers 82cm	
DISHWASHERS	132-145
Fully Integrated Dishwashers	138-141
Semi-integrated Dishwashers	142-143
Slim Line Dishwashers	144-145
LAUNDRY	146-151
Integrated Laundry	148-149
Freestanding Laundry	150-151
INSTALLATION GUIDE	

NEFF CUSTOMER SERVICE

3

# INTRODUCING HOME CONNECT

# Rethink cooking in NEFF's infinite kitchen

Cooking at its best has always been a sociable experience in which the kitchen works in concert to support cooks in living out their creativity. We've taken the connected kitchen one step further: now you can manage your oven, fridge, dishwasher and other home appliances with Wi-Fi and Home Connect. Tap via the app, speak to your oven with voice control and make appliances interact with one another automatically. And these are just a few examples of what Home Connect makes possible.



# COMMUNICATE WITH YOUR OVEN

START COOKING WITH THE APP AND GET NOTIFIED WHEN DINNER IS READY

For many Cookaholics, talking to their oven comes naturally. With your hands full kneading dough and rolling it out for tagliatelle, it's more than

handy to start the oven and select the relevant cooking function hands-free via voice control. Our oven can talk back too: with Home Connect you can expect to receive a notification directly to your smartphone when dinner is ready. So you can focus on entertaining your guests.



With the Home Connect app, you can manage and set up your appliance routines that support you in the kitchen. Furthermore, the app also contains a bank of inspiring ideas and recipes tailored for any Cookaholic that loves original and fresh cookina.



# WAKE UP AND SMELL THE COFFEE

YOUR FAVOURITE COFFEE AND MUSIC ARE WAITING FOR YOU IN THE KITCHEN

Just say the word and your favourite coffee will be ready in no time. If you integrate voice control into your connected kitchen, you can add an automatically prepared coffee to your morning routine and order the coffee from another room. A voice command is all it takes to get the day started with motivational music while sipping your espresso or flat white. On the subject of coffee, don't forget to use your coffee grounds to grow mushrooms - delicious when grilled.



# KEEP YOUR HANDS ON THE COOKING

# LET THE HOOD JUDGE THE **EXTRACTION YOU NEED**

When you and your hob are causing a steam storm in the kitchen, our Automatic Hood springs to life as the two appliances are connected via Wi-Fi. The hood automatically adapts the extraction rate to the cooking aromas and vapours it detects. If desired, you can even adjust the extraction via the Home Connect app or using the stylish TwistPadFire® dial on the cooktop - there's a control option to

# LIGHT TO SUIT YOUR TASTE

Change the light in the kitchen to suit your mood Depending on the situation, you can go from cool blue to romantic red with our hood's Ambient Light. Choose your tone via the Home Connect app



DETERGENT Let Home Connect keep track

of how many dishwasher tabs

you've used and remind you

when you're running low. Never

be caught short again!

# IT'S SUPER COOL TO CONNECT

**OUR WIFI-CONNECTED FRIDGE** IS READY WHEN YOU ARE

Maybe you're at the supermarket doing a big shop and need to pre-cool the fridge so your groceries are chilled quicker. Or you've bought drinks for a party and need them to be cooled or time. With Super Cooling, you can get your fridge down to temperature before you get home - a few taps in the app is all it takes.



# ONE TAP AND THE DISHWASHER DOES THE REST

A VOICE COMMAND OR A TAP ON YOUR SMARTPHONE IS ALL IT TAKES

If you turn on Home Connect, it can give your dishwasher a few more smarts to make life a little easier and fun. Start it with a voice command or via your phone while you're enjoying a glass of wine with friends there's no need to interrupt your conversation. If you've ever loaded the dishwasher only to find there are no tabs left, you'll be glad to know that Home Connect can count the cycles and put in an automatic order before you run out

# INTRODUCING HOME CONNECT

# Rethink cooking in NEFF's infinite kitchen

Cooking at its best has always been a sociable experience in which the kitchen works in concert to support cooks in living out their creativity. We've taken the connected kitchen one step further: now you can manage your oven, fridge, dishwasher and other home appliances with Wi-Fi and Home Connect. Tap via the app, speak to your oven with voice control and make appliances interact with one another automatically. And these are just a few examples of what Home Connect makes possible.



# COMMUNICATE WITH YOUR OVEN

START COOKING WITH THE APP AND GET NOTIFIED WHEN DINNER IS READY

For many Cookaholics, talking to their oven comes naturally. With your hands full kneading dough and rolling it out for tagliatelle, it's more than

handy to start the oven and select the relevant cooking function hands-free via voice control. Our oven can talk back too: with Home Connect you can expect to receive a notification directly to your smartphone when dinner is ready. So you can focus on entertaining your guests.



With the Home Connect app, you can manage and set up your appliance routines that support you in the kitchen. Furthermore, the app also contains a bank of inspiring ideas and recipes tailored for any Cookaholic that loves original and fresh cookina.



# WAKE UP AND SMELL THE COFFEE

YOUR FAVOURITE COFFEE AND MUSIC ARE WAITING FOR YOU IN THE KITCHEN

Just say the word and your favourite coffee will be ready in no time. If you integrate voice control into your connected kitchen, you can add an automatically prepared coffee to your morning routine and order the coffee from another room. A voice command is all it takes to get the day started with motivational music while sipping your espresso or flat white. On the subject of coffee, don't forget to use your coffee grounds to grow mushrooms - delicious when grilled.



# KEEP YOUR HANDS ON THE COOKING

# LET THE HOOD JUDGE THE **EXTRACTION YOU NEED**

When you and your hob are causing a steam storm in the kitchen, our Automatic Hood springs to life as the two appliances are connected via Wi-Fi. The hood automatically adapts the extraction rate to the cooking aromas and vapours it detects. If desired, you can even adjust the extraction via the Home Connect app or using the stylish TwistPadFire® dial on the cooktop - there's a control option to

# LIGHT TO SUIT YOUR TASTE

Change the light in the kitchen to suit your mood Depending on the situation, you can go from cool blue to romantic red with our hood's Ambient Light. Choose your tone via the Home Connect app



DETERGENT Let Home Connect keep track

of how many dishwasher tabs

you've used and remind you

when you're running low. Never

be caught short again!

# IT'S SUPER COOL TO CONNECT

**OUR WIFI-CONNECTED FRIDGE** IS READY WHEN YOU ARE

Maybe you're at the supermarket doing a big shop and need to pre-cool the fridge so your groceries are chilled quicker. Or you've bought drinks for a party and need them to be cooled or time. With Super Cooling, you can get your fridge down to temperature before you get home - a few taps in the app is all it takes.



# ONE TAP AND THE DISHWASHER DOES THE REST

A VOICE COMMAND OR A TAP ON YOUR SMARTPHONE IS ALL IT TAKES

If you turn on Home Connect, it can give your dishwasher a few more smarts to make life a little easier and fun. Start it with a voice command or via your phone while you're enjoying a glass of wine with friends there's no need to interrupt your conversation. If you've ever loaded the dishwasher only to find there are no tabs left, you'll be glad to know that Home Connect can count the cycles and put in an automatic order before you run out

# AN OVEN FOR EVERY COOKAHOLIC



Our ovens are designed by cooks, for cooks. We're proud of our strong aesthetic values and our ovens look as great on the outside as they work on the inside. But what makes NEFF stand out is our commitment to providing a better cooking experience.

At NEFF, we appreciate that every customer has a unique set of requirements. We've done our best to make our oven range as varied as possible to suit every kitchen. There are three types of ovens in the NEFF collection, single, compact and double ovens.



Featured model:

C18FT56H0B N90 Compact
Steam Oven with Home Conne

THE BEAUTY OF A
MICROWAVE COMBINATION
MODEL IS THAT IT CAN
MIMIC ALL THE BENEFITS OF
A TRADITIONAL OVEN IN A
FRACTION OF THE TIME.

# COMPACT OVENS

# SEAMLESS COMBINATION MEETS ADVENTUROUS COOKING

Intended to complement our unique Slide&Hide® Oven range, our innovative 45cm Compact Ovens provide additional cavity space whilst offering a premium and seamless kitchen design. Use our SeamlessCombination® mounting kits to create your very own stylish 'mix and match' appliance wall. Our SeamlessCombination® mounting kits are only available within the N90 and N70 Collections.

Designed to offer the ultimate flexibility, our compact appliances provide all of the innovative features you'd expect from a NEFF Single Oven. With CircoTherm® as a standard across most Compact Ovens, multiple dishes can be cooked simultaneously without any intermingling of flavours. Plus, selected models offer our innovative Pyrolytic Self-Cleaning function to make oven cleaning a chore of the past.

If you're looking to push the boundaries with creative cooking our Compact Full Steam and Compact Microwave Ovens is a must have appliance for your kitchen. Pair one of our Compact Ovens with a Single Slide&Hide® Oven to create a more versatile and larger cooking capacity than a standard Double Oven offers. Head to page 16 to discover how our small ovens have big ideas.

# SINGLE OVENS

# Your versatile kitchen companion

Our range of single ovens are designed to be the centrepiece of creative kitchens. Our unique Slide&Hide® is the only Single Oven available with the disappearing oven door. Swiftly hiding the door under the oven cavity, getting closer to your cooking has never been easier.

When it comes to the technology, you can expect NEFF's iconic CircoTherm® hot air system as a standard and choose between other innovative features like voice control with Home Connect and Pyrolytic Self-Cleaning that makes tidying up after cooking a feast a breeze. Looking to expand your knowledge and experience a different taste - choose between Vario Steam and Full Steam to enjoy the many advantages of cooking with steam.



Featured model: B58VT68H0B N90 Slide&Hide® Single Pyrolytic Oven with Home Connect

# DOUBLE OVENS

# DOUBLE THE SPACE, DOUBLE THE COOKING

With the convenience of two oven cavities, our built-in double ovens provide any Cookaholic with plenty of cooking space without impacting on kitchen design. Featuring NEFF's CircoTherm® technology in the main oven and Pyrolytic Self-Cleaning in both, it's possible to cook different dishes on multiple levels without any intermingling of flavours or mess to clean up.

Simple to use and now offered with an even more premium look, our double ovens are an ideal choice for busy households and budding cooks.



Featured model: U2ACM7HN0B N50 Pyrolytic Double Oven



Our built-under double ovens remain a popular choice for cooks who have limited space with unlimited ideas. Featuring a main oven with our unique CircoTherm® hot air technology, it's possible to cook different dishes across all four levels and everything will come out tasting like it should. Our Built-Under Double Ovens are ideal for cooks who need the flexibility of a double oven, but have limited space in their kitchen.

Featured model: J1ACE4HN0B N50 Built-Under Double Oven



# THE COLLECTION

Choosing the right appliance to complement your kitchen and lifestyle can be challenging. To help you select the perfect kitchen companion, we've introduced easy-to-follow Collections based on product features, technology, design and simplicity. There's a Collection to suit everyone.\*

N 90

N/U

N 50

# FEATURES

THIS COLLECTION CAN INCLUDE\*:-

Home Connect

Slide&Hide® door with Rotating

Full Touch Control 5.7" inch

Medium Shift Control 4.1" inch

Full Steam

NEFFLight®

Vario Steam

Pyrolytic Self-Cleaning

CircoTherm®

SeamlessCombination®

Multi Point Meat Probe

ComfortFlex Rails



Full Touch Control display; 5.7" high resolution TFT colour graphics display



Medium Shift Control; 4.1" high resolution TFT colour graphics display

For more information on the features listed in our Collections visit neff-home .com/uk/

# FEATURES

THIS COLLECTION CAN INCLUDE\*:-

Slide&Hide® door with Rotating Handle

Small Shift Control 2.5" inch

Vario Steam

Pyrolytic Self-Cleaning

CircoTherm®

SeamlessCombination®



Small Shift Control; 2.5" high resolution TFT colour graphics display



# **FEATURES**

THIS COLLECTION CAN INCLUDE\*:-

Slide&Hide® door with Rotating Handle

Slide&Hide® door with Fixed Handle

Medium LCD White Electronic Control

Small LCD White display

Pyrolytic Self-Cleaning

CircoTherm®

Single Multi Point Meat Probe

ClipRails



Medium LCD White electronic display



imall LCD White display



# **DESIGN COORDINATION**



Achieving a premium, seamless kitchen has never been easier

At NEFF, we appreciate that every customer has a unique set of requirements when it comes to designing the kitchen of their dreams. Choosing the right appliances to reflect your own cooking and design style is often overwhelming. That's why NEFF is on hand to help you achieve that all important premium look by grouping products across all categories into 3 unique Collections.

Defined by the unique Slide&Hide® Oven with disappearing door, our N90, N70 and N50 Collections each offer a different design and range of features, so you can create a seamless kitchen best suited to your individual needs.



# N 90

Our most premium collection of appliances are designed to enhance the cooking process for any Cookaholic. Offering a choice of 2 display designs with a Full Touch or Shift Control operation, the N90 Collection is equipped with every feature and function that a creative chef desires. To ensure you achieve a seamless kitchen, make sure you mix and match N90 appliances that have the same control display.

# N 70

Offering a sleek and stylish design with a range of innovative features and functions, our N70 collection is perfect for those who love to experiment in the kitchen.



# N 50

Our newest product Collection gives passionate cooks the tools they need to get creative in the kitchen. Designed with a more traditional dial control operation, our N50 Slide&Hide® Oven Collection offers all the features and functions to inspire any budding chef. Head to page 13 to find out more.

# SLIDE&HIDE®




## Get closer to your cooking

We create appliances that are tailored to modern lifestyles and requirements. Our unique Slide&Hide® door fits smoothly under the oven to give plenty of room, as well as better access to the oven's interior – ensuring an easy and flexible approach to cooking. Recognising our customers' need for maximum cooking space, our unique full-sized single ovens are now even larger with a 71-litre capacity.















Space saving – Slide the door away to maximise space in small kitchens.



Unique – Be the envy of all your dinner guests with the only oven to feature a disappearing door.

# NOTHING GETS IN THE WAY OF COOKING, NOT EVEN THE DOOR.

Selected Slide&Hide® models are now available with a choice of:










# CIRCO THERM®

# Simultaneous cooking on multiple levels

With CircoTherm® you can cook, roast and bake completely different dishes on all levels and everything will come out tasting like it's supposed to. With no intermingling of flavours, the roast meat will taste like roast meat, and the muffins will taste like muffins. With flat items like cookies you can now even bake on level four.

# COOK A THREE-COURSE MEAL IN-ONE-GO WITHOUT THE INTERMINGLING OF FLAVOURS.



CircoTherm® works by drawing air in from the oven via a powerful stainless steel fan. It then heats up the air and forces it right back into the oven cavity through strategically placed ducts in the rear wall. The desired temperature is achieved quicker and more evenly than in a conventional oven, saving time and energy as little or no preheating is required. There is also a new Power Boost function, available within our 4D CircoTherm® system, to speed things up even more when cooking for short periods of time – just put the food in and start the oven.

The hot air is focused directly onto the food being cooked, wrapping the shelves to ensure the surfaces of baked and roasted items seal quickly. This keeps moisture in and prevents flavour transfer, so you can cook an entire three-course meal using all levels of the oven at the same time.



Not in the mood for roast pork raspberry fish muffins?
CircoTherm® isn't either.






### 3D CircoTherm®

Standard on all N50 single and double ovens, our original and renowned 3D CircoTherm® system combines specially designed fan and back panel to deliver even cooking & baking on up to three levels – perfect results every time with no intermingling of flavours.

### 4D CircoTherm®

Offering all the benefits of our original 3D system, 4D CircoTherm® combines a balanced stainless steel fan with a specially designed back panel and state-of-the-art electronic motor for optimum multi-level results. The electronic motor automatically switches between clockwise and anti-clockwise rotation every few minutes to deliver even better heat distribution throughout the cavity, facilitating cooking & baking on up to 4 levels simultaneously. 4D CircoTherm® is a more efficient and energy saving alternative to our 3D system and is standard on all N70 & N90 single ovens.




# PYROLYTIC SELF-CLEANING

### The oven that almost cleans itself

When you activate the Pyrolytic Self-Cleaning cycle, high temperatures of up to 485°C turn baking, roasting and grilling spatter and residue into dust. Once the oven has cooled you can simply wipe it away with a cloth. That's all there is to it!

# MAKE OVEN CLEANING A THING OF THE PAST.

000000



- Light residue approx.
   1 hour, 15 minutes
- Medium residue approx.
   1 hour, 30 minutes
- Intensive cleaning approx.
   2 hours



### PYROLYTIC SELF-CLEANING

As a safety measure, the oven door locks automatically until the oven has cooled to an acceptable level. The whole process only takes 1-2 hours depending on the degree of soiling (there are three programme options).

What's more, all of our pyrolytic ovens also come with our efficient EasyClean® cleaning aid. For a lightly soiled oven, when a pyrolytic cycle is not required, place approximately 400ml of water and a drop of washing-up liquid in the base pan and then select the EasyClean® programme. It softens baked-on residue so you can just wipe it down, for fast and uncomplicated oven cleaning.

# SLIDE&HIDE® NOW WITH PYROLYTIC SELF-CLEANING

With the stylish and innovative Slide&Hide® single oven now available with Pyrolytic Self-Cleaning, cleaning up those little spills won't eat into your dining time. From bubbled-over cheese to sizzling joints of meat, spatter and spillages are simply turned to dust, allowing you to quickly wipe away any residue once the oven has cooled.

### ECO CLEAN®

In non-pyrolytic models we have the EcoClean® feature – a microfine ceramic bead coating on the oven's interior back or top, sides and back, depending on the model. It has a very large surface area, making it extremely absorbent. Depending on how often you use your oven, regeneration to get rid of accumulated soiling may only be necessary 2-3 times a year. It's done with the special EcoClean® cleaning procedure that uses a temperature of 275°C to automatically remove burnt-on food without chemical cleaners. This highly efficient coating lasts for the entire lifetime of the oven.

### **BASE CLEAN**

All ovens with the EcoClean® coating also have BaseClean to help clean the base of the oven – it softens burnt-on food with warm water. After the programme has finished you just have to wipe the base with a damp cloth.

# A MATCH MADE IN NEFF

# WOW WITH SLIDE&HIDE®

Be the envy of all your dinner party guests with the N50 Slide&Hide<sup>®</sup> Single Pyrolytic Oven.

Our unique Slide&Hide® N50 Single Oven frees up kitchen space without sacrificing premium design. Featuring wider chrome trims with traditional control dials and an electronic display on selected models, our N50 ovens will make a style statement in any kitchen.

Full of innovative features, you can expect 3D CircoTherm® with ClipRail Telescopic Rails as a standard and make oven cleaning a chore of the past with the invaluable Pyrolytic Self-Cleaning function. Furthermore and unique to the N50 Collection only, our built-in Single Point Meat Probe monitors the core temperature of your joint and automatically switches the oven off when it's ready to be served. Ensuring that a succulent roast is always achieved has never been easier.

# NOW ADD STEAM INTO THE MIX

# A FULLY FUNCTIONING OVEN, MICROWAVE AND STEAMER IN ONE.

Partner your N50 Slide&Hide® Single Oven with our N50 Compact Microwave Combination Steam Oven to create a seamless design with endless cooking possibilities. Offering just what it says in the name, you can use our N50 Compact Oven combines all the heating modes of a full-featured oven with those of a steam-cooker and microwave in one single appliance.

As well as retaining vitamin and mineral content in food, steam cooking preserves flavours, ensuring that less salt additives are needed and a healthier dish is served. Whilst the internal microwave element enables food to be cooked quickly and dishes which benefit from oven baking/roasting are left beautifully fluffy on the inside and crisp on the outside.







Featured models: B5ACM7HN0B N50 Slide&Hide® Single Pyrolytic Oven and C1APG64N0B Compact Microwave Combination Steam Oven




# HOME CONNECT



# Bake and roast from anywhere

Manage our Wi-Fi connected N90 oven from anywhere you can take your smartphone – start roasting from afar and get a notification when dinner is ready. You can also speak to your oven via voice command and keep your messy hands on the cooking only.







# VARIO STEAM



# Innovative steam assistance

Vario Steam gives dishes just the right amount of moisture by adding steam at three intensity levels, for baking, roasting or just heating up.

Vario Steam works by adding the desired amount of steam, through ducts in the back plate, during the CircoTherm®, top and bottom heat, bread baking and grilling modes. There are pre-set programmes to provide a moist cooking environment and help achieve beautiful food that is perfectly succulent and tender. Dishes retain their colour, flavour and won't dry out during the cooking process.



Perfectly concealed: The water container is easy to remove and refill.

# CRISP ON THE OUTSIDE, SUCCULENT ON THE INSIDE, DELICIOUS ALL ROUND.



# **FULL STEAM**

# A fully functioning oven and steamer in one

Our Full Steam ovens combine all the heating modes of a full-featured oven with those of a steam cooker, in one single appliance. Ideal for fish and vegetables, nutrients are retained and food is left beautifully flavoursome. It's easy to operate and also simple to refill the concealed one litre water container – press a button to open the front panel, remove the container, fill it and you're ready to steam ahead.





# COMFORT FLEX

# Comfortable and flexible access to your cooking

Lift hot dishes safely and comfortably out of the oven using our ComfortFlex Telescopic Rails, available within the N90 Collection. With the new design the rails don't get in the way – you can grasp the tray or dish from the side for more safety when handling.

Offering a similar benefit of allowing food to be pulled clear of the oven for optimum tasting and basting, our ClipRail Telescopic Rails feature a clip to release functionality and are available within our N50 Collection. You can also position our ClipRail Telescopic Rails on any level in the





# MEAT PROBE



# Even the best sometimes need a little help

Take the guesswork out of cooking joints of meat with our clever built-in temperature probe feature. Available within the N90 Collection, the Multi Point Temperature Probe measures the joint's heat at three points to ensure it's perfectly cooked throughout. Offered within the N50 Collection is our Single Point Meat Probe that monitors the core temperature of your joint and automatically switches the oven off when it's ready to be served.

# LET THERE BE LIGHT!





# NEFF LIGHT®

# Bright and brilliant

A unique feature by NEFF, which allows food to always be visible without opening the oven door. Most ovens have an internal lighting system, but when cooking, shelves and pans can reduce the effectiveness of the light. NEFFLight® brightly illuminates even the farthest corner of the oven using LED bulbs. A special prism in the oven door distributes the light evenly at all levels, for a good view without dazzle.

# COMPACT OVENS WITH MICROWAVE & MICROWAVE COMBINATION OVENS



### Delicious results in rapid time

Designed to offer the ultimate flexibility, a compact oven with microwave functionality combines the benefits of conventional oven cooking and microwave cooking. Food is cooked quickly and dishes which benefit from oven baking/ roasting are left beautifully fluffy on the inside and crisp on the outside.

## **OVENS WITH INTEGRAL** MICROWAVE1

Want an oven that offers more versatility for creative cooking? NEFF compact ovens with microwave give you all the benefits of a traditional single oven, but with the added power of a microwave. This combination of traditiona oven-led cooking supported by low-medium power microwave (max. 360W) lets you speed up the cooking process while still delivering the flavours and results you'd expect from your NEFF

In addition, you can also team the compact oven with microwave together with a traditional single NEFF oven, creating a highly versatile alternative to a double oven.

### MICROWAVE COMBINATION OVENS<sup>1</sup>

Wish your microwave gave crisp and brown results like your oven? That's exactly what you can get with a NEFF microwave combination oven. The combination of microwave (max. 600W) supported by hot air or grill functions enhance your cooking for golden and delicious meals. It's the speed you'd expect from a microwave but with the flavour and appearance you get from an oven or grill.





# FAST FOOD NEVER LOOKED, OR TASTED, SO GOOD

Invaluable in any Cookaholic's kitchen, our N90, N70 and N50 Collection Compact Microwave Ovens feature an integral microwave designed to cook your favourite dishes in a fraction of the time. Combined with the option of conventional oven cooking, our Compact Microwave Ovens offer the ultimate versatility to any meal. Also available within all collections is our range of Compact Full Steam Ovens to offer you a healthier approach to cooking with a more tasty result. All Compact Ovens have been designed to perfectly coordinate with our unique Slide&Hide® Single Ovens.

# THE NEFF COFFEE CENTRE



Choose from Ristretto, Espresso, Espresso Macchiato, Coffee, Cappuccino, Latte Macchiato, Caffe Latte, milk froth, warm milk or hot water with the new coffee centre.



# SIMPLE, FAST AND **IRRESISTIBLE**



C17KS61N0 Coffee Centre with Home Connect

# WARMING DRAWERS


## WARMING DRAWERS EXPLAINED...

A warming drawer is a must for the serious cook. They're useful and versatile and help with the telescopic runners, they'll not only warm plates before serving up, but keep pre-cooked food warm too. As well as warming, they can be used to defrost delicate foods, melt chocolate, make yoghurt and prove

Designed to coordinate with other NEFF appliances, we offer our Warming Drawers across both the N90 and N50 collection in two sizes - 14cm high, which holds 12 plates, and 29cm high, which can hold 40 plates. Also available within the N90 Collection is our 14cm fully extendable Accessory Drawer, ideal for additional kitchen storage.



High Vaccum Drawer



N17HH20N0B N90 29cm High Warming Drawer



N17HH10N0B N90 14cm High Warming Drawer



N17HH11N0B N90 14cm High Warming Drawer with Handle




N17ZH10N0 N90 14cm High Accessory Drawer


# A must have for any passionate chef,

VACCUM DRAWER

our tailor-made vaccum-seal Sous Vide chamber system can intensify flavours that highlight your finest ingredients. The NEFF Vaccum Drawer turns into your practical helper for vacuum-sealed gravy, sauces, herbs, cut fruit and vegetables in appetizing portions to stock up your fridge and freezer. Further benefits include showcasing your efforts in a jar so basil turns into long-lasting pesto and baby food into handy 'to go' portions, plus, the NEFF Vaccum Drawer becomes your handy extension for flexible sealing of larger jars and plastic containers.



N1AHA02N0B N50 29cm High Warming Drawer



N1AHA01N0B N50 14cm High Warming Drawer

# **CONTROL DISPLAY**

# A design for every Cookaholic

Our unique range of Slide&Hide® Ovens are available with 5 different control displays for navigating the cooking features. We offer everything from a large Full Touch TFT control to a traditional dial with electronic display, so you can decide on a design that suits your style of cooking.

# N 90: Full Touch Control

# Intuitive display with fingertip control

Innovative Full Touch Control operation revolutionises convenience within our premium N90 Collection. The control panel sets new standards with fast navigation and simple, precise operation by touching or swiping the large highresolution colour TFT display.



# Medium Shift Control: 4.1" high resolution TFT colour graphics display

# N 90: Medium Shift Control

# Offering the best of both

Also available within our N90 Collection is our trusty yet stylish Medium Shift Control that offers both a medium Touch Control display along with a shift panel to aid navigation.



# N70: Small Shift Control

### Premium yet practical

Often a popular choice for control display, our Small Shift Control is available within our N70 Collection and offers the best of a high resolution display with a shift panel button for precise and easy navigation.

# N 50: Electronic Control with Medium LCD Display

## Traditional yet precise navigation

Our N50 Collection offers the convenience and precision of a traditional control dial alongside a stylish large LCD Display. The oven proposes a suitable temperature when a particular function is selected and displays the temperature digitally. Other display features include a control panel lock and, if left unadjusted for a period of time, the oven will switch itself off as a safety measure.







N 50: Small LCD Display

# Simplicity at its best

An alternative control display offered within our N50 Collection. Featuring traditional controls dials alongside a small LCD display, navigating your oven can be as simple as you like.

# THE PERFECT COMBINATION

### Mix and match your appliances

Create your perfect kitchen by choosing your very own appliance combination and cooking features to suit your lifestyle. With our SeamlessCombination® strips you can seamlessly combine our N 90 and N 70 Collection of single ovens and compact appliances to create a sleek and stylish finish.



# C28CT26H0B



N17HH10N0B

## B58VT68H0B



Z11SZ80X0

N17HH20N0B

# C27CS22H0B

Compact Combination ( Control Fascia 4.1" N 90



Pyrolytic Oven and with Shift Control Fascia 4.1" N 90

### 17MR02N0B



# B57CR22N0B



N17HH20N0B

with Shift Control Fascia 2.5" N 70



with Shift Control Fascia 2.5" N 70

# N 50

### C1APG64N0E



# B5ACM7HN0B



# C1APG64N0B

Combination Steam Oven with White LCD Display N 50



# OVEN FUNCTIONS INDEX

Your NEFF oven is equipped with a range of innovative functions which are designed to help you get the best out of your cooking. Please refer to our guide below when choosing your appliance.

# KEY FEATURES


CIRCO THERM®

VARIO STEAM

**FULL STEAM** 



CIRCO THERM®



PROBE SINGLE POINT SINGLEPOINT



SABBATH




HOME CONNECT

# CIRCO THERM®

TOP/BOTTOM



















DEFROST





CONVENTIONAL

**FULL SURFACE** 



# STEAM SETTING



# SELF-CLEANING





OVEN CLEANING



ECOCLEAN®

**BASE CLEAN** 

# COOKING WITH A NEFF OVEN

# KEY FEATURES

## CIRCO THERM®

The CircoTherm® Power Boost function speeds things up even more when cooking for short periods of time – just put the food in and start the



### CIRCO THERM® GENTLE

Optimised for gentler cooking and baking on one level. It's perfect for frozen or convenience foods, bread, cakes and meats. Available on all electronically controlled ovens.



### VARIO STEAM

Vario Steam gives dishes just the right amount of moisture by adding steam at three intensity levels, for baking, roasting or just heating up. Foods come out with more intense flavour and an appetising



### **FULL STEAM**

Make your favourite dishes healthier by locking in food's nutrients and flavour with our Full Steam function. It's easy to operate and also simple to refill the one litre water container - press a button to open the front panel, remove the container, fill it and you're ready to steam ahead.



### **SOUS VIDE**

By cooking at very low temperatures (55°C -60°C) Sous Vide seals in flavour and achieves beautiful uniform results. With the option to cook in selected single or compact steam ovens.



### **BAKING AND ROASTING ASSISTANT**

This innovative assistant makes food preparation even easier and more convenient. The Baking and Roasting Assistant serves up a cooking suggestion at the press of a button. It also recommends the ideal heating mode, temperature and time, to ensure perfect results.



### MEAT PROBE

The Multi Point Meat Probe measures the joint's heat at three points and the Single Point Meat Probe measures in one point, ensuring the right core temperature is reached, so you can take the roast out when it's ready.



### SABBATH

This setting engages the top and bottom heating elements to reach a temperature of between 85°C and 140°C. The oven can be set to run for up to 74 hours to keep food warm, without changing the status of the fan, lights and controls.



Control your oven directly from a Smart Device App or Voice Command

# OVEN CLEANING FUNCTIONS



### PYROLYTIC SELF-CLEANING

Pyrolytic cleaning is a self-cleaning system for ovens. The process superheats the oven to approximately 485°C, which burns off any deposits from baking, roasting and grilling. This creates a perfectly clean oven and a residue of fine dust that's easily removed with a damp cloth.



## OVEN CLEANING

A special electronic setting designed to keep EcoClean® surfaces inside the oven as clean as possible. Used on a regular basis, it can keep the oven's interior lining remarkably clean with minimal maintenance required.



### **BASE CLEAN**

Base Clean helps clean the bottom of the oven by softening dirt with warm water. After the programme has finished you just have to wipe the base with a damp cloth.



For a lightly soiled oven, put approximately 400ml of water and a drop of washing-up liquid in the base pan and then select the EasyClean® programme. It softens baked-on residue so you can just wipe it down, for fast and uncomplicated oven cleaning.



All NEFF steam appliances contain a descaling programme which can be set according to the hardness of the water.



### **ECOCLEAN®**

EcoClean® is a microfine ceramic bead coating on the oven's interior back or top, sides & back depending on the model. It has a very large surface area, making it extremely absorbent. It absorbs fat droplets and keeps the inside of the oven clean.

# COOKING FUNCTIONS



## CIRCO THERM®

within the N 90 and N 70 Collection and 3 levels within the N 50 Collection.



## CIRCO THERM® INTENSIVE

neat, ideal for foods that need a crispy underside like pizzas or speciality breads. It can also be used for one stage pastry such as lemon meringue pie, eliminating the need for blind baking.



### TOP/BOTTOM HEAT

Providing conventional cooking heat sources at the top and bottom of the oven. Heat travels to the centre of the oven by natural conduction.

Ideal for baking pastries and scones.



### CIRCO ROASTING

BREAD BAKING

REHEAT

CENTRE SURFACE GRILL

can be baked at the same time

look and taste freshly prepared.

For more

information on all

NFFF features and

functions, please visit

neff-home.com/uk

An ideal function for cooking meat and poultry for

You can use just the centre section of the grill for

Bread baking temperature varies between 180°C and 220°C. Ideally suited to baking crusty bread

with an open texture. Up to three levels of bread

LOW TEMPERATURE COOKING

A special setting for hob-sealed prime cuts of

meat and poultry. Meat/poultry is placed in a pre-

heated dish and transferred into the oven. The low

temperature setting uses a fixed temperature to

gently tenderise without overcooking, resulting in

meat/poultry that is juicy and melts in the mouth.

Reheat allows you to gently warm dishes again -

and thanks to the moisture in the oven, they will



Providing heat from the bottom of the oven, this method is ideal for pizza bases and pastry cases to create a crispy underside or for bain marie and



drying it out before serving. Typically set between 66°C to 100°C.



### PLATE WARMING

Hot air is circulated at up to 65°C to safely warm plates and service dishes in preparation for dinner.



### DOUGH PROVING

This function provides a warm, moist environment, perfect for proving yeast dough while improving the texture and quality of pastry foods, such as

# **AUTOMATIC SAFETY SWITCH OFF**

For electronic ovens only, this feature will automatically cut in if no changes to the settings on the appliance have been made in a long time, giving you complete peace of mind.

remperature range	Automatic switch off after
Under 140°C	73 hours
141 – 200°C	6 hours
201 – 250°C	3 hours
251°C	2 hours
William William St. T. W. T. W.	SECURITION OF THE PARTY OF THE PARTY.

# CONVENTIONAL HEAT GENTLE

This setting heats up the centre of the oven for single shelf cooking. The oven maintains its average temperature for gentler cooking by reducing the thermostat cycles and using residual heat as part of the process.



## **FULL SURFACE GRILL**

The grill element is situated in the oven roof. It is thermostatically controlled and will cycle on and off to maintain the required temperature.



The CircoTherm® fan circulates air through the oven to speed up defrosting times while retaining food colour and moisture. Ideal for delicate foods as well as fish and poultry



**KEEP WARM** An ideal setting for keeping food warm without





251°C	2 hours	
201 – 250°C	3 hours	
141 – 200°C	6 hours	
Under 140°C	/3 hours	

# SLIDE&HIDE® **PYROLYTIC OVENS** WITH VARIO STEAM

### The ultimate choice for creative Cookaholics

Whatever your specialities, we've designed an oven to inspire even the most experimental cooks. Combining our unique Slide&Hide® disappearing door design with Vario Steam and Pyrolytic Self-Cleaning, creative cooks can achieve succulent meat, beautifully crusty bread and flavoursome bakes without worrying about roasting spatter and spillages.

# **B58VT68H0B** Slide&Hide® Pyrolytic Oven with Vario Steam



Vario Steam



Pyrolytic

Self-Cleaning

KEV FEATURES

Slide&Hide®

door

Slide&Hide®	Cooking Functions 15	CircoTherm®	CircoTherm® Gentle	Pyrolytic	Vario Steam
Comfort Flex	Full Touch Control	Multi Point Meat Probe	Bake and Roast Assist	Neff Light	Sabbath
Wi-fi	Energy	Efficie	nt		, n

# SLIDE&HIDE® **OVENS WITH** PYROLYTIC CLEANING

### The only oven with a disappearing door is cleaner than ever

Our unique Slide&Hide® ovens now come with Pyrolytic Self-Cleaning function. Using a high-temperature programme to burn food residue to dust, which can be quickly wiped away once the oven has cooled, oven cleaning has now become a thing of the past. From bubbled-over cheese or sizzling joints of meat, our Pyrolytic ovens give you more time to concentrate on your next creation.

# B58CT68H0B Pyrolytic Oven

Multi Point

Meat Probe

Self-Cleaning



Slide&Hide® door

### **KEY FEATURES**

Slide&Hide®	Cooking Functions	CircoTherm®	CircoTherm® Gentle	Pyrolytic	Neff Light
2r	15		(2)	***	
Multi Point Meat Probe	Bake and Roast Assist	Sabbath	Comfort Flex	Full Touch Control	W1-F1
Energy		LI			



DISAPPEARING DOOR, DISAPPEARING

When cooking is a true labour of love, roasting spatter and spillages are always going to be a possibility. With Pyrolytic Self-Cleaning now available with Slide&Hide®, our iconic oven is the perfect post-dinner party assistant.







		9 30 6						-	A STATE OF THE PARTY OF THE PAR	
		- 6 Page			THE REAL PROPERTY.		4 8	to all	1	
	A STATE OF THE STA					To Box	B B	2 H	V = 1	1 THE 1
	2 2 4 7 10	Too and	1	0.1			The state of			
			1000		- SOC	195			-	1 1000
STATE OF THE PARTY	THE RESERVE TO									
		K SHE SHE	STEEL PROPERTY.		THE STATE OF	The second		A CONTRACTOR	ALC: UNITED BY	Towns and
1	COLLECTION	N 90t	N 90t	N 90s	N 90s	N 70	N 70	N 50	N 50	N 50
100	BLACK GLASS WITH STEEL	B58VT68H0B	B58CT68H0B	B57VS24H0B	B57CS24H0B	B57VR22N0B	B57CR22N0B	B5ACM7HN0B	B5ACH7AN0B	B6ACH7HN0B
	TRIM		5555.55							
	OPERATION Full Touch with Large colour									
25	TFT Clear Text display		•							
12	Shift Control, Medium colour TFT Clear Text display			•	•					
13	Shift Control, Small TFT Clear Text display					•	•			
	NEFF Design Rectractable							•	•	•
7	controls, LCD display KEY FEATURES									
200		Slide&Hide®	Slide&Hide®							
125	Door type	with Rotating Handle	with Fixed Handle							
	Soft Open door	•	•	•	•	•	•			
	CircoTherm®	4D with Power	3D	3D	3D					
200	Home Connect	Boost	Boost	Boost	Boost	Boost	Boost			
	100% steam / Sous Vide									
20.00	Function Vario Steam	•				•				
100	Pyrolytic cleaning	•	•	•	•	•	•	•	•	•
1	EasyClean® / Base Clean	•/-	●/-	●/-	●/-	●/-	●/-	●/-	●/-	●/-
	EcoClean® liners (Roof/Back/Sides)									
1	Electronic control	•	•	•	•	•	•	•	•	•
	NEFFLight®	•	•							
1	Multi Point Temperature Probe / Meat Probe	●/-	●/-					-/●		
600	Baking and roasting assistant	•	•	•	•					
N. E	Suitable for Seamless Combination® Accessories	•	•	•	•	•	•			
130	Telescopic Rail	1 x ComfortFlex	1 x ComfortFlex	1 x ComfortFlex	1 x ComfortFlex			1 x Clip rail		1 x Clip rail
34	ADDITIONAL FUNCTIONS									
37	CircoTherm® Gentle / Top & Bottom Heat gentle	●/●	●/●	•/•	●/●	●/●	●/●	●/-	●/-	•/-
15	Top/bottom heat / Bottom	•/•	●/●	•/•	●/●	●/●	•/•	•/•	●/●	•/•
1	heat only Circo Roasting	•	•		•		•	•	•	
	Full surface grill/	•/•	•/•	•/•	•/•	•/•	•/•	•/-	•/-	●/-
104	Centre Surface Grill Bread baking	•	•		•		•	•	•	
100	Low temperature cooking	•	•	•	•	•	•			
The same	CircoTherm® Intensive (Pizza Setting)	•	•	•	•	•	•	•	•	•
100 m	Defrost Defrost	•	•	•	•					
30	Plate warming/ Keep Warm	●/●	●/●	-/●		-/●				
123	Fast preheating PERFORMANCE & TECHNICAL	•	•	•	•	•	•	•	•	•
	INFORMATION									
100	Oven capacity <sup>1</sup> L	71	71	71	71	71	71	71	71	71
	Energy efficiency rating <sup>1</sup> Energy consumption	Α	Α	Α	Α	A+	A+	A	A	A
<b>花</b>	CircoTherm®1	0.74	0.74	0.74	0.74	0.69	0.69	0.81	0.81	0.81
THE REAL PROPERTY.	Energy consumption conventional <sup>1</sup>	0.90	0.90	0.9	0.9	0.87	0.87	1.04	1.04	1.04
	Time to cook standard load <sup>1</sup> mins	45	45	44	44	44	44	58	58	58
	Largest baking sheet area <sup>1</sup> sq cm	1290	1290	1290	1290	1290	1290	1290	1290	1290
	Total connected load W / Fuse Rating	3450 / 16	3450 / 16	3450 / 16	3450 / 16	3450 / 16	3450 / 16	2990 / 13	2990 / 13	2990 / 13
	Cable length cm	120	120	120	120	120	120	120	120	120
	Water tank capacity L	1.0		1.0		1.0				
4	STANDARD ACCESSORIES Wire shelves / Universal full									
N.	width pan	2/1	2/1	2/1	2/1	2/1	2/1	2 / 1	2/1	2 / 1

Measured according the EN50304, 65/2014

# SLIDE&HIDE® SINGLE OVENS WITH FULL STEAM


### All the benefits of a steamer and a conventional oven

Our Full Steam ovens, within the N 90 collection, allow you to cook with steam as a standalone function. Easy to operate and simple to fill via a concealed one litre container, our Full Steam ovens allow you to cook moist, flavoursome and healthier meals. For added benefit, our Vario Steam function also comes as standard with the N90 Full Steam Oven.

# SLIDE&HIDE® SINGLE OVENS WITH **VARIO STEAM**

### Everything you need to cook up a feast

Our Slide&Hide® with Vario Steam ovens enhance your cooking by injecting steam whilst using traditional cooking functions to intensify your dish. Ideal for achieving succulent joints of meat, perfecting crusty bread and reheating previously cooked meals.



## The only oven with the disappearing door

Inspired by the most demanding Cookaholics, our unique Slide&Hide® disappearing oven door is designed to get passionate cooks closer to their cooking. With the Slide&Hide® door retracting smoothly under the oven cavity, this oven is ideal for small kitchens with big flavours - perfect for tasting, basting



**B48FT78H0B** 

Full Steam



CircoTherm®



**B47CS34H0B** 

CircoTherm®



CircoTherm®

Slide&Hide®



**KEY FEATURES** 

Sous Vide	WI-FI	Energy	Efficier		1
Comfort Flex	Full Touch Control	Multi Point Meat Probe	Bake and Roast Assist	Neff Light	Sabbath
Slide&Hide®	Functions 13	CircoTherm®	CircoTherm® Gentle	Full Steam	Vario Steam





KEY F	EATU	RES			R
Slide&Hide®	Cooking Functions	CircoTherm®	CircoTherm® Gentle	Comfort Flex	\
Shift Control	Sabbath	W1-F1			
Energy	Efficie				
	1100				



Drop Down Door

# SINGLE PYROLYTIC OVENS

### The oven that almost cleans itself

When oven scrubbing simply isn't an option, our single pyrolytic ovens are the only choice for foodies who love to get creative in their kitchen. Simply activate the Pyrolytic Self-Cleaning function to tackle tough splatter and spillages. Featuring a standard drop-down door, our single Pyrolytic ovens also feature the same fascia design as our Slide&Hide® range.

# SINGLE **OVENS**

### Cook a three-course meal in one go with CircoTherm®

Featuring our unique CircoTherm® technology, a NEFF oven is designed with social dining in mind. With hot air drawn in from the oven via a stainless steel fan, each shelf is effectively wrapped to ensure that there's no intermingling of flavours across individual dishes. Our single ovens feature a standard drop down door and the same contemporary fascia design as our Slide&Hide® range.



**B27CR22N1B** 

Pyrolytic Self-Cleaning



 $CircoTherm^{\circledR}$ 

B17CR32N1B

CircoTherm








**KEY FEATURES** 

KEY FEATURES









Featuring our unique CircoTherm® technology, NEFF ovens are perfectly designed for busy family life and sociable dining. With the option to cook different dishes across all four levels without any intermingling of flavours, each course can be cooked at the same time.





Drop Down Door

Drop Down Door

COLLECTION	N 70	N 50
BLACK GLASS WITH STEEL TRIM	B27CR22N1B	B2ACH7HN0B
BLACK GLASS WITH STEEL TRIM		
OPERATION		
Full Touch with Large colour TFT Clear		
Text display		
Shift Control, Medium colour TFT Clear Text display		
Shift Control, Small TFT Clear Text display	•	
NEFF Design Rectractable controls,		
LCD display		
KEY FEATURES		
Door type	Drop Down Door	Drop Down Door
Soft Open door	(0.11.0	25
CircoTherm®	4D with Power Boost	3D
Home Connect 100% steam / Sous Vide Function		
Vario Steam / Sous vide Function		
Pyrolytic cleaning  EasyClean® / Base Clean	•/-	•/•
EcoClean® liners (Roof/Back/Sides)	-/-	
Electronic control	•	
NEFFLight®	•	-
Multi Point Temperature Probe / Meat		
Probe		
Baking and roasting assistant		
Suitable for Seamless Combination®		
Accessories Telescopic Rail		1 Cl::l
ADDITIONAL FUNCTIONS		1 x Clip rail
CircoTherm® Gentle / Top & Bottom		
Heat gentle	●/●	●/-
Top/bottom heat / Bottom heat only	●/●	●/●
Circo Roasting	•	•
Full surface grill/ Centre Surface Grill	●/●	●/-
Bread baking	•	•
Low temperature cooking	•	
CircoTherm® Intensive (Pizza Setting)	•	•
Defrost		
Plate warming/ Keep Warm		
Fast preheating	•	•
PERFORMANCE & TECHNICAL INFORMATION		
Oven capacity <sup>1</sup> L	71	71
Energy efficiency rating <sup>1</sup>	A+	A
Energy consumption CircoTherm®1	0.69	0.81
Energy consumption conventional <sup>1</sup>	0.87	0.99
Time to cook standard load <sup>1</sup> mins	44	58
Largest baking sheet area <sup>1</sup> sq cm	1290	1290
Total connected load W / Fuse Rating	3650 / 16	2990 / 13
Cable length cm	120	120
Water tank capacity L		
STANDARD ACCESSORIES		
Wire shelves / Universal full width pan	2/1	2/1
Steam trays		

3			
200	4D with Power Boost	3D	3D
133			
	●/●		
	Roof/Back/Sides	Back	Back
	•		
1/4		1 x Clip rail	1 x Clip rail
*			
	●/●	●/-	●/-
	•/•	•/-	•/-
	•	•	•
	•/•	•/-	●/-
	0,0	- √-	<b>U</b> /-
	•		
	•		
4	·	·	
	•		
	•	•	
	71	71	71
	A+	А	А
	0.69	0.81	0.81
	0.87	0.97	0.97
	44	58	58
	1290	1290	1290
	3650 / 16	2990 / 13	2990 / 13
125	120	120	120
	2/1	2/1	2/1
	1000 7 6 5		2

<sup>1</sup>Measured according the EN50304, 65/2014

# **COMPACT COMBINATION** OVEN WITH FULL STEAM

### Perfect for health conscious Cookaholics

Our compact Full Steam ovens are the ideal choice for cooks who love to prepare fresh, seasonal produce. As well as retaining vitamin and mineral content in food, steam cooking preserves flavours, ensuring that less salt and oil additives are needed. Designed to complement our selected Slide&Hide® ovens range, SeamlessCombination® mounting kits allow you to 'mix and match' your own sleek and stylish appliance wall.





CircoTherm®

### **KEY FEATURES**



C18FT56H1B

Compact Oven with Full Steam

**Full Touch** 








# BARISTA INSPIRED COFFEE IN YOUR OWN HOME

Designed with true coffee connoisseurs in mind, our compact coffee centres are the ultimate addition to any sociable kitchen. From Cappuccinos with friends to that essential morning Espresso, use the MyCoffee option to select up to 8 firm favourites.









	COLLECTION	N 90Ss
	Black glass with steel trim	C17KS61H0
	Design compatible with	N70 / N90
	CONTROLS	models
	Shift Control with medium colour TFT	_
	display	•
靐	KEY FEATURES	
	Home Connect	•
	Electronic control	•
8	SensoFlow System	•
	Aroma pressure system	•
	Auto Valve System	•
	AromaDoubleShot Automatic steam blast milk cleaning	•
	function	•
34	Ceramic coffee grinders	•
	Multilevel grinding setting	•
	Cup illumination	•
額	Height adjustable milk	7-15
	& coffee outlets mm Adjustable automatic switch off setting	
	Integrated water filter	•
	PROGHRAMMES / FUNCTIONS	
	Personalised beverage settings	1 or 2 cup
	Milk foam	1 or 2 cup
	Hot water	1 or 2 cup
	Warm milk	1 or 2 cup
	Ristretto	1 or 2 cup
	Coffee	1 or 2 cup
	Espresso	1 or 2 cup
	Cappuccino	1 or 2 cup
题	Latte Macchiato	1 or 2 cup
	Caffe latte	1 or 2 cup
	Espresso Macchiato	1 or 2 cup
	One touch function for milk drinks	•
	Coffee / Hot Water temperature	3 / 4
	options  Milk foam/frothing function	●/●
	Warm Milk function	•
	Cleaning / descaling / programmes	●/●
2	Automatic rinse when switched on/off	●/●
	PERFORMANCE & TECHNICAL INFORMATION	
	Installation in a tall housing	950-1450mm high
	Left hinged door to access interior	•
	Brewing chamber volume g	8-12
	Bean container capacity g	500
	Ground coffee container	•
	Water tank capacity L	2.4
	Total connected laoding W	1600
	Cable length cm	170
	ACCESSORIES	
	Insulated Milk container capacity L	0.5
	Milk pipe	•
100	Coffee scoop	•

# COMPACT OVENS WITH MICROWAVE & MICROWAVE COMBINATION OVENS

## Delicious results in rapid time

Designed to offer the ultimate flexibility, a compact oven with microwave functionality combines the benefits of conventional oven cooking and microwave cooking. Food is cooked quickly and dishes which benefit from oven baking/ roasting are left beautifully fluffy on the inside and crisp on the outside.

C28MT27H0B

# FUNCTION AND SPEED COMBINED Full Touch Control

Pyrolytic Self-Cleaning



CircoTherm®

**KEY FEATURES** 











Ovens with integral Microwave<sup>1</sup>

Want an oven that offers more versatility for creative cooking? NEFF compact ovens with microwave give you all the benefits of a traditional single oven, but with the added power of a microwave. This combination of traditional oven-led cooking supported by low-medium power microwave (max. 360W) lets you speed up the cooking process while still delivering the flavours and results you'd expect from your NEFF

In addition, you can also team the compact oven with microwave together with a traditional single NEFF oven, creating a highly versatile alternative to a double oven.

Microwave Combination Ovens<sup>1</sup>

Wish your microwave gave crisp and brown results like your oven? That's exactly what you can get with a NEFF microwave combination oven. The combination of microwave (max. 600W) supported by hot air or grill functions enhance your cooking for golden and delicious meals. It's the speed you'd expect from a microwave but with the flavour and appearance you get from an oven or grill.

			100				
COLLECTION	N 90s	N 90t	N 90s	N 90s	N 70	N70 touch	N 50
ТҮРЕ	COMPACT OVEN	COMPACT OVEN WITH MICROWAVE	COMPACT OVEN WITH MICROWAVE	COMPACT OVEN WITH MICROWAVE	COMPACT OVEN WITH MICROWAVE	COMPACT MICROWAVE	COMPACT MICROWAVE COMBINATION OVEN
COLOUR  Model number - Black glass with steel trim OPERATION	C27CS22H0B	C28MT27H0B	C27MS22H0B	C17MS32H0B	C17MR02N0B	C17UR02N0B	C1AMG83N0B
Full Touch with Large colour TFT Clear Text display		•					
Shift Control, Medium colour TFT Clear Text display Shift Control, Small TFT Clear Text display NEFF Design Rectractable controls, LCD display KEY FEATURES	•		•	٠		Touch control	
Soft close / open door	●/●	●/●	●/●	●/●	●/●		
Hot Air cooking Home Connect	•	•		•	•		•
Microwave / Microwave Combination Cooking 100% steam / Sous Vide Function Vario Steam		•/•	•/•	•/•	•/•	●/-	•/•
Pyrolytic cleaning®	•	•	•				
EasyClean® / Base Clean EcoClean® liners	●/-	•/-	•/-	●/● Roof, Back, Sides			
(Roof/Back/Sides) Electronic control	•	•	•	•	•	•	
Multi Point Temperature Probe		•					
Baking and roasting assistant	•						
Suitable for Seamless Combination® Accessories	•	•	•	•	•		
Telescopic Rail		ComfortFlex					
ADDITIONAL FUNCTIONS Hot Air Gentle / Top &	•/•	•/•	●/●	●/●	•/-		-
Bottom Heat gentle Top/bottom heat / Bottom	•/•			•/•	●/-		
heat only Fan & Grill	•/•	•/•	•/•	•/•			
Full surface grill/ Centre surface grill	•/•	●/●	•/•	•/•	•/•		•/-
Bread baking	•						
Low temperature cooking	•	•	•	•			
Pizza setting  Defrost	•	·	·	•			
Plate warming/ Keep warm		●/●	•/-	●/-	●/-		
Fast Preheating	•	•	•	•	•		•
PERFORMANCE & TECHNICAL INFORMATION							
Oven capacity <sup>1</sup> L	47	45	45	45	45	36	44
Energy efficiency rating <sup>1</sup>	A+						
Energy consumption CircoTherm <sup>®1</sup> Energy consumption	0.61						
conventional <sup>1</sup> Time to cook standard	0.73						
load <sup>1</sup> mins  Largest baking sheet area <sup>1</sup>	46						
Inverter technology <sup>2</sup>	1290	1290	1290	1290 •	1290 •	•	
Maximum power Microwave (W) <sup>3</sup> / No. of power levels		900/5	900/5	900/5	900/5	900/5	900 / 5
Total connected load W / Fuse Rating	2990 / 13	3600 / 16	3600 / 16	3600 / 16	3600 / 16	1220 / 10	3350 / 16
Cable length cm	150	150	150	150	150	150	180
Turntable diameter mm							360
Water tank capacity litres STANDARD ACCESSORIES							
Wire shelves /	1/1	1/1	1/1	1/1	1/1	/Class trans	1 high % 1 laysli
Universal Pan Steam Trays	1/1	1/1	1/1	1/1	1/1	- / Glass tray	1 high & 1 low rack
Steam mays	COMPANY NO THE REAL PROPERTY.	SECTION AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON ADDR			Name of the Owner, which the	CONTRACTOR OF STREET	110 Jake 1 1 2 2 2 3 2 3 2 3

# MICROWAVE OVENS

## Style and convenience built-in

Our built-in microwaves fit seamlessly into your cabinetry. Depending on your chosen model, you'll enjoy handy automatic programmes that suggest ideal cooking times, a full-touch TFT display, or a Memory Function that allows you to select your favourite settings with just one touch of a button. Selected microwaves also feature a grill, so you can finish off your comforting lasagne with a layer of beautifully golden cheese.

### **INVERTER TECHNOLOGY**

Inverter Technology delivers microwave power constantly while cooking – other traditional microwaves are only able to deliver maximum power and manage the differing settings by alternating between on and off for specific time periods. This can result in uneven heating or over-cooked food and can be especially damaging to more delicate foods or smaller portions.

With Inverter Technology, the microwave delivers power constantly, gradually managing the power levels down over time in order to control the food temperature. This gentle approach to cooking reduces uneven heating or overheated food and is especially beneficial for delicate foods. It may be necessary to adjust cooking times to ensure foods are thoroughly cooked before serving.

NEFF recommends that the maximum power setting be used for heating liquids and the microwave is calibrated to provide a burst of high power initially, before managing the power down in stages to the next level over the first few minutes.



## C17GR00N0B



 $\begin{array}{c|c} \text{Cooking} \\ 2 \\ \hline \\ \begin{array}{c} \text{Control} \\ \hline \\ \end{array} \end{array} \begin{array}{c} \text{Shift} \\ \text{Control} \\ \hline \\ \end{array} \begin{array}{c} \text{Maximum} \\ \text{Microwave} \\ \hline \\ 900 \\ \end{array} \begin{array}{c} \text{Number of} \\ \text{Power levels} \\ \end{array} \begin{array}{c} \text{Automatic} \\ \text{Programmes} \\ \text{Capacity} \\ \text{(Litres)} \\ \end{array} \begin{array}{c} \text{Capacity} \\ \text{(Litres)} \\ \end{array}$ 

FAST AND VERSATILE

Microwave

Touch key Shift Control

& Grill


TYPE	MICROWAVE WITH GRILL	MICROWAVE WITH GRILL	MICROWAVE	MICROWAVE	MICROWAVE WITH GRILL	MICROWAVE	MICROWAVE	MICROWAVE	MICROWAVE
COLOUR									
Model Number - Black	C17GR00N0B	C17GR01N0B	C17WR00N0B	C17WR01N0B	HLAGD53N0B	HLAWD53N0B		HLAWD23N0B	
glass with steel trim Model Number - White	CT/GROONOD	CT/GROTIVOD	C17 WINDOINDD	CITWINOTINOD	TILAGDSSTOD	TILAVVDSSINOB		TILAWDZSINOB	
glass with steel trim							HLAWD53W0B		
Model Number - Stainless									H53W50N3GB
Steel									HISSWSONSGB
OPERATION Touch Control with small									
TFT text display	•	•	•	•					
Rectractable control with					•	•	•	•	
push buttons						-	-	-	-
KEY FEATURES									_
Microwave	•	•	•	•	•	•	•	•	•
Quartz Grill	•	•			•				
Microwave & grill combination	•	•			•				
Electronic Control	White TFT display	White TFT display	White TFT display	White TFT display	White LED display	White LED display	White LED display	White LED display	White LED Display
Automatic programmes	10	10	7	7	8	7	7	7	7
Stainless steel interior	•	•	•	•	•	•	•	•	•
PERFORMANCE & TECHNICAL INFORMATION									
Oven capacity L	21	21	21	21	25	25	25	20	17
Inverter technology <sup>1</sup>	•	•	•	•					
Maximum power Microwave <sup>2</sup> W	900	900	900	900	900	900	900	800	800
Number of Microwave power levels	5	5	5	5	5	5	5	5	5
Mircrowave distrbution	Stirrer	Stirrer	Stirrer	Stirrer	Turntable	Turntable	Turntable	Turntable	Turntable
Turntable diameter mm					315	315	315	255	245
Total connected load W	1990	1990	1220	1220	1450	1450	1450	1270	1270
Minimum fuse protection Amps	10	10	10	10	10	10	10	10	10
Cable length cm	150	150	150	150	130	130	130	130	130
GB plug	•	•	•	•	•	•	•	•	•
Side opening door	Left hinged	Right hinged	Left hinged	Right hinged	Left hinged	Left hinged	Left hinged	Left hinged	Left hinged
Control panel position	Below, horizontal	Below, horizontal	Below, horizontal	Below, horizontal	Right, vertical	Right, vertical	Right, vertical	Right, vertical	Right, vertical
Electronic touch button	•	•	•	•					
door opening Push button door opening					•	•	•	•	•
Installation position	Wall unit or Tall housing	Wall unit or Tall housing	Wall unit or Tall housing	Wall unit or Tall housing	Tall housing	Tall housing	Tall housing	Wall unit or Tall housing	Wall unit or Tall housing
STANDARD ACCESSORIES	nodoring		110001119	110001119				no com g	
Glass turntable					•	•	•	•	
		- /-							



# A HELPING HAND IN THE KITCHEN

We never underestimate the convenience of a microwave. Designed to complement with our selected single ovens, it's easy to create a cooking station which perfectly meets your needs.





# WARMING DRAWERS

# Integrated convenience

With our 29cm warming drawer holding up to 40 plates, a larger-size warming drawer is ideal for cooks who regularly entertain family and friends. If a slimmer version is more in-keeping with your space, our 14cm drawers also offer an impressive 12 plate capacity. With the option to melt chocolate, prove bread and keep your meals warm before serving, our warming drawers assist from prep to table.



# N17HH20N0B

Warming drawer, compatible with **N 90** and **N 70** models



Invaluable in any serious kitchen, our warming drawers help at every stage of the cooking process. Ideal for proving, melting, defrosting and keeping cooked meals and crockery warm, our warming drawers perfectly sit below our single and compact ovens.

Combine
N 90/N 70/N 50
drawers with
ovens and compacts
from the same
Collections.





	W. C. C. S. S. D. W. C. C. S. C.		Market State of the State of th	10-10-12		Carl Depth 1970	
COLLECTION	N70 / N90	N70 / N90	N70 / N90	N70 / N90	N70 / N90	N 50	N 50
	29CM HIGH	14CM HIGH	14CM HIGH	14CM HIGH	14CM HIGH	29CM HIGH	14CM HIG
TYPE	WARMING DRAWER	WARMING DRAWER	WARMING DRAWER	ACCESSORY DRAWER	VACUUM DRAWER	WARMING DRAWER	WARMIN( DRAWER
BLACK GLASS WITH STEEL TRIM	N17HH20N0B	N17HH10N0B	N17HH11N0B	N17ZH10N0	N17XH10N0B	N1AHA02N0B	N1AHA01N
KEY FEATURES						_	
Vacuum drawer					•		
Plate warming	•	•	•			•	•
Hold Warm	•	•	•			•	•
Defrost	•	•	•			•	•
Low temperature cooking	•	•	•				
Accessory drawer				•			
Operating indicator light	•	•	•		•	•	•
Electronic control	•	•	•		•		
Rotary temperature control dial	•	•	•			•	•
Touch Control					•		
Number of temperature settings	4	4	4			3	3
Number of vacuum seal time settings		·	·		3	,	,
Number of vacuum sealing levels - bags /							
containers					3/3		
Glass safety lid					•		
Maximum temperature °C	80	80	80			80	80
Minimum temperature °C	40	40	40			40	40
Toughened Glass Base	•	•	•				
PERFORMANCE & TECHNICAL INFORMATION							
INSTALL INDEPENDENTLY	•	•	•	•	•	•	•
Install with compact appliance	N70 / N90	N70 / N90	N70 / N90	N70 / N90	N70 / N90	N 50	N 50
Install with a single oven	N70 / N90	N70 / N90	N70 / N90	N70 / N90	N70 / N90	N 50	N 50
Push-Pull opening mechanism	•	•	Handle	•	117071130	•	•
Drawer interior volume L	52	20	20	21	8	58	23
Interior drawer dimensions HxWxD mm	242x468x458	95x468x458	95x468x458	102x468x458	0	250x475x490	100x475x4
Vacuum chamber dimensions	24234003430	93X400X430	93X400X430	102X400X430		230X473X490	100x473x4
HxWxD mm					95x275x210		
Installation in tall housing or under work surface	•	•	•	•	•	•	•
Maximum weight capacity kg	25	25	25	15	10	15	15
Total connected laoding W	810	810	810	15	320	400	400
Minimum fuse rating Amps	10	10	10		6	6	6
Cable length cm	150	150	150		150	150	150
GB pluq	130	150	•		150	•	150
STANDARD ACCESSORIES			•				
/acumming platform					•		
External vacumming adaptor, hose & plugs							
Sample vacuuming bags							
Anti-slip mat				•	•		
OPTIONAL ACCESSORIES				_		_	
					Z13CX62X0		
100 x Vacuum bags (180 x 280 mm)					Z13CX62X0 Z13CX64X0		
100 x Vacuum bags (240 x 350 mm)					213CX04XU		



# **BUILT-IN DOUBLE OVENS WITH** CIRCO THERM®

### The versatility of two cavities

With the convenience of two oven cavities, our built-in double ovens provide any Cookaholic with plenty of cooking space without impacting on kitchen design. Featuring NEFF's CircoTherm® technology in the main oven and Pyrolytic Self-Cleaning in both, it's possible to cook different dishes on multiple levels without any intermingling of flavours or mess to clean up.



Pyrolytic Self-Cleaning





TOP OVEN KEY FEATURES

CircoTherm®

MAIN OVEN KEY FEATURES





N 50 Electronic control and temperature display

		A State of	A STATE OF THE STA	19
COLLECTION	N 5	0	N	50
BLACK GLASS WITH STEEL TRIM	U2ACM7	7HN0B	U1ACI	5HN0B
WHITE GLASS AND STEEL TRIM	3			
OPERATION				
NEFF Design Rectractable controls, LCD display	•			•
KEY FEATURES	Main	2nd	Main	2nd
CircoTherm®	3D		3D	
Pyrolytic cleaning	•	•		
EasyClean® / Base Clean	●/-		●/ ●	
EcoClean® liners (Roof/Back/Sides)			roof/back/ sides	roof/back/ sides
Electronic control	•	•	via Meat probe	
Meat Probe	•		•	
Telescopic Rails	1 x Clip Rail		1 x Clip Rail	
ADDITIONAL FUNCTIONS	Main	2nd	Main	2nd
CircoTherm® Gentle	•		•	
Top/bottom heat / Bottom heat only	●/ ●	●/ ●	●/ ●	●/ ●
Circo Roasting	•		•	-
Full surface / Centre surface grill	•/-	●/ ●	•/-	●/ ●
Bread baking	•			
CircoTherm® Intensive (Pizza Setting)	•		•	
Fast preheating	•		•	
FEATURES	Main	2nd	Main	2nd
Oven capacity <sup>1</sup> L	71	34	71	34
Energy efficiency rating <sup>1</sup>	А	В	А	В
Energy consumption CircoTherm <sup>1</sup>	0.81	-	0.81	-
Energy consumption conventional <sup>1</sup>	1.02	0.83	1.02	0.83
Time to cook standard load <sup>1</sup> mins	44	44	44	44
Largest baking sheet area <sup>1</sup> sq cm	129	0	12	90
Total connected load W / Fuse Rating	6300	/ 32	5900	)/32
STANDARD ACCESSORIES	Main	2nd	Main	2nd
Wire shelves / Universal full width pan	3/1		3,	/1

Measured according the EN50304, 65/2014



	50	N 5		N :	0		50	N 5		N 5	0
U1ACE	5HN0B	U1ACE2	HW0B			J1ACE	4HN0B	J1ACE2	HN0B		
				U1ACE2	PHW0B					1ACE2H	HW0B
		•					•	•		•	
Main	2nd	Main	2nd	Main	2nd	Main	2nd	Main	2nd	Main	2nc
3D		3D		3D		3D		3D		3D	
●/ ●		●/ ●		•/•		●/ ●		●/ ●		●/ ●	
roof/back/ side	roof/back/ sides					back	roof/back/ sides				
1 x Clip Rail	3/1	1 x Clip Rail		1 x Clip Rail		1 x Clip Rail		1 x Clip Rail		1 x Clip Rail	
Main	2nd	Main	2nd	Main	2nd	Main	2nd	Main	2nd	Main	2nc
•		•		•		•		•		•	
●/-	●/ ●	●/-	●/ ●	●/-	●/ ●	●/ ●	●/ ●	●/-	●/ ●	●/-	•/
•		•		•		•		•		•	
•/-	●/ ●	●/-	●/ ●	●/-	●/ ●	•/-	●/ ●	●/-	●/ ●	•/-	•/•
•						•		•		•	
• Main	2nd	• Main	2nd	● Main	2nd	Main	2nd	Main	2nd	● Main	2nc
71	34	71	34	71	34	47	34	47	34	47	34
Α	В	А	В	А	В	А	В	А	В	А	В
0.81		0.81		0.81		0.71	-	0.71	-	0.71	-
1.02	0.83	1.02	0.83	1.02	0.83	0.84	0.83	0.84	0.83	0.84	0.83
44	44	44	44	44	44	45	45	45	45	45	45
12		129		129			90	129		129	
5900		5900		5900			7 / 25	5300		5300	
Main	2nd	Main	2nd	Main	2nd	Main	2nd	Main	2nd	Main	2nc

# THE HOB COLLECTIONS



Because every cook has their own unique style

Choosing the right hob to complement your kitchen and cooking style can be challenging. At NEFF we understand the importance of creating a premium, seamless kitchen with appliances that are designed to coordinate with one another. To help you select the perfect kitchen companion, we've categorised all our hobs into easy-to-follow Collections based on product features, control display and design.



N 90

# STYLES OF HOBS

- Venting
- FlexInduction
- Gas on Glass

# ELECTRIC

THIS COLLECTION CAN INCLUDE\*:-

TFT Control

TwistPad® Fire Control

Premium glass on steel frame

Hob Hood Control

Extended FlexInduction

xInduction

Power Move

Power Transfer

# GAS

THIS COLLECTION CAN INCLUDE\*:-

FlameSelect®

Dual Wok Burner

LED power level display

Residual heat indicator

esidual heat indicator

Premium ceramic glass on steel frame

Cast iron pan supports

# N 70

# STYLES OF HOBS

- Venting
- FlexInduction
- Quick-Light
- Gas on Steel with black inlay

# ELECTRIC

THIS COLLECTION CAN INCLUDE\*:-

TwistPad® Control

Touch Control

Bevelled edge glass FlexInduction

Power Move

Power Transfer

# GAS

THIS COLLECTION CAN INCLUDE\*:-

FlameSelect®

LED power level display

Residual heat indic

Tempered glass/steel with black

Cast iron pan supports

# N 50

# STYLES OF HOBS

- CombiZone Induction
- Quick Light
- Gas on Steel

# ELECTRIC

THIS COLLECTION CAN INCLUDE\*:-

Touch Control

Bevelled edge glass

CombiZone induction

Ring Zones

# GAS

THIS COLLECTION
CAN INCLUDE\*:-

Cast iron supports

Cast iron finish supports

# N 30

# STYLES OF HOBS

- lnduction
- Quick Light
- Gas on Steel

# ELECTRIC

THIS COLLECTION CAN INCLUDE\*:-

Control Dials

Frameless design

Induction technology

ng Zones

GAS

THIS COLLECTION CAN INCLUDE\*:-

mel pan supports

\*The features included in each collection are an overview only. Please ensure that you check the product detail for exact features of each model.

A HOB FOR EVERY

COOKING STYLE

# A HOB FOR EVERY COOKING STYLE



# Rethink cooking in NEFF's infinite kitchen

A great meal is all about the ingredients and cooking process. And it's the same when it comes to choosing the right hob. If you want flexibility, an electric FlexInduction hob might be what you're after. Or pick one of our innovative gas or fast induction hobs. Can't decide which one? Then the Domino range might be the best hob for you, as it mixes all of the above. There's a NEFF hob for anyone to get creative with.



# **VENTING HOBS**

The 2-in-1 Hob and Hood is here. With freedom from a conventional wall or island hood, our integrated cooktop ventilation allows you to reclaim your space in the kitchen. Offering a FlexInduction cooking surface with powerful extraction, the NEFF Venting Hob is set to create the stylish and sociable kitchen you've always dreamt of.

T58TS6BN0 N90 Venting Hob



# CERAMIC HOBS

With their frameless design, our Ceramic hobs standout in any kitchen, and a whole range of options with up to 17 power settings makes preparing the next feast as easy as pie. Better still, our enhanced touch control panel provides full flexibility over your cooking.

T16FD56X0 N50 Ceramic Hob



# FLEX INDUCTION HOBS

For sociable cooks who often find themselves juggling multiple pans, a FlexInduction hob provides any size pan, anywhere cooking within the zones. When the zones are activated, pans will receive instant, even and rapid heat transference wherever they are placed. Most hobs within the FlexInduction range are controlled by our innovative and stylish TwistPad Fire® removable and illuminated magnetic dial.

T59TS61N0 N90 FlexInduction Hob with



# DOMINO HOBS

Our domino hobs can be mixed and matched to create a cooking station that's all your own. With gas (30cm), Quick-Light ceramic (30cm), FlexInduction (30cm) and Teppan Yaki (40cm) hobs withinthe range, our Domino hobs canbe linked to provide the ultimate versatile cooking experience.

N53TD40N0, N23TA29N0 Domino Hobs



# INDUCTION HOBS

more in keeping with your kitchen design, our Induction hobs provide a minimalistic and premium look whilst providing a quick and responsive cooking surface. Cooking with an Induction Hob saves energy and is incredibly safe - there is little residual heat once the saucepan is removed from the hob.

T46PD40X0 N50 Induction Hob



# GAS HOBS

For traditionalists who prefer to see exactly how much heat is delivered to their pans, gas cooking provides a robust and reliable way to prepare your favourite dishes. You cancontrol your hob by numbers and not by eye with our precise and responsive FlameSelect® heat control feature, available across selected gas hobs

T27TA69N0 N90 Gas Hob

# **FINISHES**

### **Ceramic & Induction Hobs**



Premium glass on stainless

Bevelled design trim







Frameless with front bevel

Flushline

### **Gas Hobs**

steel trim



Premium glass on stainless steel trim



Stainless steel finish with panel insert





Black tempered glass

We strive to maintain a range of hobs with sizes and finishes to suit all requirements. Choose from a number of options including colour trimmed models to match other NEFF appliances, or variations that blend in naturally with the worktop.

### **EFFICIENCY**

Black finish

Induction hobs are particularly energy efficient, using around 30% less energy than gas or ceramic hobs. The energy goes directly to the pans and the food inside them, so that almost no energy is lost. And because the heat needed is available much quicker, induction uses less energy than other fuel types.

People have used gas for decades as a quick, easy and safe means to cook. However, constantly changing international standards have brought safety into clearer focus, and as a result we've incorporated effective safety features into many of our gas hobs, like flame control, explained on page 51.

## CLEANING

The easiest hobs to clean are ceramic and induction models. Their smooth flat surface is easy to wipe down, and because the temperature of the glass is much lower than other hob types, spillages do not burn on and can be quickly cleaned up.

### PLUG&PLAY USING A 60CM, 13 AMP HOB

The T36FB41X0G is a frameless induction hob that comes complete with a 13 amp fitted plug. The advantage of this model is that it can be plugged into any mains socket in the kitchen - without the need for hard-wiring. It's the ideal choice for anyone considering replacing a gas hob with an induction hob as there is no additional electrical work required.



# INDUCTION HOBS FEATURES & FUNCTIONS



Because every cook has their own unique cooking style

For entertainers, professional cooks or large families, induction cooktops provide a fantastic solution to demanding cooking requirements. The modern design, with clear print lines, supports a variety of pan sizes while reflecting a minimalistic design trend. Proud of its innovations in Induction Cooking, NEFF has a range of features and functions to suit every cooking style.

## Heat adjustment at your fingertips

UNDERSTANDING

INDUCTION COOKING

An induction hob provides one of the most efficient methods of cooking. Extremely fast, with the ability to accurately control the power, induction hobs contain a strong electromagnet positioned under the surface of the hob. When a zone is activated and a ferrous metal pan is placed on it, a circuit is created which begins a rapid, even transference of heat to the base of the pan and its contents.

# KEY HOB CONTROL FEATURES

AN INDUCTION HOB WILL BOIL A PAN OF WATER ALMOST TWICE AS FAST AS A GAS HOB



### **FULL TOUCH CONTROL TFT DISPLAY**

Exciting and intuitive interaction with the first full-touch TFT FlexInduction hob from NEFF. Simply touch the large colour TFT display on the hob to select the cooking area, choose the power level, and access much more to bring your cooking to life.



### TWISTPAD® FIRE

A clever, removable magnetic control dial which includes a stylish illuminating feature. Available across premium FlexInduction hobs. Available across selected FlexInduction and Induction Hobs.



### **TWISTPAD®**

A clever, removable magnetic control dial available across selected FlexInduction and Induction Hobs.

Simply select a zone then swipe your finger across the




# control panel to select a heat mode. .

**Touch Control** 

**Bevelled oval controls** featured on most Domino hob models and various ceramic

# HEATING UP TIMES OF DIFFERENT HOBS

Heating up times from 15°C to 90°C according to EN 50304/ EN 60350 2009 Fissler Original Profi Collection cookware





# KEY FEATURES & FUNCTIONS



HOB HOOD CONTROL - Allows you to manage the settings for both the hob and hood, directly from the



FLEX INDUCTION - By using a different arrangement of induction coils to cover a wider area, entire zones can be activated and pans placed anywhere within that zone will receive instant, even heat transference.



**EXTENDED FLEX INDUCTION** – Offering the same benefits as the FlexInduction, extended zones allow you to cook a variety of large roasters and accessories up to 40cm and pots up to 30cm in length.



POWER TRANSFER - Move pots anywhere in the double FlexZone and the setting will automatically move with them. All it takes is one single touch of a button



POWER MOVE - Divide the hob into three heat zones, each with a different power level so you can easily move a pot between intense heat the front, simmering in the middle and a low, keep-warm temperature at the back.



**COMBIZONE** - Individual yet flexible cooking areas can be used independently or linked together to create an expanded cooking zone large enough for Teppan Yaki plates casserole dishes and griddle pans.



FRYING SENSOR - With 5 selectable temperature settings that hold levels of heat steady, FryingSensor ensures that there's no more burning.

# ADDITIONAL FEATURES & **FUNCTIONS**

MOVE MODE – Cook that perfect steak every time with temperature sensors inside the hob that continuously measure the temperature. The clever electronics regulate the pan temperature with high precision.

CONTROL PANEL LOCK - A useful safety feature, just switch on the control panel lock to make sure children can't play with the controls.

**RESIDUAL HEAT INDICATORS** – Primarily a safety feature - 'H' means it's hot enough to continue cooking; 'h' means it's not hot enough to cook, but too hot to

QUICK START - Allows for a guick and immediate start to the cooking process as the hob detects the pan, which then activates the zone.

CONTROL PANEL SUSPENSION – Activates a freeze setting at the touch of a button, allowing the hob to be wiped clean easily and safely.

SAFETY CUT-OUT FACILITY - For added peace of mind, our induction hobs feature a safety cut-out facility which activates if the hob has been in constant use but no settings have been changed for a period of time.

**RESTART** – Provides full control over the hob by recalling the current used setting for up to four seconds if the hob has been unintentionally switched off by simply pressing the main switch.

44 neff-home.com/uk/



With freedom from a conventional wall or island hood, our Venting Hob allows you to reclaim your space in the kitchen. Offering a FlexInduction cooking surface with a powerful, built-in extraction mechanism, the NEFF Venting Hob is set to create the tasteful and modern kitchen that you've always dreamt of. Premium features such as our innovative and stylish magnetic control dial TwistPad® Fire, Double FlexInduction, Hob Hood Control & Power Move come as a standard whilst the cast-iron ventilation grate doubles up as a stylish pan rest too.

# A KITCHEN TO BREATHE IN

Selected Venting Hob models offer the following:

## **Key Design Features**

- 80cm Width
- Double FlexInduction
- TwistPad® Fire

# PowerMove

- PowerTransfer
- FryingSensor
- Hob Hood Control

**Performance Features** 

DOUBLE FLEX INDUCTION

Move your pots and pans anywhere within the

FlexZone. Their size and shape are automatically

detected and heat is applied at their exact location.


# POWER MOVE

Divide the hob into three heat zones, each with a different power level so you can easily move a pot between intense heat at the front, simmering in the middle and a low, keep-warm temperature at the back.



# POWER TRANSFER

Move pots anywhere in the double FlexZone and the setting will automatically move with them. All it takes is a single touch of a button.



# FLEX INDUCTION HOBS

### Innovations in flexible cooking

Our FlexInduction hobs are created to respond to your way of cooking and allow you to move your cookware freely around the hob where pots and pans are automatically detected and heat is delivered to exactly where it's needed. With a range of griddle pans and Teppan Yaki grill plates available from the NEFF online store, creative cooking has never been easier or more stylish.

With the majority of Flex Induction hobs featuring TwistPad® operation, simply point and twist the removable dial towards your cooking zones to activate, or upgrade to the TwistPad® Fire and control both the hob and hood settings on your integrated appliance. Once you've finished cooking, the magnetic dial can simply be removed for a sleek, premium cook top finish. If you're looking for the ultimate feature navigation, choose a FlexInduction hob with our innovative large high-resolution colour TFT display. Available on selected models, our most premium control display guides you easily through the menu, and its high contrast screen makes for a stunning worktop design.



# FLEX INDUCTION EXPLAINED

By using a different arrangement of induction coils to cover a wider area, entire zones can be activated and pans placed anywhere within that zone will receive instant, even heat transference. This will put an end to juggling hot pans for space on the hob when cooking large dinners or multiple

FlexInduction uses the same basic technology as standard NEFF induction hobs, which means these models also benefit from significantly lower surface temperatures. Because the entire space can be used efficiently, pans can be placed towards the rear of the zones, lessening the likelihood of accidents due to protruding handles. This makes FlexInduction one of the safer options for families with toddlers or young children.

Our FlexInduction design layout offers a larger zone (approximately 24 x 40cm) to cater for bigger pans, presenting more flexibility in pan size selection and positioning.



# TWISTPAD® FIRE

Featuring a unique, illuminated and removable dial, our TwistPad® Fire control feature has been designed to react to pans bubbling away quickly and easily. Simply point and twist the clever magnetic dial towards your cooking zones to activate and adjust the heat accordingly.

Available with selected FlexInduction hobs. TwistPadFire® makes controlling your hob easier, and more stylish, than ever before.

Available on selected FlexInduction and Venting Hobs.


# **VENTING HOB**

### The 2-in-1 hob and hood is here

With freedom from a conventional wall or island hood, our Venting Hob allows you to reclaim your space in the kitchen. Offering a FlexInduction cooking surface with a powerful, built-in extraction mechanism, the NEFF Venting Hob is set to create the tasteful and modern kitchen that you've always dreamt of. Premium features such as our innovative and stylish magnetic control dial TwistPad® Fire, Double FlexInduction, Hob Hood Control & Power Move come as a standard whilst the cast-iron ventilation grate doubles up as a stylish pan rest too.


# DOUBLE FLEX INDUCTION

Move your pots and pans anywhere within the FlexZone. Their size and shape are automatically detected and heat is applied at their exact location.



# POWER TRANSFER

Move pots anywhere in the double FlexZone and the setting will automatically move with them. All it takes is a single touch of a button.



# A KITCHEN TO BREATHE IN

Selected Venting Hob models offer the following:

## **Key Design Features**

- 80cm Width
- Double FlexInduction
- TwistPad® Fire

### **Performance Features**

- PowerMove
- PowerTransfer
- FryingSensor
- Hob Hood Control

# POWER MOVE

Divide the hob into three heat zones, each with a different power level so you can easily move a pot between intense heat at the front, simmering in the middle and a low, keep-warm temperature at the back.



# FLEX INDUCTION HOBS



### Innovations in flexible cooking

Our FlexInduction hobs are created to respond to your way of cooking and allow you to move your cookware freely around the hob where pots and pans are automatically detected and heat is delivered to exactly where it's needed. With a range of griddle pans and Teppan Yaki grill plates available from the NEFF online store, creative cooking has never been easier or more stylish.

With the majority of Flex Induction hobs featuring TwistPad® operation, simply point and twist the removable dial towards your cooking zones to activate, or upgrade to the TwistPad® Fire and control both the hob and hood settings on your integrated appliance. Once you've finished cooking, the magnetic dial can simply be removed for a sleek, premium cook top finish. If you're looking for the ultimate feature navigation, choose a FlexInduction hob with our innovative large high-resolution colour TFT display. Available on selected models, our most premium control display guides you easily through the menu, and its high contrast screen makes for a stunning worktop design.



# FLEX INDUCTION IS PERFECT FOR ANY SIZE PAN, ANYWHERE COOKING

STYLISH HOB CONTROL



# FLEX INDUCTION EXPLAINED

By using a different arrangement of induction coils to cover a wider area, entire zones can be activated and pans placed anywhere within that zone will receive instant, even heat transference. This will put an end to juggling hot pans for space on the hob when cooking large dinners or multiple

FlexInduction uses the same basic technology as standard NEFF induction hobs, which means these models also benefit from significantly lower surface temperatures. Because the entire space can be used efficiently, pans can be placed towards the rear of the zones, lessening the likelihood of accidents due to protruding handles. This makes FlexInduction one of the safer options for families with toddlers or young children.

Our FlexInduction design layout offers a larger zone (approximately 24 x 40cm) to cater for bigger pans, presenting more flexibility in pan size selection and positioning.

# TWISTPAD® FIRE

Featuring a unique, illuminated and removable dial, our TwistPad® Fire control feature has been designed to react to pans bubbling away quickly and easily. Simply point and twist the clever magnetic dial towards your cooking zones to activate and adjust the heat accordingly.

Available with selected FlexInduction hobs. TwistPadFire® makes controlling your hob easier, and more stylish, than ever before.

Available on selected FlexInduction and Venting Hobs.

# INDUCTION HOBS



### Fast and flexible

Are you fond of exploring new and untried recipes and tastes? Our range of induction hobs let you indulge each and every second of the cooking experience. Featuring innovative performance and design features such as CombiZone, FryingSensor and Touch Control, our Induction hobs deliver heat directly to where you need it and offer a sleek, stylish look to any kitchen.



# WITH CHOOSE HADOCHON C

### **STYLISH**

Ceramic induction hobs are sleek, shiny and smooth – they complement the minimal, uncluttered lines of today's stylish kitchens.

### FAST

The speed of induction cooking is one of its major benefits. Cooking zones heat up remarkably quickly and if a boost of power is required it can be easily transferred from zone to zone.

### RESPONSIVE

Induction hobs are extremely controllable; as soon as a saucepan is removed it breaks the circuit and diffuses heat instantly.

Featured Model: T48PD23X2 N50 80cm Induction Hob

### **EASY TO USE**

The flat, non-porous surface can be wiped over quickly, with areas around the circular zones remaining cool even during cooking. That way, if food spills or boils over it won't ever get burnt on to the surface.

### **ENERGY EFFICIENT**

Induction hobs are extremely energy efficient with the added advantage of saving money on electricity bills. The precise amount of energy needed is only ever used as just the base of the pan heats up.

### SAFE TO USE

A feature on all of our induction hobs, automatic pan recognition 'senses' and subsequently only heats up saucepans with a smooth, flat base, suitable diameter and ferrous metal content. This ensures that the hob will not heat up items like metal spoons accidentally left on induction zones, for added peace of mind.

ote: Only saucepans made of ferrous metal are



# DOMINO HOBS

# Bespoke solutions for creative cooks

Our Domino hobs can be mixed and matched to create a cooking station that's all your own. With gas (30cm), Quick-Light ceramic (30cm), FlexInduction (30cm and 80cm) and Teppan Yaki (40cm) hobs within the range, our Domino hobs can be linked to provide the ultimate cooking experience. If you know exactly how you like to cook but prefer an additional zone for those speciality dishes, it's also possible to mix a full sized hob with an extra Domino zone.

HOW DO YOU LIKE TO COOK?
WITH NEFF DOMINO HOBS, THE OPPORTUNITIES ARE ENDLESS...

# DOMINO DOUBLE

DOMINO HOB GAS DOMINO HOB

# DOMINO TRIPLE

DOMINO HOB TEPPAN YAKI GAS DOMINO HOB

Hob with a Domino Gas Hob

**Example combination, Double**Combination shows a FlexInduction Domino



**Example combination, Triple**Combination shows a FlexInduction Domino Hob, Teppan Yaki and a Domino Gas Hob.

# FLEXINDUCTION

FLEX INDUCTION HOB

TEPPAN YAKI



**Example combination, Hob**Combination shows a 80cm FlexInduction Hob with Teppan Yaki.





Cooking with gas is a tried and tested medium. Its reliability, responsiveness and versatility have earned it the loyalty of both amateur and professional cooks alike. Our new range of gas hobs now feature FlameSelect®, innovative technology that gives you more control options to select precise heat to suit whatever your are cooking.



# THE NEFF GAS HOB RANGE

With gas, each pan requires its own burner to receive heat, so consideration needs to be taken over the average usage that the hob will receive and how many burners are going to be used. We provide three widths of gas hob, with a range of four to six gas burners. Some come with a larger wok burner as standard, but many models have a wok support available as an accessory.



90cm 5 burner extra-wide hob



70cm 5 burner wide hob



60cm 4 burner hob

# **BENEFITS OF A CERAMIC GLASS GAS HOB**

Ceramic glass gas hobs feature a range of additional benefits over tempered glass hobs. In terms of safety, they have extra heat resistance and are ultra durable. They feature low-profile, one-piece burners which clean easily and always look trim and streamlined. The glass used is also exceptionally strong which keeps the thickness down to just 4mm. Finished with high precision, bevelled edges and mounted on a steel frame, they come complete with pan supports.



# FLAME SELECT®



### Gas cooking has never been more precise

With FlameSelect<sup>®</sup>, the gas flame adapts to the dish and not the other way around. Whether you're searing a steak, boiling pasta, or simmering a roast, you can set the heat just as you would with an electric hob. Select one of the 9 heat levels available and you can see how the flame becomes larger or smaller just as you need it. For the first time ever, cooking with gas is as easy as cooking on an electric hob.



# CONTROL YOUR HOB BY NUMBERS, NOT BY EYE



**FLAMESELECT®** 




# **HOW DOES IT WORK?**

With innovative and patented valve technology, our FlameSelect® gas hobs can regulate the gas output precisely in levels from 1 to 9. The power levels can then be set in proportional steps exactly like the power setting of an electric hob. Additionally, the control dials are accentuated with printed numbers in order to clearly highlight the chosen power levels.





CONTROL YOUR HOB BY NUMBERS, NOT BY EYE



# GAS HOBS FEATURES & FUNCTIONS



### A true favourite amongst passionate cooks

Searing, boiling and flambéing on flames resonates with the primal cook in all of us. NEFF gas hobs combine the style and reliability that cooks expect from this powerful method of cooking. Proud of its innovations in Gas Cooking, NEFF has a range of features and functions to suit every cooking style.

# KEY FEATURES & FUNCTIONS



FLAMESELECT® – Cook everything just right with 9-level FlameSelect®. With FlameSelect® the gas flame adapts to your cooking, offering precise control every time. For the first time ever, cooking with gas is as easy as cooking on an electric hob.

**POWER LEVEL DISPLAY** – Some gas hobs benefit from a host of features that are usually found on ceramic hobs, including an LED display. The residual heat indicator displays if there is any residual heat on the hob. In the event of a problem with the individual burner the indicator lights also act as warning lights.

**HIGH SPEED BURNERS** – Provide a surge of extra power; particularly useful for boiling a large pan of water quickly.

**WOK BURNER** – The secret of Chinese stir fry cooking is heat and speed. Our Domino wok (N23TA29N0) delivers 6.0kW, one of the most powerful on the market.

FLAME CONTROL – The flame failure safety device shuts down the supply of gas to the hob if the flame goes out for any reason. The automatic reignition uses a heat sensor to detect if the flame goes out and, if so, will automatically attempt to reignite.

CAST IRON PAN SUPPORTS – Firmly hold the pan above the flame, leaving space between the base and the burner. They're used on the majority of our models because of their robust and sturdy nature and tolerance to prolonged contact with heat.

**EASY GRIP CONTROLS** – Ergonomically designed to be gripped and turned easily, even with wet or greasy hands

**SIMMER SETTING** – Excellent for slow simmering, almost all of our gas hobs have a very low burner with a maximum of just 1.0kWh.



# HOB ACCESSORIES



We've carefully designed a range of cooking accessories to allow you to get the most out of your hob. From robust saucepans to creative cooking solutions for our FlexInduction hobs, there's lots of ways to try something new with NEFF.

# ALL THE TOOLS FOR ANY EAGER COOKAHOLIC



### FLEX INDUCTION ACCESSORIES

Spanning the length of your FlexInduction zone, our accessories are designed to inspire you in the kitchen. From everyday cooking to theatrical displays, there's an accessory to bring out the best in your favourite dishes.

### Z9416X2 (accessory number) 00576158 (part number)



Z9417X2 (accessory number) 00575951 (part number)

### **GRIDDLE PLATE**

Ideal for cooking steaks, fish, flatbreads and sliced vegetables, an induction griddle plate offers considerably more flexibility than a standard square griddle pan. All accessories within our induction range are easy to clean and dishwasher safe.

Surface area: 41.5 x 26.5cm

### TEPPAN YAKI

Inspired by Japanese cooking, our Teppan Yaki plates are a stylish way to cook meat, fish and vegetables. Ideal for sociable cooking, Teppan Yaki plates provide even heat transference for delicious, impressive dishes. Surface area:  $41.5 \times 26.5$ cm

### **SAUCEPANS**

Ferrous metal saucepans are required for use on an induction hob. To check if a saucepan can be used with an induction hob use our quick magnetic test shown below.

NEFF saucepans have been tried and tested to ensure that they offer optimum performance with NEFF hobs.





In most cases if the magnet sticks, the pans are made from ferrous metal and are therefore likely to be suitable for use on induction hobs.



## OVAL ROASTER AND/ STEAMER RACK

With our roaster and steam accessory, it's possible to steam on a NEFF induction hob too. Ideal for preparing delicate fish and vegetables, steam cooking is a great way to prepare healthy, nutritious dishes. Oven and dishwasher safe.



Z9410X1 (roaster accessory number) 00573879 (roaster part number)



Z9415X1 (steam rack accessory number) 00576118 (steam rack part number)



### The 2-in-1 hob and hood is here

Powerful extraction can be integrated with your NEFF hob. Steam and odours are eliminated at source and with a stylish cast-iron grate over the hood, the hood conveniently doubles as a pan rest too - even when it's on.

Integrated hood	FlexInduction zo


DESIGN PERFORMANCE

T48TD1BN0 Flex Induction Venting Hob

N 70

control

Integrated hood



### **DESIGN PERFORMANCE**







### COLLECTION N 90 N 70 DESIGN Width 826mm 826mm Control position/type Front/TwistPad® Fire Front/TwistPad® Fire Premium Glass on Premium Glass on Style KEY FEATURES Integrated downdraft extractor Fully automatic extraction via air quality sensor Frying Sensor / Number of FlexInduction zones 5 settings / 2 Digital display HOB FEATURES Number of individual zones / Power levels 4/17 4/17 FlexInduction / Combi7one Induction -/-Power Boost / Pan Boost ●/ ● Move Mode / Automatic setting transfer 3 stages / ● 2 stages / Energy consumption display Timer with automatic switch off for each zone Count up timer / Quick Start •/• Re Start / Keep warm function •/• Wine protection function Can be combined with other models with Comfort HOOD FEATURES Climate Control sensor Ducted operation using accessory kit Z8100X1 Z8100X1 Z8200X1 Z8200X1 Recirculating operation using accessory kits Metal grease filter / Power levels Intensive setting / Automatic after-running 1/6 1/6 Automatic intensive revert setting Automatic or manual control/Interval operation •/• • / • Dishwasher safe cast iron air inlet grid / standing Dishwasher safe filter cassette with spillage 200ml capacity 200ml capacity Dishwasher spillage overflow collector 2L capacity 2L capacity Electronic grease filter / CleanAir filter saturation SAFETY FEATURES Main on/off switch / Safety lock •/• Two-stage residual heat indicators Safety lock Automatic pan recognition / Timed safety switch off PERFORMANCE/TECHNICAL INFORMATION - HOR VW 220-240 / 7,400 220-240 / 7,400 Nominal voltage / Maximum power output Electrical cable length cm 120 120 Rear left FlexInduction zone 2.20 200x240 210x210 kW/mm 2.20 Rear right FlexInduction zone kW/mm 2.20 200x240 1.40 145x145 210x210 Front left FlexInduction zone kW/mm 2.20 200x240 2.20 Front right FlexInduction zone kW/mm 200x240 1.80 180x180 439x210 kW/mm 3.30 400x240 3.60 FlexInduction zone left kW/mm 3.30 400x240 3.70 / 3.70 3.70 / 2.20 Rear left / right zone - with Power Boost max. kW Front left / right zone - with Power Boost max. kW 3.70 / 3.70 3.70 / 3.10 PERFORMANCE/TECHNICAL INFORMATION - EXTRACTOR Extractor energy efficiency rating Extraction Rate in m3/h1/2 Ducted / Recirculating power level Minimum 350/300 350 / 300 Ducted / Recirculating power level Maximum 530 / 480 530 / 480 690 / 600 690 / 600 Ducted / Recirculating power level Intensive Noise level (sound power)based on dB(A) re 1 Ducted / Recirculating power level Minimum 58 / 54 58 / 54 66 / 67 66 / 67 Ducted / Recirculating power level Maximum Ducted / Recirculating power level Intensive 75 / 75 75 / 75 170 170 Motor power OPTIONAL ACCESSORIES Set of four pans (3 x pans, 1 x sauté pan) 79442X0 79442X0 Rectangular roasting pan with lid (approx. 320x200mm) 79410X1 79410X1 Steamer pan insert of use with Z9410X1 roasting Z9415X1 Z9418X0 Teppan Yaki (approx. 400x200mm) Z9418X0 Griddle plate (approx. 400x200mm) 79416X2

<sup>1</sup> Air flow and noise declarations made in line with CECED Code Of Conduct <sup>2</sup>Measured according to EN61591 on largest pipe diameter. <sup>3</sup>Sound power measured according to EN60704-3 on largest pipe diameter

# FLEX INDUCTION HOBS



# The joy of flexible cooking

FlexInduction offers creative cooks the ultimate freedom. With enlarged cooking spaces, the whole zone becomes you cooking canvas. Enjoy innovative controls such as the large high-resolution colour TFT display that guides you easily through the menu, and its high contrast screen makes for excellent legibility.





COLLECTION

Control position / type

DESIGN Width

Style

KEY FEATURES

Power Move

FEATURES

Power levels

Re Start

GB plug

Rear left zone

Rear right zone

Rear centre zone

Front centre zone

Front right zone

FlexInduction zone left

FlexInduction zone right

Digital display

HomeConnect

Hob Hood control

5" Full Touch colour display

Dish categories / FryingSensor

Extended FlexInduction Zone

Power Boost / Pan Boost

Automatic setting transfer

Number of individual zones

Count up timer / Quick Start

Maximum power output

Rear left FlexInduction zone

Rear right FlexInduction zone

Front left FlexInduction zone

Front right FlexInduction zone

Extended FlexInduction rear left

Extended FlexInduction rear right

Rear left zone - with Power Boost

Rear right zone – with Power Boost

Rear centre zone – with Power Boost

Front centre zone – with Power Boost

Front left zone – with Power Boost

Front right zone – with Power Boost

Electrical cable length


Timer with automatic switch off for each zone

Keep warm function / Wipe protection function

PERFORMANCE / TECHNICAL INFORMATION

**Energy Consumption Display** 

3 FlexInduction zones



DESIGN PERFORMANCE










T68TF6RN0 Flex Induction Hob



2 FlexInduction zones



**DESIGN PERFORMANCE** 











th COMMISSION REGULATION (EC) No 1275/2008 with regard to ecodesig dby and off mode electric power consumption. 14.6kW power output (20A)

FLEX INDLICTION HOR

Front / TFT Control Front / TFT control

N 90

T68TF6RN0

826mm

Premium glass on steel

/ 5 settings

3 stages

4

17

7 400

110

3.30 400x23

3.30 300x30

3.30 300x30

3.70

3.70

3.70

3.70

2.20 200×240 2.20 200×230

2.20 200x240 2.20 200x230

2.20 200x240 2.20 200x230

2.20 200x240 2.20 200x230

3.30 400x240 3.30 400x230

N 90

918mm

Premium glass on steel

• / 5 settings

3 stages

11 100

2.60 300x240

3 70

3.70

3.70

3.70

3.70

W

cm

kW/mm

kW/mm

kW/mm

k\///mm

kW/mm

kW/mm

kW/mm

kW/mm

kW/mm

kW/mm

kW/mm

kW/mm

kW/mm

max. kW

max. kW

max. kW

max. kW

max. kW

max. kW



# Point, twist and remove for cleaning -TwistPad® offers the ultimate control

Our Flex Induction hobs are created to respond to your way of cooking. Delivering heat exactly where it's needed, FlexInduction is a truly liberating way to prepare your favourite dishes. With a range of griddle pans and Teppan Yaki grill plates available from the NEFF online store, creative cooking has never been easier. With the majority of FlexInduction hobs featuring TwistPad® operation, simply point and twist towards your cooking zones to activate, or upgrade to the TwistPad® Fire and control both the hob and hood settings on your integrated appliance. Once you've finished cooking, the magnetic TwistPad® dial can simply be removed for a sleek, stylish cook top finish.

T59TS61N0 FlexInduction Hob (918mm width)

3 Flex Induction zones





THE JOY OF FLEXIBLE COOKING

**DESIGN PERFORMANCE** 











The state of the s	2 10 10
HOB TYPE	
COLLECTION	
MODEL NO.	
DESIGN	
Width	mm
Control position	
Control type	
Style	
KEY FEATURES	
Home Connect	
Hob Hood Control	
5" Full Touch colour display	
Power Move	
Automatic setting transfer	
FryingSensor Power Boost	
Pan Boost	
Number of FlexInduction zones	
Extended FlexInduction zone	
Number of CombiZones	
"Plug&Play" 13A connection	
FEATURES	
Number of individual zones	
Power levels	
Digital display	
Timer with automatic switch off for each	zone
COUNT UP TIMER	
QuickStart	
Energy Consumption Display	
PERFORMANCE / TECHNICAL INFORMATION	TION
Nominal voltage	V
Maximum power output	W
Electrical cable length	cm
GB plug	
Rear left FlexInduction zone power	kW/mm
Rear left zone power	kW/mm
Rear right FlexInduction zone power	kW/mm
Rear right zone power	kW/mm
Rear Centre zone power	kW/mm
Front Centre zone power	kW/mm kW/mm
Front left FlexInduction zone power	kW/mm kW/mm
Front left zone power Front right FlexInduction zone power	kW/mm
Front right zone power	kW/mm
FlexInduction Zone left power	kW/mm
FlexInduction Zone right power	kW/mm
Extended FlexInduction rear left power	kW/mm
Extended FlexInduction rear right power	
CombiZone left power	kW/mm
CombiZone right power	kW/mm
Rear left zone with Power Boost	max. kW
Rear right zone with Power Boost	max. kW
Rear Centre zone with Power Boost	max. kW
Front Centre zone with Power Boost	max. kW
Frankleft and with D. D	111

Front right zone with Power Boost







1950						DUCTION				
100	N	90	N	1 90	N	190	N	90	1	۱ 90
93	T59T	S61N0	T59T	S5RN0	T68T	S6RN0	T66T	S6RN0	TSOF	-S41X0
	1331.	301110	1331	3311110	1001	301(110	1001	3011110	1301	3-17(0
200	010		01	0	0.2	c		·	0.0	12
22		mm		8mm		6mm		6mm		3mm
		ont		ront		ront		ont		ront
腦	TwistPa	ad® Fire	TwistP	Pad® Fire	TwistP	ad® Fire	TwistP	ad® Fire	Twist	Pad® Fire
100	Premium GI	ass on Steel	Premium G	Blass on Steel	Premium G	Glass on Steel	Premium G	ilass on Steel	Fror	nt Bevel
				•		•		•		
1				•		•		•		
				•		•		•		
5%										
110	3 sta	ages	3 st	tages	3 st	tages	3 st	tages	3 s	tages
				•		•		•		•
经	Enak	tings	E	ettings		ettings	E 00	ttings		-
	3 Set	ungs -	3 56	tungs			3 56			
30	•	•		•		•		•		•
	•	•		•		•		•		•
	3	3		2		2		2		2
						2		1		
2										
		5		5		4		4		4
	1	7		17		17		17	17	
	1/			•		•	•		•	
					·		•		•	
150	•			•		•		•		*
	•			•		•		•		•
120		•		•		•		•		•
678	220	2/0	220	0-240	220	0-240	220	0-240	າາ	0-240
92										-
		100		,100		400		400		,400
80	11	10	110		1	110	1	10		110
38										
	200×240	200x240	2.20	200x240	2.20	200×230	2.20	200×240	2.20	200×240
33)	200//210	EOOXE TO	2.20	200AL 10	2.20	ZOOKZOO	2.20	LOOKE 10	2.20	200//210
歰	200×240	200×240	2.20	200×240	2.20	200×230	2.20	200×240	2.20	200×240
28										
	300x240	300×240	3.30	300x240						
1										
75	200×240	200×240	2.20	200x240	2.20	200×230	2.20	200×240	2.20	200×240
300	200/240	200,240	2.20	2007240	2.20	200,230	2.20	2007240	2.20	200,240
200	200×240	200×240	2.20	200×240	2.20	200×230	2.20	200×240	2.20	200×240
1	400×240	400×240	3.30	400x240	3.30	400×230	3.30	400×240	3.30	400×240
	400×240	400×240	3.30	400x240	3.30	400×230	3.30	400×240	3.30	400×240
22					3.30	300×300				
					3.30	300x300				
100										
87										
	3	70	3	3.70	3	.70	3	.70	:	3.70
100				3.70		.70		.70		3.70
		70			3	.70	3	.70		5.70
100	3.	70	3	3.70						
62	3.	70	3	3.70	3	.70	3	.70	3	3.70
346		70		3.70		.70		.70		
	AND REPORT OF	NAME OF THE OWNER.					NA COLDENSIA		3.70	




# Heat adjustment at your fingertips

Are you fond of exploring new and untried recipes and tastes? Our range of induction hobs lets you indulge each and every second of the cooking experience. Our FlexInduction hobs allow you to move your cookware freely around on the hob. The pots are automatically detected and heat applied where it's needed. But there's more to our hobs to guide you to a tasty result. Take the unique TwistPad® control dial which puts heat at your fingertips. A simple rotating motion with your index finger allows you to set the temperature.

### **T59FT50X0** FlexInduction Hob (918mm width)

N 70




# **DESIGN PERFORMANCE**





## T58TT20N0 FlexInduction Hob (826mm width)

N 70




### **DESIGN PERFORMANCE**













	3 513	ages	3.5	tages	3.5	tages	3 S	tages	3 S	tages	3 stages		3 S	tages
		_						_						
		•		•		•		•		•		•		.
	1	2		1		1		2		2		1		1
				1										
														- 1
		5		5		5		4		4		5		4
	1	7		17		17		17		17		17		17
	•	•		•		•		•		•		•		:
		•		•		•		•		•		•		. 1
				•		•		•		•		•		•
1	•	•		•		•		•		•		•		•
	220	-240	220	0-240	221	0-240	220	0-240	220	0-240	220	0-240	220	0-240
		100		400		400		400		400		,400		400
		10		110		110		110		110		110		110
	2.20	200×240	1.40	145	1.40	145	2.20	190×240	2.20	190×240	1.40	145	2.20	190x240
8	2.20	200×240	2.20	200x210	2.20	200x210	2.20	190×240	2.20	190×240	2.20	200x210		- 1
													1.40	145
	3.30	300x240	2.20	240	2.20	240					2.20	240		
8	2.20	200×240					2.20	190x240	2.20	190x240			2.20	190x240
	2.20	200X240	1.80	180	1.80	180	2.20	130X240	2.20	1908240	1.80	180	2.20	1908240
	2.20	200×240	2.20	200×210	2.20	200×210	2.20	190x240	2.20	190×240	2.20	200x210		
													2.20	210
iii.	3.30	400×240 400×240	3.30	400×210	3.30	400×210	3.30 3.30	380x240 380x240	3.30 3.30	380×240 380×240	3.30	400×210	3.30	380x240
8	5.50	400XZ40	3.30	400XZ10	3.30	400X210	5.50	360XZ40	3.30	360X240	5.50	400X210		
	3.	70	2	20	1	2.20	2	.70	2	3.70	2	2.20	2	.70
	3.			3.70		3.70		.70		3.70		3.70		20
	3.			3.70		3.70						3.70		

3.70

3.10

3.70

3.10

3.70

3.10

3.70

3.70

# For every form of passion













	0.357.00		
	1		
100		37 35	-

		11.83	Name of the last			A PROPERTY AND		No. of Lot of Lot	The same of	1 To 3 To 1	
					INDUC						
	150		N_50		150		50	N.		N3	
T48F	D23X2	T46F	PD53X2	T48F	D23X2	T46F	D53X2	T36FE	340X0	T36FB	41X0G
20	2mm ront		72mm Front		2mm ront		2mm ont	592 Fro		592r Fro	
200	Control		n Control		Control		Control	Touch (		Touch (	
260	shline		shline		t Bevel	Front Bevel		Front bevel		Frameless	
	5,,,,,,	110	Simile		i bever		Bever		50.00	110	2.033
2 s	tages			2 s	tages	2 st	ages				
	_						_			_	
7	•				•					_	
	1				1		1				
	5		4		5		4	4	+	4	
	17 17		17		17	17		17		10	7
	•		•		•		•			•	•
	•		•		•		•	•	)	•	
			•		•		•		•		,
	•				•		•				
1											
22	0-240	22	0-240	220	0-240	220	)-240	220-	240	220-	240
100	400		,400		400		800	4,6		3,0	
No.	110		110		110	1	10	11	0	11	
										•	•
2.20	210×190	1.40	145	1.40	145	2.20	210	1.80	180	1.80	180
2.20	210×150	1.40	143	2.20	200×210	2.20	210	1.00	100	1.00	100
1.40	145	2.20	210x190			1.40	145	1.40	145	1.40	145
8		2.20	240	2.20	240						
2.20	210×190	1.80	180	1.80	180	2.20	210	1.80	180	1.80	180
1.80	180	2.20	210x190	2.20	200×210	1.80	180	2.20	210	2.20	210
1.80	180	2.20	210x190			1.80	180	2.20	210	2.20	210
				3.30	400x210						
						3.60	439×210				
	3.10		2.20		2.20		.70	3.		3.1	
	2.20		3.70 3.70		3.70 3.70	2	.20	2.7	20	2.2	20
		-	3.70	3	1.70						

# INDUCTION & **CERAMIC HOBS**



# Sleek, stylish & responsive - the perfect addition to a contemporary kitchen

Our induction hobs deliver heat exactly where you need it with little residual heat. This makes induction cooking one of the safest and most efficient modes of cooking around. Offering an extra-wide cooking surface and Full Touch Control operation, this hob is created with passionate, experimental cooks in mind.

# **T48PD23X2**

N 50

Width

Control type KEY FEATURES

Home Connect

Power Move Automatic setting transfer FryingSensor Power Boost Pan Boost

FEATURES

Power levels Digital display

Count up Timer OuickStart

Hob Hood Control 5" Full Touch colour display

Number of FlexInduction zones Extended FlexInduction zone Number of CombiZones

Number of individual zones


Timer with automatic switch off for each zone

PERFORMANCE / TECHNICAL INFORMATION

kW/mm kW/mm kW/mm kW/mm kW/mm

kW/mm kW/mm kW/mm

max. kW max. kW max. kW





### **DESIGN PERFORMANCE**







3.70

# QUICK-LIGHT HOBS



# Quick by name, quick by nature

With their frameless design, our Ceramic hobs stand out in any kitchen, and a whole range of options with up to 17 power settings makes preparing the next feast as easy as pie. And as cooking is all about creativity and individual taste, our enhanced touch control panel provides full flexibility over your cooking.



			MARK 48	*	No. 2 Contract	-		The same	Mary St. Sp. S
HOB TYPE					QUICKLIG	HT HOBS			
COLLECTION:		N :	70	N	50	N	50	N	30
MODEL NO.		T18FD	36X0	T16F	D56X0	T10E	340X2	T16Fk	(40X0
COLOUR									
Width	mm	802	mm	592mm		592	2mm	592	mm
Control position		Fro	int	Fr	Front		Front		de
Control type		Touch (	Control	Touch	Control	Touch	Control	Contro	ol dials
Style		Bevelled f	ront edge	Bevelled	front edge	Bevelled	front edge	Fram	eless
FEATURES									
Number of individual zones		4	+		4		4		
No. of dual zones		2	!		1				
No. of extendable zones		1							
Power Boost		•	•		•				
Pan Boost		•	•		•				
Power levels		1	7		17		17	1	7
Digital display		•	•		•		•		•
Timer with automatic switch off for each zone		•			•		•	•	•
Keep warm function		•	•		•				
Wipe protection function		•	•		•				
SAFETY FEATURES									
Main on/off switch		•			•		•	•	
Two-stage residual heat indicators		•	•		•		•	•	
Safety lock		•			•		•	•	•
Timed safety switch off		•	•		•		•	•	•
PERFORMANCE/TECHNICAL INFORMATION									
Nominal voltage	V	220-	240	220	0-240	220	1-240	220-	-240
Maximum power output	W	930	00	7	000	66	500	66	00
Electrical cable length	cm	11	0	1	110	1	10	11	10
GB plug									
Rear left zone	kW/mm	1.2	145	180	2.0	180	2	210	2.2
Rear right zone	kW/mm			145	1.2	145	1.2	145	1.2
Rear centre zone	kW/mm	1.7-2.4	230						
Front centre zone	kW/mm								
Front left zone	kW/mm	0.8-2.1k	210	145	1.2	145	1.2	145	1.2
Front right zone	kW/mm	1.8-2.6	265	210	2.1	210	2.2	180	2
Rear left zone – with Power Boost	max. kW								
Rear right zone – with Power Boost	max. kW								
Rear centre zone – with Power Boost	max. kW	3.	4						
Front centre zone – with Power Boost	max. kW								
Front left zone – with Power Boost	max. kW								
Front right zone – with Power Boost	max. kW	2.	6	1	2.6				

# DOMINO HOBS



## Mix and match your own unique hob

NEFF Domino hobs allow you to combine different cooking zones to create a hob which reflects how you like to cook. With the option to mix and match our gas, FlexInduction and Teppan Yaki Domino hobs, cooking variety is made possible without taking up too much of your work surface. Offering a contemporary Japanese-inspired mode of cooking, our Teppan Yaki Domino hob is designed for direct contact cooking. Ideal for fish, meat and vegetables, try combining with a gas or induction hob to create a truly creative hob.

**Connecting Your** Domino Hobs It's simple to mix and match your Domino cooking zones using our connecting links accessory kit (Z9914X0). With a brushed steel design, our connecting kit creates a stylish and flexible hob effect.



COMPLETE FLEXIBILITY FOR TRULY CREATIVE COOKS

Find out more about NEFF domino hobs at neff-home .com/uk/

When only a custom design will do, our Domino hobs offer the ultimate bespoke solution.



Griddle plate (approx. 400x200mm)







					The same of the sa	· 图 《 · · · · · · · · · · · · · · · · · ·
HOB TYPE		TEPPAN YAKI	FLEXINDUCTION	RADIANT CERAMIC QUICKLIGHT	GAS DO	ONIMO
COLLECTION:		N 90	N 90	N 90	N 90	N 90
MODEL NO.		N74TD00N0	N53TD40N0	N13TD26N0	N23TA19N0	N23TA29N0
DESIGN						
Width	mm	396	306	306	306	306
Control position		Front	Front	Front	Front	Front
Control type		Touch Control	Touch Control	Touch Control	Touch Control	Touch Control
Style		Ceramic glass / Stainless steel	Ceramic glass	Bevelled front edge	Ceramic glass	Ceramic glass
FEATURES						
FlameSelect®			1		•	•
FlexInduction zones			1			
Number of individual zones		2	2	2	1	2
No. of dual zones/dual circuit wok style bu	urner			1	1	
No. of extendable zones		1	1			
Power Boost		1				
Pan Boost			•			
Power levels		17	17	17	9	9
Digital display		17 •	17 •	17	•	•
		•	<u> </u>		<u> </u>	•
Timer with automatic switch off for each zone		•	•			
Keep warm function		•	•			
Wipe protection function			•			
Pre-set for natural gas					•	•
Safety cut-out facility					•	•
Low profile single piece burners					•	•
Cast iron pan supports					•	1
SAFETY FEATURES						
Main on/off switch		•	•	•	•	•
Two stage residual heat indicators		•	•	•	•	•
Safety lock		•	•	•		
Timed safety switch off		•	•	•		
PERFORMANCE/TECHNICAL INFORMATION						
Nominal voltage	V	220-240	220-240	220-240	220-240	220-240
Maximum power output	W	1900	3700	3500	6000	4700
Electrical cable length	cm	100	110	100	100	100
GB plug						
Rear zone k	:W/mm	0.95	2.2	1.2 145		2.80
Front zone k	W/mm		2.2	1.0 2.0 120/180		1.90
Centre/centre front burner power	kW				6.0	
Extended flexInduction k	:W/mm		3.3			
Rear zone – with Power Boost m	nax. kW		3.7			
Front zone – with Power Boost m	nax. kW		3.7	2.3		
STANDARD ACCESSORIES						
Removable ceramic glass cover		•				
Teppan Yaki spatula		•				
Wok stand					•	
LPG jets					•	•
OPTIONAL ACCESSORIES						
Connecting links for installation with domino hob		Z9914X0	Z9914X0	Z9914X0	Z9914X0	Z9914X0
Set of four pans (3 x pans, 1 x sauté pan)			Z9442X0			
Rectagular roasting pan with lid (approx. 320x200mm)			Z9410X1			
Steamer pan insert of use with HEZ390011 roasting pan			Z9415X1			
Teppan Yaki (approx. 300x200mm)			Z9417X2			
Teppan Yaki (approx. 400x200mm)			Z9417X2 Z9418X0			
CALL LA (OPPION 400A200IIIII)			2541070			


Z9416X2



# A true favourite amongst passionate cooks

Offering burner positioning which suits your cooking style, our gas hobs provide a robust and reliable solution for contemporary kitchens. Allowing you to physically see when more or less heat is directed to your cooking, gas remains a popular choice for passionate cooks with exacting standards. With sturdy cast iron pan supports for all of your favourite cookware, simply remove the supports once cool to easily clean the ceramic glass surface.



















T29TA79N0
Gas Hob (918mm width)

Wok burner



Illuminated display for power levels

SEARING, BOILING AND FLAMBEING

**DESIGN PERFORMANCE** 





# COLLECTION: TAINLESS STEEL / STAINLESS STEEL TRIN BLACK/PREMIUM BLACK KEY FEATURES Number of dual circuit wok style burners Cast iron pan supports (number) Cast iron finish pan supports (number) using Connecting link PERFORMANCE / TECHNICAL INFORMATION Total connected electrical load GB plua Front left burner power Front right burner power Pre-set for natural gas CE Marked Wok stand LPG jets

OPTIONAL ACCESSORY

Connecting link to combine with other

				TAX SELECTION	
N 90 T29TA79N0	N 90 T27TA69N0	N 90 T26TA49N0	N 70	N 70	N 70
	12711103110	1201113110	T27CA59S0	T27CS59S0	T26CA42S0
918	750	606	752	752	590
Front	Front	Front	Front	Front	Front
	_	_		•	
	•	•	•	•	•
	•	•	· · · · · ·		·
1	1		1	1	
•					
•					
Ceramic glass	Ceramic glass	Ceramic glass	Tempered glass	Tempered glass	Tempered glass
,	,	,	-	-	
4 9	4 9	4 9	5 9	5 9	4 9
9	9	9	9	9	9
	•	•	•	•	•
•	•	•	•	•	•
3	2	2	5	5	4
•	•	•			
220-240	220-240	220-240	220-240	220-240	220-240
13700	11900	7700	11500	11500	7500
3.0	2.0	2.0	2.0	2.0	2.0
150	100	100	100	100	100
6.00	1.00	110	1.00	1.00	1.75
1.10 1.90	1.90 1.90	1.10 1.90	1.00 1.75	1.00 1.75	1.75 1.75
1.50	4.20	1.50	4.00	4.00	1.75
	20				
1.90	1.10	1.90	1.75	1.75	1.00
2.80	2.80	2.80	3.00	3.00	3.00
•	•	•	•	•	•
•	•	•	•	•	•
ı	1				
2830/37mbar	2830/37mbar	2830/37mbar	2830/37mbar	2830/37mbar	2830/37mbar
2000,07111001	222,3711001	222, 37111301	2000, 07,111001	2000, 07111001	2223, 37111001
Z9914X0	Z9914X0	Z9914X0			




# Ingenious flames

For some cooks, there's nothing like preparing meals with flames. Our gas hob range provides you with the tool you need, no matter if you want stir-fry or slow-cook. Our 9-level FlameSelect® allows you to adjust the flame just like on an electric hob, making cooking even easier. With a range of sizes available, our hobs are ready for almost any kind of pot you can think of. Like Asian style? With our Dual Wok you have two flame rings stacked on top of each other – an ingenuous idea to adjust two flames for one delicious task.



THE REPORT OF THE PARTY OF THE	Wok burner
No. of the last	Cast iron
	pan support
(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	William No. of the Park


N 70




Illuminated display for power levels



COLLECTION:	
STAINLESS STEEL / STAINLESS ST	EEL TRIM
BLACK/PREMIUM BLACK	
WHITE/PREMIUM WHITE	
DESIGN	
Width	mm
Control position	
KEY FEATURES	
FlameSelect®	
Digital power level display	
Black control panel insert	
Number of dual circuit wok style burners	
High power (5.0kW+) wok burner	
Dual control wok burner	
Hob surface type	
FEATURES	
Number of cooking zones	
Individual power levels	
Variable power levels	
Ignition via control dials	
Flame failure safety device	
Cast iron pan supports (number)	
Cast iron finish pan supports (number)	
Enamelled steel pan supports (number)	
Combine with other Top Trim models	
using Connecting link	
PERFORMANCE / TECHNICAL INFORMAT	TION
Nominal voltage	V
Maximum gas power output load	W
Total connected electrical load (	max. W
Cable length	cm
GB plug	
Left burner power	kW
Front left burner power	kW
Back left burner power	kW
Centre/Centre front burner power	kW
Centre back burner power	kW
Front right burner power	kW
Back right burner power	kW
Right burner power	kW
Pre-set for natural gas	
CE Marked	
STANDARD ACCESSORY	
Wok stand	
LPG jets	
OPTIONAL ACCESSORY	







N 70	N 70	N 70	N 70
	T29DA69N0	T27DA79N0	T26DA59N0
T26CS49S0	1235/103110	12757773110	1200/139110
120034730			
590	915	750	582
Front	Front	Front	Front
•	•	•	•
			•
	•	•	•
	1	1	1
	•	•	
	•	•	
Tempered glass	Metal	Metal	Metal
,	_	-	
4 9	5 9	5 9	4 9
4 9	9	9	9
		•	
	•	•	•
4	3	3	2
			3
220-240	220-240	220-240	220-240
7500	12500	12500	8000
2.0	2.0	2.0	2.0
100	100	100	100
		5.00	
1.75	1.00	1.00	1.75
1.75	1.75		1.75
	5.00	1.00	
		1.75	
1.00	1.75	1.75	1.00
3.00	3.00	3.00	3.50
•	•	•	•
•	•	•	•
2020/27 1	2072 127	2020 (27. )	2020/27
2830/37mbar	2830/37mbar	2830/37mbar	2830/37mbar

## **GAS HOBS**



### A true favourite amongst passionate cooks

Cooking with gas is a tried and tested medium. Its reliability, responsiveness and versatility have earned it the loyalty of both amateur and professional cooks alike. Our range of gas hobs all feature FlameSelect®, innovative technology that gives you more control options to select precise heat to suit whatever you are cooking.



Gas cooking has never been more precise












### T27DS59N0 / T27DS59S0

Gas Hobs, available in Black glass or Stainless Steel (750mm width)

N 70

distriction



Illuminated display for power levels



T27DS59S0

### **DESIGN PERFORMANCE**

	DESI	JN PE
1000	Width (cm) <b>475</b> ▶	FlameSelect <sup>®</sup> 1



COLLECTION:	ê
STAINLESS STEEL / STAINLESS STEE	EL TRIM
BLACK/PREMIUM BLACK	
WHITE/PREMIUM WHITE	<del></del> 8
DESIGN	
Width	mm 🌡
Control position	
KEY FEATURES	E E
FlameSelect®	- 6
Digital power level display	8
Black control panel insert	
Number of dual circuit wok style burners	- 8
High power (5.0kW+) wok burner	8
Dual control wok burner	
Hob surface type	-
FEATURES	
Number of cooking zones	
Individual power levels	99
Variable power levels	9
Ignition via control dials	- 1
Flame failure safety device	9
Cast iron pan supports (number)	8
Cast iron finish pan supports (number)	- 1
Enamelled steel pan supports (number)	-
Combine with other Top Trim models using	Connecting
link	
PERFORMANCE / TECHNICAL INFORMATIC	- 8
Nominal voltage	V
Maximum gas power output load	W
Total connected electrical load	max. W
Cable length	cm
GB plug	- 8
Left burner power	kW
Front left burner power	kW
Back left burner power	kW
Centre/Centre front burner power	kW
Centre back burner power	kW
Front right burner power	kW
Back right burner power	kW
Right burner power	kW
Pre-set for natural gas CE Marked	-
STANDARD ACCESSORY Wok stand	
LPG jets	-
OPTIONAL ACCESSORY	- 8
Connecting link to combine with other	-
Connecting link to combine with other	

		2 1.7		
N 70	N 70	N 70	N 70	N 70
T29DS69N0	T27DS79N0	T27DS59N0	T26DS59N0	T26DS49N0
		T27DS59S0		T26DS49S0
915	750	750	582	582
Front	Front	Front	Front	Front
•	•	•	•	•
_	_			
1	1	1	1	
•	•			
Metal	Metal	Metal	Metal	Metal
Metal	i-ictai	rictar	rictal	Piccul
5	5	5	4	4
9	9	9	9	9
•	•	•	•	•
•	•	•	•	•
3	3	3	2	2
220-240	220-240	220-240	220-240	220-240
12500	12500	11500	8000	7500
2.0	2.0	2.0	2.0	2.0
100	100	100	100	100
	5.00			
1.00		1.00	1.75	1.75
1.75	1.65	1.75	1.75	1.75
5.00	1.00	4.00		
1.75	1.75 1.75	1.75	1.00	1.00
3.00	3.00	3.00	3.50	3.00
5.00	5.00	5.00	5.50	5.00
•	•	•	•	•
•	•	•	•	•
2830/37mbar	2830/37mbar	2830/37mbar	2830/37mbar	2830/37mbar
4				

All models comply with COMMISSION REGULATION (EC) No 1275/2008 with regard to ecodesign requirements for standby and off mode electric power consumption. 14.6kW power output (20A); Current management options for 16A, 13A

## GAS HOBS

### A true favourite amongst passionate cooks

Searing, boiling and flambéing on flames resonates with the primal cook in all of us.

NEFF gas hobs combine the style and reliability that cooks expect from this powerful method of cooking. Browse the range to find a size and style which reflects your way of





COLLECTION:		N50	N50
STAINLESS STEEL / STAINLESS ST	EEL TOIM	T27BB59N0	T26BB59N0
l	LLL INII*I	1270033110	120003110
BLACK/PREMIUM BLACK			
WHITE/PREMIUM WHITE			
DESIGN			
Width	mm	750	82
Control position		Front	Front
KEY FEATURES			
Number of dual circuit wok style burners		1	1
High power (5.0kW+) wok burner			
Dual control wok burner			
Hob surface type		Metal	Metal
FEATURES			
Number of cooking zones		5	4
Individual power levels			
Variable power levels		•	•
Ignition via control dials		•	•
Flame failure safety device		•	•
Cast iron pan supports (number)		2	2
Cast iron finish pan supports (number)			
PERFORMANCE / TECHNICAL INFORMAT	ION		
Nominal voltage	V	220-240	220-240
Maximum gas power output load	W	11400	7500
Total connected electrical load	max. W	2.0	2.0
Cable length	cm	100	100
GB plug			
Front left burner power	kW	1.00	1.75
Back left burner power	kW	1.70	1.75
Centre/Centre front burner power	kW	4.00	
Centre back burner power	kW		
Front right burner power	kW	1.70	1.00
Back right burner power	kW	3.00	3.00
Pre-set for natural gas		•	•
CE Marked		•	•
STANDARD ACCESSORY			
LPG jets		2830/37mbar	2830/37mbar









1		N 3U	N 30
	STAINLESS STEEL / STAINLESS STEEL TRIM		T26BR46N0
	BLACK/PREMIUM BLACK	T26CR48S0	T26BR46S0
16	WHITE/PREMIUM WHITE		T26BR46W0
	DESIGN		
N. A.	Width mm	590	580
	Control position	Right Side	Right Side
	KEY FEATURES		
311	Number of dual circuit wok style burners		
	High power (5.0kW+) wok burner		
	Dual control wok burner		
	Hob surface type	Tempered glass	Metal
	FEATURES		
	Number of cooking zones	4	4
	Individual power levels		
	Variable power levels	•	•
	Ignition via control dials	•	•
	Flame failure safety device	•	•
	Cast iron pan supports (number)		
	Cast iron finish pan supports (number)		2
	PERFORMANCE / TECHNICAL INFORMATION		
	Nominal voltage V	220-240	220-240
	Maximum gas power output load W	7400	7400
	Total connected electrical load max. W	2.0	2.0
	Cable length cm	100	100
	GB plug		
	Front left burner power kW	3.00	3.00
	Back left burner power kW	1.70	1.70
	Centre/Centre front burner power kW		
	Front right burner power kW	1.00	1.00
	Back right burner power kW	1.70	1.70
	Right burner power kW	_	
	Pre-set for natural gas	•	•
	CE Marked	•	•
10	STANDARD ACCESSORY		
Est.	LPG jets	2830/37mbar	2830/37mbar



### The finishing touch to the perfect kitchen

At NEFF, we understand that selecting the right hood to complement your kitchen and cooking style can sometimes be challenging. To help you select the right cooker hood for you, we've categorised all our models into easy-to-follow Collections based on product features, control display and design.

## N 90

### STYLES OF HOODS

- Creative Slim

- © Canopy

### **FEATURES**

THIS COLLECTION CAN INCLUDE\*:-

Touch Control with display Premium design coordination

LED lights

Fully automatic hood with Hob Hood

Climate Control Sensor

Ambient Light

Efficient Drive Motor for quiet

Dishwasher proof metal grease filters

Regenerative Clean Air recirculation

## N 70

### STYLES OF HOODS

- Ceiling
- Flat Slimline



### FEATURES

THIS COLLECTION CAN INCLUDE\*:

Touch Control or Soft Touch buttons

Premium design coordination

LED lights

Ambient Light

Efficient Drive Motor for quiet

Dishwasher-proof metal grease

Regenerative Clean Air recirculation

N 30

STYLES OF HOODS

 Glass Chimney Telescopic Box Chimney
 Canopy Slim Pyramid Integrated

## N 50

### STYLES OF HOODS

- Box Chimney
  © Ceiling

High quality design coordination

LED lights

Dishwasher-proof metal grease filters

### FEATURES

THIS COLLECTION CAN INCLUDE\*:-

Push Button or Rocker Switch controls High quality design

LED or Halogen lights

Dishwasher-proof metal grease filters

Regenerative Clean Air recirculation filter

### **FEATURES**

THIS COLLECTION CAN INCLUDE\*:

Touch Control or Soft Touch buttons

Regenerative Clean Air recirculation

COOKER HOODS

Create a fresh atmosphere

NEFF hoods are designed to cater for every Cookaholic's kitchen. Efficient, quiet and

equipped with features such as built-in ambient lighting, the design and placement

of your hood can be as flexible, and stylish, as your living space.

## A HOOD FOR EVERY COOKAHOLIC



### Keep your kitchen under control

It's amazing when a steak is sizzling in your pan, and the smell is part of an exciting cooking experience. But there are some kitchen odours nobody is too fond of. Introducing our collection of quiet but powerful extractor hoods. Choose from our four installation locations to showcase your stylish hood within your kitchen; Ceiling Installation, Wall Installation, Integrated Furniture Installation and Worktop Installation.

## CEILING INSTALLATION

Offering both seamless integrated ceiling hoods and stylish island hoods, we've got a ceiling installation to suit any Cookaholic. Sleek, flush and unobtrusive, our ceiling mounted hoods effectively extract steam and odours without taking up valuable kitchen space. Easy to use with a remote control, the grease filters can also simply be removed and cleaned in the dishwasher. Our ceiling hoods feature a high extraction rate whether ducted out or recirculated. For recirculation installation, air is drawn in through a series of grease and charcoal filters and then recirculated back into the room without the need to duct out.

Alternatively, if you want to make a style statement within your kitchen, our island hoods are a stunning way to showcase a central cooking and preparation space. Available with modern flat glass, cube and box designs, the range is designed to complement our gas, ceramic and induction hobs. With height adjustable chimney sections, there are options to suit all ceiling

## WORKTOP INSTALLATION

If you're looking for powerful ventilation without disturbing anyone while preparing meals, our Downdraft Hoods are a great choice. Devised for kitchen islands, they coordinate beautifully with our induction hobs. The Downdraft Hood is simply built into your worktop or kitchen furniture. Rising at the touch of a button, it gets to work quietly and effectively. You can choose between 3 power levels and 2 intensive levels, using TouchControl. Once activated, the hood can even act as an automatic air freshener: it runs five minutes every hour to keep your kitchen atmosphere nice and fresh – a clever idea for parties.



# INTEGRATED FURNITURE INSTALLATION

When cooking up a meal for friends and family the last thing you want is the noise of a hood in the background. Our integrated furniture hoods are built to operate on low noise levels while maintaining high air quality in your kitchen. Choose between telescopic and integrated hoods to find the hood that fits your kitchen, and cooking style, best.



### TELESCOPIC HOOD

For a smaller kitchen where space is at a premium, these clever hoods pull out from underneath a cabinet when required.



### INTEGRATED HOOD

These hoods look like they're part of the furniture. Hidden behind a unit door, they simply pull out when needed.



### **CANOPY HOOD**

Designed to fit neatly under an overhead unit, Canopy Hoods are discreet and save valuable kitchen space.

## WALL INSTALLATION

Hoods installed on the wall can be used to create a design feature in themselves, adding a focal point to your kitchen while offering powerful extraction for all types of cooking. Choose from a range of styles to suit your kitchen design, including the trendy Creative Slim hoods or Angled Glass hoods with features such as Ambient Light that let you express yourself with colour, as well as your cooking. And if choosing to install in recirculation, the hood can be fitted without a chimney piece for a sleeker finish to your hood installation.



### ANGLED GLASS

For a smaller kitchen where space is at a premium, these clever hoods pull out from underneath a cabinet when required.



### **BOX CHIMNEY**

For a smaller kitchen where space is at a premium, these clever hoods pull out from underneath a cabinet when required.



### **FLAT SLIMLINE**

These hoods look like they're part of the furniture. Hidden behind a unit door, they simply pull out when needed.



### **CREATIVE SLIM**

These hoods look like they're part of the furniture. Hidden behind a unit door, they simply pull out when needed.



### **GLASS CHIMNEY**

Designed to fit neatly under an overhead unit, Canopy Hoods are discreet and save valuable kitchen space.



### PYRAMID CHIMNEY

Designed to fit neatly under an overhead unit, Canopy Hoods are discreet and save valuable kitchen space.

## HOODS FEATURES & FUNCTIONS



### Because every cook has their own unique cooking style

Looking for powerful extraction without distraction? Our advanced range of hoods have been designed for those who long for a premium look in the kitchen. Proud of its continuous innovations in cooker hoods, NEFF has a range of features and functions to suit every cooking style.

## KEY FEATURES



**HOME CONNECT –** Control all functions and settings of your hood directly from your smart phone and voice control for the ultimate connected cooking experience.



**HOB HOOD CONTROL** – Being able to control the hood directly from the hob means the hood turns on when you start cooking and, in automatic mode, can automatically regulate the power level for the best performance with the lowest noise - it also means you no longer need to worry about adjusting the hood and you can focus on your cooking.



**CLIMATE CONTROL** – Detects the amount of steam and smells using a sensor attached to the motor and automatically sets the most effective power level to extract it.



AMBIENT LIGHT - Illuminates your kitchen in the light that suits the occasion best. Choose from 31 colours to change how your kitchen looks and, most importantly, how it makes you feel.



**EFFICIENT DRIVE MOTOR –** Save energy and enjoy a noise free, illuminated kitchen environment thanks to our ultra-efficient high-speed extractor hood fan, with Efficient Drive motor technology and LED



**NEFF SILENCE BUTTON –** The unique noise reduction function reduces the fan noise by a couple of decibels, ensuring that the kitchen stays quiet while you cook and entertain your quests. This function can be used at any fan setting except fan setting 1.



SATURATION INDICATORS - Take the stress out of guessing, this function will prompt you if the grease filters should be cleaned. If the hood is installed in recirculation, this will also indicate when the charcoal filters need replacing.



## FEATURES & FUNCTIONS

### **AUTOMATIC AFTER-RUNNING**

Continues running at a low speed for 3 -30 minutes before turning itself off. Perfect for keeping fresh air in the kitchen post cooking.

### **NEFF FRESH AIR**

Runs an automatic air exchange programme, turning the hood onto power level one for five minutes every hour for as long as required.

### **INTENSIVE SETTING**

Boosts the extraction rate to the maximum level to cope with particularly demanding cooking condition

### AUTOMATIC REVERT

Automatically reverts the hood back to a lower power level after approximately ten minutes of being on the intensive

### **ELECTRONIC POWER LEVEL DISPLAY**

The sleek display clearly shows the selected fan power level

### **SOFT LIGHT**

Brightens or dims the lights as it's switched on or off; just press and hold to adjust the level of brightness.

## KEEP YOUR KITCHEN UNDER CONTROL



### REMOTE CONTROL

Available across all Ceiling Hood models within the N90. N70 and N50 Collections, you can now control your hood via Remote Control





### TOUCH CONTROL

Touch Control models.

Featured on selected models in the N90, N70 and N50 Collections, Touch Control flawlessly complements our ovens and compact appliances. An LED display is also available with selected



### **SOFT TOUCH** CONTROL

Available across selected models within the N70 and N50 Collection, our Soft Touch Control hoods allow for greater control over power levels. Selected models also feature a white LCD screen.



### **PUSH BUTTON**

Our classic hoods feature simple, sleek and easy to use push button controls. Available across selected models in the N30 Collection.



### ROCKER OR SLIDER SWITCH CONTROL

Available on our N30 Telescopic and Canopy models, our rocker or slider switch control offers a simple and straight forward setting navigation that's neatly concealed within the hood furniture.







### **ROTARY SWITCH CONTROL**

Featured on selected Canopy Hood models within our N70 Collection, our Rotary Switch Control features a pop-out dial with 3 levels of power to choose from. When not in use the dial can be neatly popped back into place.



For our sleek angled glass and flat hoods, receive an extra boost of extraction performance in special cooking situations, for example when frying meat or fish. The front panel can be slightly opened during cooking to a defined extraction boost position in order to increase the steam catching rate of the hood and keep your kitchen free from steam.

## HOB HOOD CONTROL



### Fresh air right when you need it

Gone are the days that you need to worry about setting your hood to the relevant setting. When you start cooking on the hob, our hoods will automatically switch on, light up and adapt an extraction level suited to the amount of steam and odours detected. Available across selected models within our Ceiling and Wall Installation ranges, Hob Hood Control allows you to focus purely on the cooking and keep messy hands where they should be.



Hob Hood Control available with our stylish Island Cube Hood



Hob Hood Control available with our statement Box Island Hood



Hob Hood Control available with our sleek, modern Angled Hood with Ambient Lighting



Hob Hood Control available with our wall installation Box Chimney Hood


## CLIMATE CONTROL SENSOR

### A FULLY AUTOMATED HOOD

Also available across selected premium hood models is our clever Climate Control Sensor feature.

Benefits you can expect with a Climate Control Sensor hood are:

- Turn on the hob and the hood comes to life, including the lights
- The hood is completely automatic, so you can enjoy worry-free cooking
- The sensor constantly monitors cooking smells and steam
- The fan speed will automatically adjust to what you're cooking
- The hood will turn itself off when no steam or smells are detected.




Choose a hood with Climate Control Sensor for maximum performance and minimum energy consumption.

## **CEILING HOODS**



### The seamless, premium space-saving kitchen solution

If cooking is your passion our integrated ceiling hoods make sure it stays that way. Quietly extracting unwanted odours and steam, they are built into the ceiling to save valuable kitchen space and don't obscure your magic. Sleek and simple to install, our ceiling hoods are suitable for ducting out or recirculating the air (with a separate recirculating module accessory). And thanks to the Efficient Drive motor, these hoods offer powerful performance for every type of kitchen with effective illumination for your island area.



stainless steel: Z52|CD0N0

Regenerative filter white:

Z52JCD0W0

longer lasting for 10 years – simply regenerate

in the oven every 4 months.



### Innovation is here, and it's delicious

Keep your eyes on your cooking, not the hood controls with our Wi-Fi connected hoods in the N90 and N70 collections. Make adjustments to ventilation speed and lighting from the Home Connect app, via voice command or via the hob with Hob Hood Control. Alternatively, let our fully automatic hood adjust to vapours and aromas without you lifting a finger. Once connected, you can also choose to receive

notifications about when your grease filters need cleaning or recirculation filters need replacing.





# QUIET HOODS

That won't drown out the conversation



# THE LIGHT CREATED BY A NEFF EXTRACTOR HOOD WILL COMPLEMENT THE WHOLE KITCHEN LIGHTING SCHEME.

areas, odours and steam are effectively eliminated without extraction noise drowning out the conversation.



### **AMBIENT LIGHT**

Illuminates your kitchen in the light that suits the occasion best. Choose from up to 31 colours to change how your kitchen looks and, most importantly, how it makes you feel.



### LED

LED lighting not only provides bright, enduring illumination for your kitchen, but is also extremely energy efficient, consuming up to 85% less energy than an equivalent five year old model with halogen lights. Our LED lighting lasts for up to 40,000 hours.



### HALOGEN SPOTLIGHTS

Halogen lights are small, tidy and provide crisp colour and good illumination. Halogen bulbs are also long-lasting.



### ADJUSTABLE LED WHITE COLOUR TEMPERATURE

Perfect for setting the mood or matching to other kitchen lighting. Using the Home Connect App with selected models, you can adjust the white colour temperature between 2,700K – 5,000K.



Most of our hoods are exceptionally quiet thanks to our brushless Efficient Drive motor. However, noise is also determined by the length and type of ducting used and the installation surroundings. To provide a more meaningful measure of noise specific to the appliance, we state Sound Power in dB(A) re 1pW. With this system, there are strict guidelines for measuring the noise level, enabling you to easily compare our range and to give a closer indication of likely noise levels once the hood is installed.

## HOW THE NEFF D96IKW1S0B CHIMNEY HOOD COMPARES\*...

70dB(A) Primary



60dB(A) Loud radio



50dB(A) Conversation




41dBA

40dB(A)
Quiet office




30dB(A)
Quiet library



Source: public sector information published by the Health and Safety Executive and licensed under the Open Government Licence see

## **EXTRACTION OR RECIRCULATION?**


The best way to remove steam and odours is to extract the air out of the room through ducting. Unfortunately, in apartments or where the hood is too far away from an outside wall, this may not be possible. In this case, the only alternative is to recirculate the air. Stale air is sucked through a grease filter, before being purified in a charcoal filter, and then pumped back into the kitchen via an opening in the hood.





### Recirculating

Removes between 70-95% of odours depending on filter used. Requires changing of charcoal filter on a regular basis or a longer-lasting Regenerative filter for certain models can be used.



Extraction

### Ducted

Removes up to 98% of odours in an optimal installation. Requires planning of ducting (ducting to be sourced separately), however doesn't require a recirculation charcoal filter.

### USE THE FOLLOWING EQUATION TO CALCULATE YOUR EXTRACTION RATE:

Volume of kitchen (length x width x height) eq.  $4m \times 3m \times 2.5m = 30m^3$ 

6 x volume in normal operation and 12 x volume in intensive operation.

Please note that these are recommended estimates only to be used as a guide. This assumes a 2.5m standard ceiling height with 12 ai changes per hour to match to an intensive extraction rate.

### **IDENTIFY YOUR EXTRACTION RATE**

Your extractor needs to circulate the air in the room 6 times in normal operation, 12 times in intensive operation, per hour. Use the below to help identify the required extraction rate which can then be used to select the appropriate extractor.

	2.5m	3m	3.5m	4m	4.5m	5m
2.5m	16m³					
3m	19m³	23m³				
3.5m	22m³	26m³	31m <sup>3</sup>			
4m	25m³	30m³	35m³	40m³		
4.5m	28m³	34m³	39m³	45m³	51m³	
5m	31m³	38m³	44m³	50m³	56m³	63m³

### REGENERATIVE RECIRCULATION FILTERS

The new Regenerative Charcoal Filters give you a long lasting filter, thanks to a regenerative process using your oven, and can even be installed without a chimney piece if preferred. Benefit from up to 95% odour reduction when in recirculation mode.



## RECIRCULATION FILTERS

We offer a range of recirculation filters that are available depending on the model of hood you choose. Featuring powerful odour reduction rates and performance benefits, our new regenerative filters can last up to 10 years and are regenerated through a heating process in the oven every 4 months

1010年1010年1010年1010年1010日	CONTROL AND ADDRESS OF THE PARTY OF THE PART		The second second second
TYPE:	STANDARD CHARCOAL FILTER	CLEANAIR FILTER	REGENERATIVE CLEANAIR FILTER
ODOUR REDUCTION	Up to 85%	Up to 95%	Up to 95% (Up to 86% if installed without a chimney)
RECOMMENDED EXCHANGE	Approx. 2 times per year	Approx. once per year	Approx. once every 10 years
KEY BENEFITS	<ul><li>Simple installation</li><li>Anti-fish treatment</li></ul>	<ul> <li>Up to 3dB (A) sound reduction</li> <li>Better extraction performance</li> <li>Anti-fish treatment</li> </ul>	<ul> <li>Up to 3dB (A) sound reduction</li> <li>Regenerated in the oven every 4 months recommended (2 hours 200°C)</li> <li>Better extraction performance</li> </ul>
INSTALLATION	Behind grease filter, inside the hood	Extra module attached to hood chimney (stainless steel) New Chimney Hoods: Integrated plastic module fitted inside the chimney piece	Extra module (as per CleanAir filter) onto chimney or inside chimney. 'Chimless' installation possible (Angled and Flat only)
INSTALLATION WITHOUT CHIMNEY POSSIBLE?	Yes (Angled and Flat only)	No – module must fit onto chimney or inside the chimney	Yes (Angled and Flat only)

CleanAir and Regenerative filters not available for all styles of hood. Additional module may be required to house the filter. Images for example only, different filters may come in a different size and style.

### **INSTALLATION**

The following points should be observed for optimum ducted extraction results and low noise:

- Ensure any pipe elbow bends are at least 30cm from the hood ducting opening.
- 2 Avoid reducing the diameter or area of the ducting.
- Use wide-angled pipe elbows, but keep the number used to a minimum.
- Only install pipes with smooth, even inner surfaces. If a flexible hose has to be used, ensure it is pulled tight to smooth out the ridges before fixing.
- Use ducting pipes with a diameter of at least 120mm, but ideally 150mm.
- Keep piping to a minimum use the most direct route to an external outlet.
  - Make sure that there is an adequate supply of fresh air to replace the air ducting out of the kitchen, i.e. windows that can be opened, doors to adjacent rooms, air bricks. Problems with installation may occur if points 1-7 are not observed.

### **EASY MOUNTING SYSTEM**

Thanks to an easy wall-mounting system, selected hoods can be installed quickly and securely by one person. Rotating offset 'cam' fixings make it possible for positional adjustments of up to 6mm, helping to get the hood level and stable. (Not available on all our hoods.)

LED

LIGHTING

FEATURED!

## WORKTOP INSTALLATION



### Mix and match your perfect hob

NEFF worktop ventilation solutions mean that the hood is installed directly next to the hob, meaning they are effective at extracting kitchen smells and steam right where you are cooking. Their ease of installation and extracted or recirculation options mean that they can also be placed flexibly throughout your kitchen, integrating into your work surface for a sleek look throughout your kitchen.

> Remote motor installation



faultlessly integrates into the kitchen design without any motor installation option. The hood is complementary to our oven and hob matching design for an idyllic combination of

COOKING FLEXIBILITY KNOWS NO LIMITS

The new downdraft hood compromise, thanks to its spacesaving, quiet, yet powerful, Inline performance and sophistication.

	HOOD TYPE		DOWNDRAFT	
	MODEL		D95DAP8N0B	
	COLLECTION		N 90	
	Colour		Stainless Steel and Black Glass	5
	SPECIAL FEATURES			
	Home Connect			
	Adjustable LED White Colour Temperature			
	Ambient Light			
	Climate Control Sensor			
	Hob Hood control			
45	Efficient Drive			-
18	Intensive setting / Automatic intensive revert <sup>1</sup>		● /●	
	Boost Position (Angled & Flat Hoods)			0
	NEFF Silence Function			10
	Filter Saturation Indicator		•	
	FEATURES			
	Suitable for ducted operation / recirculating		•/•	
3	Electronic power level display			
	Power levels		3 + 2 Intensive	
	NEFF Fresh Air (Interval operation)			
1	Automatic after running	minutes	10	
	Lighting		LED 7W strip	
	Softlight with dimmer function			
	Number of metal grease filter cassettes		2	
	Type of control		Touch Control	
	OPTIONAL ACCESSORIES <sup>2</sup>			
	Recirculating odour filter kit		Z92IDP9X0	
US.	Remote Motor Installation Mounting Kit		Z92IDM9X0	
96	PERFORMANCE / TECHNICAL INFORMATION			
	Appliance width	mm	918	
100	Extraction Rate in m³/h³,4			
	Power level 1 - ducted / recirculating		250/230	
	Power level 2 - ducted / recirculating		430/410	
	Power level 3 - ducted / recirculating		530/460	
	Intensive level 1 - ducted / recirculating		620/480	
	Intensive level 2 - ducted / recirculating	_	750/510	
26	Noise level (sound power) based on dB(A) re 1 pW 3.	5		
	Power level 1 - ducted / recirculating		43/54	
100	Power level 2 - ducted / recirculating		58/70	
7	Power level 3 - ducted / recirculating		62/72	
	Intensive level 1 - ducted / recirculating		66/74	
77	Intensive level 2 - ducted / recirculating		67/75	
	Pipe outlet diameter	mm	150	
	Minimum distance above an electric hob / gas hob <sup>6</sup>	mm	-/-	
N.	GB plug		U	
THE STATE OF	Energy Rating		A	







3 metres away from the appliance. Image for illustrative purposes only. Ducting not supplied.

provides the option to mount the motor up to

The NEFF Remote Motor Installation Mounting Kit

(Z92IDM9X0) frees up space under the worktop and



### The ideal space saving solution

Sleek, stylish and unobtrusive, our ceiling mounted hoods effectively extract steam and odours without taking up valuable kitchen space. Easy to use with a remote control, the grease filters can also simply be removed and cleaned in the dishwasher. Our Plug&Play recirculation only ceiling hoods are designed to complement the layout of your space and offer complete flexibility when designing your kitchen. With a high extraction rate, air is drawn in through a series of grease and charcoal filters and then recirculated back into the room without the need for ducting.



	是"And And And And And And And And And And	
I97CPS8W5B		OODE
Flush with the ceiling, integrated ceiling hood (900	Marine Ma	OLLE
Flush with the telling, integrated telling flood (500	Till Widelij	olour
All of the state o	SF	PECIAL
WI-FI	How Ho	ome C
	Ac	djustab
	CONTROL OF THE PROPERTY OF THE	mbient
		limate (
		ob Hoo
		fficient
	THE STATE OF THE PROPERTY OF T	tensive oost Po
	A CONTRACTOR OF THE PROPERTY O	EFF Sile
	CONTRACTOR OF CONTRACTOR AND	Iter Sat
d'	CONTROL OF THE PROPERTY OF THE	EATURE
	Su	uitable
	Electric Address of the Electr	ectron
	Po	ower le
M. The Carlot	NE NE	EFF Fre
		utomat
	4500000	ghting
21年第二年 在10年 61年 61年 61年 61年 61年 61年 61年 61年 61年 61	25 CONTRACTOR SERVICE	oftlight
		umber
	\$P\$\$P\$ \$P\$ \$P\$ \$P\$ \$P\$ \$P\$ \$P\$ \$P\$ \$P\$	pe of
and the last of the same and the same and the same		PTION
		ecircul leanAi
	(s	tainle
Installation view		leanAi
		egenei stainles
		egener
DESIGN PERFORMANCE		ERFOR
Width (cm) LED Lights Fnergy Lights CONTROL CONTROL SENSOR		pplian
		xtract
		ower le
A PART OF THE PART	Pc	ower le
	Pd	ower le
		tensive
	In	itensiv
	No.	oise le
	Po	ower le
	Po	ower le
	Pc	ower le
		itensiv
		itensiv
		ipe out
	Miles Control of the	inimun

HOOD TYPE		
MODEL		
COLLECTION		
Colour		
SPECIAL FEATURES		
Home Connect		4
Adjustable LED White Colour Temperature		
Ambient Light		
Climate Control Sensor		
Hob Hood control		
Efficient Drive		
Intensive setting / Automatic intensive revert <sup>1</sup>		25
Boost Position (Angled & Flat Hoods)		
NEFF Silence Function		Ser.
Filter Saturation Indicator		
FEATURES		
Suitable for ducted operation / recirculating		
Electronic power level display		
Power levels		
NEFF Fresh Air (Interval operation)	1	N
Automatic after running	minutes	
Lighting	· · · · · · · · · · · · · · · · · · ·	253
Softlight with dimmer function		
Number of metal grease filter cassettes		
Type of control		
OPTIONAL ACCESSORIES <sup>2</sup>		
Recirculating odour filter kit	- 3	Š
CleanAir Recirculating Module with Filter (stainless steel)		
CleanAir Recirculating Module with Filter (white)		
Regenerative CleanAir Recirculating Module with (stainless steel)	Filter	
Regenerative CleanAir Recirculating Module with Filter	r (White)	
PERFORMANCE / TECHNICAL INFORMATION	13	S
Appliance width	mm	
Extraction Rate in m³/h ³,4		
Power level 1 - ducted / recirculating		
Power level 2 - ducted / recirculating	- 8	1
Power level 3 - ducted / recirculating		
Intensive level 1 - ducted / recirculating		
Intensive level 2 - ducted / recirculating	****	
Noise level (sound power) based on dB(A) re 1	pW 3,5	
Power level 1 - ducted / recirculating		
Power level 2 - ducted / recirculating		
Power level 3 - ducted / recirculating		S
Intensive level 1 - ducted / recirculating		
Intensive level 2 - ducted / recirculating		
Pipe outlet diameter	mm	
Minimum distance above an electric hob / gas hob <sup>6</sup>	mm	
GB plug		
Energy Rating		



	CEILING	CEILING	CEILING	CEILING	CEILING	CEILING
	197CPS8W5B	I25CBS8W0B	195CBS8W0B	195CAQ6N0B	195CAQ6W0B	190CL46N0
	N 90	N 70	N 70	N 50	N 50	N 70
2	White & White Glass	White & White Glass	White & White Glass	Stainless Steel	White	Stainless Steel
1	_				_	
93000	•	•	•	•	•	
Ē	•					
9						
2000	•		•		•	
	•	•	•	•	•	
	•/•	●/ ●	●/ ●	●/ ●	●/ ●	●/ ●
9228	•	•	•	•	•	
600	•	•	•	•	•	•
ğ						
2000	●/ ●	●/ ●	●/ ●	●/ ●	●/ ●	- /●
SHOW						
ì	3 + 2 Intensive	3 + 1 Intensive				
8	10	10	10	10	10	- 20
	10 4 x LED lights	30 2 x LED strips				
8	4 X LED lights	2 x LED Strips				
8	2	2	2	2	2	2
8	Remote Control					
ŀ	Nemote control	Kemote control	Remote Control	Kemote control	Nemote control	Nemote control
						Filters Included
1	Z52JCC0N0	Z52JCC0N0	Z52JCC0N0	Z52JCC0N0	Z52JCC0N0	
ı						
ı	Z52JCC0W0	Z52JCC0W0	Z52JCC0W0	Z52JCC0W0	Z52JCC0W0	
	Z52JCD0N0	Z52JCD0N0	Z52JCD0N0	Z52JCD0N0	Z52JCD0N0	
ı	Z52JCD0W0	Z52JCD0W0	Z52JCD0W0	Z52JCD0W0	Z52JCD0W0	
	900	1200	900	900	900	1000
1						
1	265/197	265/200	265/200	265/200	265/200	/440
	331/313	335/316	335/316	335/316	335/316	/600
ı	458/419	458/422	458/422	458/422	458/422	/780
1	672/537	594/513	594/513	594/513	594/513	/850
ı	933/637	798/565	798/565	798/565	798/565	
	41/47	41/46	41/46	41/46	41/46	/57
	47/56	47/57	47/57	47/57	47/57	/64
	56/63	56/63	56/63	56/63	56/63	/70
	64/68	62/67	62/67	62/67	62/67	/72
-	70/72	68/69	68/69	68/69	68/69	
	150	150	150	150	150	150
	650 / 650	650 / 650	650 / 650	650 / 650	650 / 650	600/900
1	•	•	•	•	•	
	A	A	A	A	A	





## The ideal solution for contemporary kitchens

Our island hoods are a stunning way to showcase a central cooking and preparation space. Available with stylish flat glass, cube and box designs, the range is designed to complement our gas, ceramic and induction hobs. With height adjustable chimney sections, there are options to suit all ceiling heights too.





Touch control with display



DESIGN PERFORMANCE





more.			
	COLLECTION		
	Colour		
数	SPECIAL FEATURES		
	Home Connect		
200	Adjustable LED White Colour Temperature		
	Ambient Light		
	Climate Control Sensor		
屬	Hob Hood control		
204	Efficient Drive		
	Intensive setting / Automatic intensive revert <sup>1</sup>		
	Boost Position (Angled & Flat Hoods)		
	NEFF Silence Function		
變	Filter Saturation Indicator		
	FEATURES		
1	Suitable for ducted operation / recirculating		
	Electronic power level display		
	Power levels		
	NEFF Fresh Air (Interval operation)		
	Automatic after running	minı	ites
	Lighting		,,,,,
鹽	Softlight with dimmer function		
	Number of metal grease filter cassettes		
	Type of control		
	OPTIONAL ACCESSORIES <sup>2</sup>		
	Recirculating odour filter kit <sup>2</sup>		
	CleanAir Recirculating odour filter kit (stainless st	eel)	
쮎	Replacement Regenerative CleanAir filter	,	
	PERFORMANCE / TECHNICAL INFORMATION		
	Appliance width		mm
	Extraction Rate in m³/h ³,4		
	Power level 1 ducted / recirculating		
	Power level 2 ducted / recirculating		
	Power level 3 ducted / recirculating		
	Intensive level 1 ducted / recirculating		
	Intensive level 2 ducted / recirculating		
	Noise level (sound power) based on dB(A) re	Wa I	3,5
	Power level 1 ducted / recirculating		
	Power level 2 ducted / recirculating		
2	Power level 3 ducted / recirculating		
	Intensive level 1 ducted / recirculating		
	Intensive level 2 ducted / recirculating		
	Pipe outlet diameter		mm
	Minimum distance above an electric hob / qas ho		
	GB pluq		
STREET, SQUARE,	05 p.09		



550 / 650

550 / 650

150/120

550 / 650

150/120

550 / 650



### The focal point of any kitchen

Hoods installed on the wall can be used to create a design feature in themselves, adding a focal point to your kitchen while offering powerful extraction for all types of cooking. Choose from a range of styles to suit your kitchen design, including the new Creative Slim hoods or Angled Glass hoods with features such as Ambient Light that let you express yourself with colour, as well as your cooking. And if choosing to install in recirculation, the hood can be fitted without a chimney piece for a sleeker finish to your hood installation.

mium Angled Chimney Hood (900mm width)



Front panel pulls out to Boost Position

### **DESIGN PERFORMANCE**



















N 90





ANGLED	ANGLED	ANO	GLED	ANO	GLED	
D96IKW1S0B	D95IMT1N0B	D85IBE1S0B			M1S0B	
22311111232	230	D65IBE1S0B			M1S0B	
N 90	N 90	N 50		<del>\</del>	50	
	Black or black glass		eel and Glass		plack glass	
Black or black glass	Black Of Black glass	Stall liess St	eei ai iu Giass	DIACK OF L	olack glass	
	•					
•	•					
•/•	•/•	•	/●	•.	/●	
•	•					
•	•					
•	•					
•/•	•/•	•	/●	•	/●	
•	•					
3 + 2 Intensive	3 + 2 Intensive	3 + 1 lr	ntensive	3 + 1 Intensive		
•	•					
10	10					
2 x LED lights	2 x LED lights	2 x LED lights		2 x LED lights		
•	•					
2	2	2			2	
Touch Control	Touch Control	Soft Touch		louch	Control	
Z51AIU0X0	Z51AIU0X0	Z51AIU0X0		7514	IU0X0	
Z51AI00X0	Z51AIT0X0		ITOXO		IT0X0	
Z51AXC0N0	Z51AXC0N0		XC0N0		KC0N0	
Z51AIS0X0	Z51AIS0X0		ISOXO	Z51AIS0X0		
Z51AIR0X0	Z51AIR0X0		JR0X0	Z51AIR0X0		
890	895	791	591	890	590	
290/190	300/190	240/200	240/200	260/210	240/210	
360/310	360/320	320/280	320/280	340/290	330/280	
500/430	460/400	400/380	400/380	420/390	400/380	
650/530	570/470	680/560	680/560	680/560	660/570	
840/590	730/560					
41/50	44/51	49/54	49/54	50/55	48/53	
46/60	49/61	54/61	54/61	54/60	52/59	
54/67	54/66	58/67	58/67	57/66	57/67	
59/72	58/74	67/75	67/75	66/75	66/74	
65/75	64/75	150/120			150/120	
150/120	150/120	150/120	150/120	150/120	150/120	
450 / 600	450 / 600	450 / 600	450 / 600	450 / 600	450 / 600	
•	•		•		•	
A+	A+		A		4	



### A kitchen to create in

Why choose between style and effectiveness when you can have both? Our Creative Slim hood illuminates your space in ambient lighting while keeping the room free from steam and odours. With a climate controlled automatic system, your ventilation is tailored to your cooking as soon as you turn the hob on – ideal when you need your hands free.

D95FMW1N0B Creative Slim Hood (900mm width)

D95FRM1S0B Creative Slim Hood (900mm width)

N 70

Writeable,

magnetic glass Recipe book shelf



DESIGN PERFORMANCE

√190 <b>)</b>	LED Lights	Control	AmbientLig
oktop-based ood Control	Automatic air sensor	Energy	









This NEFF Creative Slim Hood cannot be used with a gas hob.



HOOD TYPE	FLAT SLIMLINE	CREATIVE SLIM
MODEL	D95FMW1N0B	D95FRM1S0B
COLLECTION	N 90	N 70
Colour	Black Glass	Black Glass
SPECIAL FEATURES		
Home Connect	•	
Adjustable LED White Colour Temperature		
Ambient Light	•	
Climate Control Sensor	•	
Hob Hood control	•	
Efficient Drive	•	•
Intensive setting / Automatic intensive revert <sup>1</sup>	●/●	●/●
Boost Position (Angled & Flat Hoods)	•	•
NEFF Silence Function	•	
Filter Saturation Indicator	•	
FEATURES		
Suitable for ducted operation / recirculating	●/●	●/●
Electronic power level display	•	
Power levels	3 + 2 Intensive	3 + 1 Intensive
NEFF Fresh Air (Interval operation)	•	
Automatic after running minutes	10	
Lighting	2 x LED lights	2 x LED lights
Softlight with dimmer function	•	
Number of metal grease filter cassettes	2	2
Type of control	Touch Control	Touch Control
OPTIONAL ACCESSORIES <sup>2</sup>		
Recirculating odour filter kit	Z51AFU0X0	Z51AFU0X0
Chimless recirculating odour filter kit	Z51AFT0X0	Z51AFT0X0
CleanAir Recirculating odour filter kit (stainless steel)	Z51AXC0N0	Z51AXC0N0
Regenerative CleanAir Recirculating filter kit	Z51AFS0X0	Z51AFS0X0
Chimless Regenerative CleanAir Recirculating filter kit	Z51AFR0X0	Z51AFR0X0
PERFORMANCE / TECHNICAL INFORMATION		
Appliance width mm	895	890
Extraction Rate in m³/h ³,4		
Power level 1 - ducted / recirculating	230/120	230/120
Power level 2 - ducted / recirculating	330/220	330/220
Power level 3 - ducted / recirculating	420/290	420/290
Intensive level 1 - ducted / recirculating	570/410	730/520
Intensive level 2 - ducted / recirculating	730/520	
Noise level (sound power) based on dB(A) re 1 pW <sup>3,5</sup>	12.112	,
Power level 1 - ducted / recirculating	42/43	42/44
Power level 2 - ducted / recirculating	51/53	51/53
Power level 3 - ducted / recirculating	56/59	56/60
Intensive level 1 - ducted / recirculating	64/68	69/72
Intensive level 2 - ducted / recirculating	69/72	150/120
Pipe outlet diameter mm	150/120	150/120
Minimum distance above an electric hob / gas hob <sup>6</sup> mm	450 / 600 •	450 / Not suitable ●
GB plug	·	
Energy Rating	A	A



### Modern and minimalistic for contemporary kitchens

Build a wall against bad odours with our sleek and stylish Glass Chimney Hoods. They fight humidity smells and smoke with clever, innovative functions that work quietly and skilfully. As a result, nothing can come in the way of your culinary magic.







da e de la companya del companya de la companya del companya de la	
LICOR TYPE	在影響
HOOD TYPE	
90 CM MODEL	
60CM MODEL	
COLLECTION	
Colour	
SPECIAL FEATURES	
Home Connect	
Adjustable LED White Colour Temperature	
Ambient Light	
Climate Control Sensor	
Hob Hood control	
Efficient Drive	
Intensive setting / Automatic intensive revert <sup>1</sup>	
Boost Position (Angled & Flat Hoods)	
NEFF Silence Function	
Filter Saturation Indicator	
FEATURES	
Suitable for ducted operation / recirculating	
Electronic power level display	
Power levels	
NEFF Fresh Air (Interval operation)	
~	minutes
Lighting	
Softlight with dimmer function	
Number of metal grease filter cassettes	
Type of control	
OPTIONAL ACCESSORIES <sup>2</sup>	
Recirculating odour filter kit	
CleanAir Recirculating odour filter kit (stainless ste	
Integrated CleanAir Recirculating odour filter kit (p Regenerative CleanAir Recirculating odour filter kit (plastic)	
PERFORMANCE / TECHNICAL INFORMATION	
Appliance width	mm
Extraction rate in m³/h 3,4	
Power level 1 - ducted / recirculating	
Power level 2 - ducted / recirculating	
Power level 3 - ducted / recirculating	
Intensive level 1 - ducted / recirculating	
Intensive level 2 - ducted / recirculating	
Noise level (sound power) based on db(a) re 1	l pw 3,5
Power level 1 - ducted / recirculating	
Power level 2 - ducted / recirculating	
Power level 3 - ducted / recirculating	
Intensive level 1 - ducted / recirculating	
Intensive level 2 - ducted / recirculating	
Pipe outlet diameter	mm
Minimum distance above an electric hob / gas ho	
Power cable length	cm
Gh plug	

1					A TOTAL		- 位表
STRAIG	HT GLASS	CURVE	D GLASS	STRAIGH	HT GLASS	CURVED GLASS	
D94GF	M1N0B	D94AF	M1N0B	D94GE	CONOB	D94AE	CONOB
D64GF	M1N0B		M1N0B		CONOB	D64AE	CONOB
N N	50	N	50	N	30	N	30
Stainless St	eel and Glass	Stainless St	eel and Glass	Stainless Ste	eel and Glass	Stainless Ste	eel and Glass
	•/•		/●				
	/●		/●		/●		/●
8	ntensive		ntensive		3		3
2×LEI	D lights	2 x LE	D lights	2 x LEI	) lights	2 x LED lights	
2	1	2	1	2	1	2	1
Touch	Control	Touch	Control	Push E	Buttons	Push E	Buttons
7510	VIIOVO	7510	XU0X0	7510	ZI IOVO	7510	VIIOVO
25	XU0X0 70X0				XU0X0		XU0X0
	XI0X0		70X0 XI0X0		70X0		70X0
80				Z51FXI0X0 Z51FXJ0X0		Z51FXI0X0 Z51FXJ0X0	
251F	XJ0X0	2516	XJ0X0	ZSTFAJUAU		ZSTRAJUAU	
900	/ 600	900	/ 600	900	/ 600	900	/ 600
230/150	230/140	220/150	240/160	250/170	260/180	230/150	230/160
300/230	300/220	300/230	300/240	320/240	320/250	300/220	300/240
380/290	380/280	360/280	390/290	620/350	620/360	580/340	590/360
610/360	600/350	580/350	600/350				
49/59	51/60	48/60	48/59	48/60	51/60	48/60	230/160
55/67	57/67	55/68	54/67	55/67	57/67	54/68	300/240
61/71 69/75	62/71 70/75	61/72 69/75	59/71 69/75	69/76	70/75	69/75	590/360
03/75	70/75	09/75	09/75				
150	/120	150	)/120	150/120		150/120	
91	/ 650		/ 650	550 / 650		550 / 650	
130			30		30	130	
	•		•		•		•
	A		A	A+	А		4

**DESIGN PERFORMANCE** 



### The focal point of any kitchen

It's amazing when a steak is sizzling in your pan, and the smell is part of an exciting cooking experience. But there are some kitchen odours nobody is too fond of. Enter our quiet but powerful Box Chimney Hoods where fresh air is quaranteed.

### D96BMV5N5B

Box Chimney Hood (900mm width) N 90



Hob Hood Control

DESIGN/PERFORMANCE



















D95BMP5N0B

Box Chimney Hood (900mm width) N 70





CHANGE SETTINGS WITH EASE AND MAKE CLEÁNING A BREEZE WITH TOUCH CONTROL

### HOOD TYPE

### Colour SPECIAL FEATURES

Home Connect

Adjustable LED White Colour Temperature Ambient Light

Climate Control Sensor

Efficient Drive

ntensive setting / Automatic intensive rever

Boost Position (Angled & Flat Hoods)

Filter Saturation Indicator

FEATURES

Suitable for ducted operation / recirculating

Electronic power level display

NEFF Fresh Air (Interval operation)

Lighting

Softlight with dimmer function

Number of metal grease filter cassettes

Type of control

OPTIONAL ACCESSORIES<sup>2</sup> Recirculating odour filter kit

CleanAir Recirculating odour filter kit (stainless steel)


PERFORMANCE / TECHNICAL INFORMATION

Appliance width

GB pluq

Energy Rating






### A striking design for modern kitchens

Stop the smell, not the conversation. For us, cooking is all about enjoying tasty food with family and friends. That's why our quiet Pyramid Chimney Hoods ensure nothing gets in the way of conversation.

### D94QFM1N0B

### D92PBC0N0B

yramid Chimney Hood (900mm width) **N 30** 



**DESIGN PERFORMANCE** 












**DESIGN PERFORMANCE** 





STRIKING DESIGN FOR MODERN KITCHENS





## TELESCOPIC HOODS



### Always the right height

When you're cooking up a sumptuous meal, chances are, you're more focussed on what's inside the pots than what escapes them. Our telescopic hoods are well-trained in coping with steam and odours. They slide out when you need them, and can be pushed back, for a flush finish when you don't. With a lowering frame, the hood can disappear entirely from view. This compact, discreet set-up with subtle LED lighting has up to four highly capable speed settings. Any noise can be toned down further on demand with the Silence function, so nothing can spoil the kitchen conversation.



Telescopic Hood (900mm width) N 90

**D49ML54N0B** 

Telescopic Hood (900mm width) N 70





DESIGN PERFORMANCE















### **LOWERING FRAME - SLIDE&HIDE® MAKES ITS VENTILATION DEBUT**

Providing the ultimate space-saving solution, our first hidden hood beautifully complements flush, integrated kitchen designs. 350mm minimum cabinet depth required.



The hood remains completely hidden until you're ready to start

Simply push under the front of the hood to lower into position.



The telescopic hood easily extends on the smooth rails.

### HOOD TYPE 90CM MODEL 60CM MODEL COLLECTION SPECIALFEATURES Home Connect Adjustable LED White Colour Temperature Ambient Light Climate Control Sensor Hob Hood control Efficient Drive Intensive setting / Automatic intensive revert NEFF Silence Function Filter Saturation Indicator FEATURES Suitable for ducted operation / recirculating Flectronic power level display Automatic after running Lighting Softlight with dimmer function CONTROLS Number of metal grease filter cassettes OPTIONAL ACCESSORIES <sup>2</sup> Recirculating odour filter kit CleanAir Recirculating odour filter kit (stainless steel) Replacement Regenerative CleanAir filter Steel finish profile/handle with opening for VarioControl Steel finish profile/handle with logo Lowering frame Bracket for installation in 90cm wide units PERFORMANCE / TECHNICAL INFORMATION Appliance width Extraction Rate in m3/h3/ Ducted power level 1 / recirculating power level 1 Ducted power level 2 / recirculating power level 2 Ducted power level 3 / recirculating power level 3 Ducted intensive / recirculating intensive Noise level (sound power) based on dB(A) re 1 pW 3 Ducted power level 1 / recirculating power level 1 Ducted power level 2 / recirculating power level 2 Ducted power level 3 / recirculating power level 3 Ducted intensive / recirculating intensive Minimum distance above an electric hob / gas hob<sup>6</sup>

## DISCREET YET POWERFUL EXTRACTION





TELESCOPIC	TELES	COPIC	TELES	COPIC	TELESCOPIC
D49PU54X0B	D49ML		D49ED		D46BR22N0B
	D46ML		D46ED		
N 90	N		N 50		N 30
Stainless steel			Stainless steel		Silver metallic lacquer
•					
		/_		/ -	
•/•			• /	•	
•/•	• ,	′ •	• ,	/●	•/•
•	•	•		•	•
•					
•	•	•			
10	1			0	
2 x 3W LED lights	2 x 3W L		2 x 3W LI	ED lights	2 x 20W halogen
u Touch Control	Soft 1		Soft 1	rL	Rocker switch
3 + 2 Intensive	3 + 2 In		3 + 1 In		Rocker Switch
3 2	3			2	1
Z54TS02X0	Z54TS02X0		Z54TS	501X0	Z54TS01X0
Z54TR60X3	Z54TR60X3				
Z51ITP0X0	Z51ITP0X0				
	Z54TF90N0	Z54TF60N0			
	Z54TH90D0	Z54TH60D0	Z54TH90D0	Z54TH60D0	
Z54TL90X0	Z54TL90X0	Z54TL60X0			
Z54TM90X0	Z54TM90X0				
900	900	600	900	600	600
210/130	210/130	210/140	170/100	170/100	280/160
310/220	310/220	310/220	230/140	230/130	340/180
400/290	400/290	400/290	270/160	270/160	400/190
700/480	700/480	700/480			
42/45	42/45	40/45	53/57	53/57	59/70
49/55	49/55	48/55	55/65	55/65	64/72
54/61	54/61	54/61	60/70	59/70	68/74
66/74	66/74	66/73	70/71	69/72	450 (100
150/120	150/120		150/120		150/120
430 / 650	430 / 650		430 / 650		430 / 650
•					•
Α		1	, A	4	C

## CANOPY HOODS



### Room for inspiration

A great kitchen atmosphere is not just about the people you've invited or the meal you're cooking. A clear view to focus on your creations is a must, too. Our space-saving canopy hoods cleanse the air skilfully and quietly – allowing everyone to join the conversation. Another helpful idea: the metal filter cassettes are easily removable and dishwasher-safe.





Adjustable glass visor



The new N70 canopy hoods come in full 90cm and 60cm widths and are easy to install due to replacing the bottom of the cabinet. Thanks to their design, they make even more space in your kitchen.

Additional accessories for a sleek look inside the cabinet: Z51IBN0N0 - Chimney extension 185-362mm Z51IBG0N0 - Chimney extension 120mm

### **DESIGN PERFORMANCE**







TO THE RESERVE TO THE	
HOOD TYPE	CONTRACT
WIDE MODEL	
STANDARD MODEL	
COLLECTION	1
Colour	
SPECIALFEATURES SPECIALFEATURES	
Home Connect	
Adjustable LED White Colour Temperature	
Ambient Light	
Climate Control Sensor	
Hob Hood control	
Efficient Drive	
Intensive setting / Automatic intensive revert <sup>1</sup>	
NEFF Silence Function	
Filter Saturation Indicator	
FEATURES	
Suitable for ducted operation / recirculating	
Furniture door required	
Electronic power level display	
NEFF Fresh Air (Interval operation)	
Automatic after running r	minutes
Lighting	
Softlight with dimmer function	
Controls	
Power levels	
Number of metal grease filter cassettes	
OPTIONAL ACCESSORIES <sup>2</sup>	
Recirculating odour filter kit	
CleanAir Recirculating odour filter kit (stainless s	teel)
Replacement Regenerative CleanAir filter	
PERFORMANCE / TECHNICAL INFORMATION	
Appliance width	mm
Extraction Rate in m³/h 3,4	
Ducted power level 1 / recirculating power level	
Ducted power level 2 / recirculating power level	
Ducted power level 3 / recirculating power level	13
Ducted intensive / recirculating intensive	
Noise level (sound power) based on dB(A) re 1	l pW 3,5
Ducted power level 1 / recirculating power LEvel 1	
Ducted power level 2 / recirculating power level	
Ducted power level 3 / recirculating power level	13
Ducted intensive / recirculating intensive	
Pipe outlet diameter	mm
Minimum distance above an electric hob / gas ho	ob <sup>6</sup> mm
GB plug	



ROOM FOR INSPIRATION



### **Great for masking smells**

When all your friends sit around the table, just waiting for one of your treats to be served, you don't want steam or smoke disturbing the atmosphere. Our discreet integrated hoods work with three speeds to cleanse the kitchen air. While they do their job with a minimum of noise, LED lights shine a warm light on your bubbling pots and pans. The hoods come in a great range of sizes to cater for every kind of kitchen. Fitted between two kitchen cabinets, they hide behind a furniture door when you've finished cooking.

### D64MAC1X0B



## GREAT FOR ALL KITCHENS



	COLLECTION	
	Colour	
	SPECIALFEATURES SPECIALFEATURES	
	Home Connect	
1	Adjustable LED White Colour Temperature	
	Ambient Light	
	Climate Control Sensor	
	Hob Hood control	
2	Efficient Drive	
	Intensive setting / Automatic intensive revert <sup>1</sup>	
	NEFF Silence Function	
19	Filter Saturation Indicator	
10 E	FEATURES	
	SUITABLE FOR DUCTED OPERATION / RECIRCULATING	
1	Furniture door required	
	Electronic power level display	
	NEFF Fresh Air (Interval operation)	1
1	Automatic after running	minutes
	Additional noise insulation	
0	Lighting	
40	Softlight with dimmer function	
STATE OF THE PARTY	Controls	
	Power levels	
	Number of metal grease filter cassettes	
	OPTIONAL ACCESSORIES <sup>2</sup>	
	Recirculating odour filter kit	
	PERFORMANCE / TECHNICAL INFORMATION	
	Appliance width	mm
200	Extraction Rate in m <sup>3</sup> /h <sup>3,4</sup>	
	Ducted power level 1 / recirculating power level 1	
	Ducted power level 2 / recirculating power level 2	
	Ducted power level 3 / recirculating power level 3	
	Ducted intensive / recirculating intensive	25
	Noise level (sound power) based on dB(A) re 1 p	oW 3,3
	Ducted power level 1 / recirculating power LEvel 1	
	Ducted power level 2 / recirculating power level 2	- 10
	Ducted power level 3 / recirculating power level 3	
	Ducted intensive / recirculating intensive	
19	Pipe outlet diameter	mm
	Minimum distance above an electric hob / gas hob	6 mm
	GB plug	



INTEGRATED	INTEGRATED
D64MAC1X0B	D61MAC1X0B
N 30	N 30
Silver metallic lacquer	Silver metallic lacquer
•/•	•/•
•	•
2 x LED lights	2 x LED lights
Push buttons	Push buttons
3 2	3 2
2	2
Z51IMA0X0	Z51IMA0X0
ZSTIMAOAO	ZSTIPAOAO
599	599
250 / 220	240 / 200
350 / 330	280 / 240
620 / 410	360 / 250
49 / 62	52 / 65
56 / 71	56 / 68
70 / 75	62 / 69
150 / 120	150 / 120
500 / 650	500 / 650
• B	•
D	D











## BEHIND THE DOOR ...

Whether it's washing dishes, lightening the laundry load or keeping your food as fresh as possible, NEFF have everything to make life easier. NEFF's integrated appliances do all the hard work behind the door so you don't have to. Working tirelessly and quietly in the background, you can enjoy getting creative in the kitchen with friends and family... carefree.

FRESH SAI

### COOLING

We have a range of fridges and freezers so there is something for everyone. Whether it is a large American-style fridge freezer, or a built-in fridge freezer, we're confident that there is a model to suit. Fresh Safe— Keep ingredients fresher for longer. Herbs, fruits and vegetables stay crisp, vibrant and fresh retaining vital nutrients and vitamins and locking in flavour.

For more information on cooling installation options visit neff-home.com/uk/

Baskets in dishwasher for illustrative purposes only – please see product specification for latest information.



### DISHWASHING

A NEFF dishwasher is designed with creative cooks in mind. That means that even the most bubbled-over oven dishes, baked-on ramekins and caramelised grill pans will still come out beautifully clean.

Chef 70° – Extra cleaning power for creative cooks. With a hotter setting and a powerful spray, the Chef 70° programme is perfect for cleaning even the dirtiest pots, pans and cooking utensils. Items placed in the lower basket are subject to higher spray pressure, eliminating the need for soaking and effectively removing even the most stubborn areas.

For more information on dishwasher features visit neff-home.com/uk/



### ALLIM DRV

Our 3 types of models cover all your laundry needs: washing machines, washer dryer combination models and tumble dryers.

Time Light –The NEFF laundry range quietly washes, allowing you to multi-task while entertaining guests. The clever Time Light projects the remaining wash cycle onto your floor with no need to open the door to check on progress. Allowing you to keep one eye on your wash as well as your quests.

information on

ooling installation

options visit

neff-home

.com/uk/

## REFRIGERATION

### Leading the way in food storage to ensure the freshest and tastiest food

We're constantly working to improve our range of fridges and freezers so there's something for everyone. Whether it's a large American-style fridge freezer that can cope with the demands of a hungry family, or a fridge freezer that integrates seamlessly into the kitchen furniture, we're confident that there's a model to suit. And to top it off, all of our refrigeration appliances have at least an A+ energy rating.

## THE COLLECTION

Choosing the right appliance to complement your kitchen and lifestyle can be challenging. To help you select the perfect kitchen companion, we've introduced easy-to-follow Collections based on product features, technology, design and simplicity. There's a Collection to suit everyone.\*

## N 90

### FEATURES

THIS COLLECTION CAN INCLUDE\*:

Fresh Safe 3

No Frost Vario Shelf

Wire Flex shelf

Easy Access Shelf

Easy Lift Shelf

Flexi Rail Drawers

Electronic 7 segment control Energy Rating: A++ or A+

Super Cool

Fresh Sense

Soft Close/Fixed Hinge

LED Light

Super Freeze Big Box

## N 70

### **FEATURES**

THIS COLLECTION CAN INCLUDE\*:

Fresh Safe 2

No Frost/Low Frost

Vario Shelf

Easy Access Shelf

Electronic 7 segment contro

Energy Rating: A++ or A+

Super Cool

Fresh Sense

Fixed Hinge

LED Light

Super Freeze Big Box

N 50

### FEATURES

THIS COLLECTION CAN INCLUDE\*:-

Fresh Safe

No Frost or Low Frost

Electronic Control

Energy Rating: A++ or A+

Super Cool Fixed or Sliding Hinge

LED Light or Daylight

Super Freeze

N 30

### **FEATURES**

THIS COLLECTION CAN INCLUDE\*:-

Vegetable drawer

Manual Defrost

Energy Rating: A+ Sliding Hinge

Interior Light

\*The features included in each collection are an overview only. Please ensure that you check the product detail for exact


### Combination and layout solutions for installing your cooling appliances

With so many kitchen styles to choose from, at NEFF we've catered for all spaces and lifestyles. With the option to build a cooling solution to your requirements, our installation options are designed to offer the ultimate flexibility. From side-by-side fridge and freezer installations to over-under stacked installations, it's easy to incorporate NEFF appliances into your overall kitchen design.

COOL SOLUTIONS FOR EVERY COOK

### **OVER/UNDER:**

Our over-under installation options are perfectly tailored to suit every Cookaholic's lifestyle. Conveniently 'stack' your fridge and freezer and ensure your cooling space reflects how you like to cook. For those who tend to shop little and often, a smaller capacity fridge & freezer doesn't need to impact on freezer space essential, an equal height '50/50 fridge freezer combination provides the perfect solution.




### NEW ACCESSIBLE HEIGHTS

### SIDE-BY-SIDE

FRFEZE1

Our single door fridges and freezers are designed to sit parallel to one another in order to create a double door effect. By placing a left-hinged fridge and a right-hinged freezer (or vice versa) side by side you can easily browse fresh and frozen ingredients before getting creative in the kitchen. Smooth door opening is facilitated by a simple fixed or sliding hinge. Equally if you want to place a fridge in the kitchen and a freezer in the utility room, our appliances can be installed in a way which suits you.



\*174cm and 190cm models will be discontinued in September 2019





## A STYLE FOR ALL FOOD LOVERS

### Leading the way in food storage to ensure the freshest and tastiest food

Fresh, seasonal ingredients are a staple in any NEFF kitchen. That's why the right food storage is so important: all our models - whether it's a large American-style fridge freezer that can cope with the demands of a hungry family, or a side-by-side fridge freezer that integrates seamlessly into the kitchen furniture – give you the flexibility to keep your fruit, vegetables and herbs crisp and vibrant for longer.



### **BUILT-IN FRIDGE/FREEZER**

Designed to fit in a single housing unit, our range of fridge freezers include models from the tall larder style to more compact styles. All of our fridge freezers have a 4 star rating.

KI6873F30G Built-in fridge freezer N 70



## AMERICAN-STYLE FRIDGE FREEZER

They're big, they're bold, and there's enough space for even the largest family's chilled and frozen food. Selected fridge freezers also include an ice and water dispenser.

KA3923120G American-style fridge freezer N 70



### BUILT-UNDER FRIDGE AND FREEZER


Our integrated fridge with a four star freezer fits neatly under the work surface and provides a compact, flexible cooling solution for busy kitchens.

K4336X8GB Built-under single door fridge N 50




ADVANTAGES
OF DIFFERENT
HINGE TYPES





A fixed hinge offers you additional capacity in the refrigerator, leaving you more room for your food

### SLIDING HINGE



Additional space is required on the inner side of the cabinet to make way for the door hinge.

## HINGES TO SUIT ALL KITCHEN DESIGNS


Our doors can be right-hinged or left-hinged in order to suit your kitchen design.


### FIXED HINGE AND SOFT CLOSE HINGE

The benefit of this type of hinge is that it carries more weight – ideal for kitchen cabinetry made from heavier hard wood. This hinge also allows the door to open at a wider angle, making the fridge cavity easily accessible. All NEFF doors close automatically when at an angle of approximately 15-20° and selected models have the benefit of Soft Close.

### SLIDING HINGE

Our sliding hinge feature sits between the appliance and the furniture door and is secured by a series of brackets. As you open the furniture door, the appliance door is also opened via the sliding bracket design.







## **COOLING EXPLAINED**

### Food preservation features, functions and design explained

Cooking is all about new ideas and fresh inspiration – and our cooling appliances are no different. They are bursting with innovative features and functions to optimally store the food you love.

## DESIGN FEATURES



UNIQUE TO NEFF,

EVEN EASIER

**Door Seals** 

MAKING YOUR LIFE

Easy Clean Magnetic

refrigeration range are removable, making them easy to clean and/or

Find out more

information on

cooling features

and installation

solutions at neff-home



### Soft Close



### **Easy Lift Door** Storage

### Anti-spill Trims

Effectively hold up to a pint of liquid in case of accidental spillage. Food is protected below and the clean-up process is a little less messy.



### **Bottle Rack**

Always have a chilled bottle on standby for those impromptu get-togethers.



### Easy Lift Shelf



### Easy Access Shelf



### Vario Shelf

Designed to offer complete flexibility in your fridge, sectioned glass shel can simply be separated and slid underneath when not in use. Ideal for larger dishes, with space left over for a convenient condiments storage area at

## OTHER FEATURES & FUNCTIONS

### Multiple Cooling Systems

Separate cooling circuits for independent temperature control, to prevent the transference of odours and/or humidity between the

### **Multi Air Flow Cooling**

Greatly improves the circulation of air around the fridge, regulating the temperature and humidity levels and eradicating condensation build up, so that your food stays fresher for longer.




### No Frost

No Frost freezers automatically react to any signs of frost so it never has a chance to build up. With a No Frost freezer air is blown from the back wall and circulates over food items. As a result, there is no condensation or build up of frost and food does not freeze



### Low Frost

Low Frost, within our built in bottom freezers KI6873F30G and KI6863F30G, improves performance and reduces frost build up in an energy efficient way. It also provides more storage space due to there being no internal evaporator and you may only need to defrost your freezer every 2-3 years



### Super Freeze

Lowers the temperature for rapid freezing when adding fresh food.

### Intelligent Cooling

Uses a range of innovative sensors to calculate the quantity of food in the fridge with the outside temperature. The fridge then adjusts the internal cooling power accordingly.

### Super Cool

Allows for the increase in temperature that occurs when fresh food is added. As soon as the food is cold, the fridge will readjust to the

### Door Open

Door Open and high temperature alarm systems alert you if the door has been left open or a power cut has occurred. Ideal for mitigating food wastage



We are at the forefront of refrigeration technology - all fridges and freezers come with at least an A+ rating.

Many of our fridges can achieve the same storage temperatures as the local supermarket, allowing fresh fruit and vegetables to be kept at peak freshness for longer. Did you know that a ten year old fridge accounts for up to a quarter of household energy bills? By consciously choosing to replace appliances early on, huge savings can be made.





YZL

XYZL

### THE FRIDGE & FREEZER ENERGY **EFFICIENCY LABEL**

- 1 Supplier's name or trademark and model identifier.
- 2 Energy efficiency class.
- 3 Annual energy consumption in kWh (based on standard test results). The actual energy consumption depends on the use of the appliance.
- 4 Sum of storage volume of all cooling storage compartments (compartments without a star rating).
- 5 Sum of storage volume of all frozen food storage compartments (compartments with a star rating).
- 6 Noise emissions in decibels.
- 7 Numbering of the regulation.

# A NEFF A+++ FRIDGE

## STORING FOOD IN A COOLING APPLIANCE

Fresh, seasonal ingredients are a staple in any kitchen.

As a result, we've developed a range of preservation systems to help your food stay at its best for as long as possible. Using our FreshSafe humidity control drawers, herbs, fruits and vegetables stay crisp, vibrant and fresher for longer.



## OUR INNOVATIVE O'C FRESH SAFE PRESERVATION SYSTEM EXTENDS THE LIFE OF FOOD TIMES TO REDUCE WASTE.

### MODELS WITH 0°C **FRESH SAFE**

KA3923I20G USA style SBS KI8413D30G Fridge KI8865D30 N90 Freezer

FreshSafe provides the perfect solution for weekly grocery shoppers. Preserving food to stay fresher for longer as a conventional salad drawer, market-fresh ingredients stay fresh and vibrant for longer.



### 0°C FreshSafe ☐

Offering our optimal preservation system 0°C FreshSafe features two humidity zones to keep food fresher for longer. Perfect for delicate fruits and herbs such as berries, avocados and leafy greens, your favourite fruits and vegetables are kept beautifully plump and vibrant. Suitable for fish and meat, our innovative cooling solutions are designed for

everything you like to cook



### FreshSafe 2

Preserving food for longer, FreshSafe is designed Mith busy family life in mind. Nutritious fruit and vegetables are always at hand and vibrancy and texture is



Designed to keep salad items, leafy herbs and fruit at their peak for longer, our convenient vegetable drawer helps to extend the life of your favourite greens.

Fruit and vegetables stay fresher for longer in a FreshSafe compartment, compared to a salad drawer in a conventional fridge, and preserve up to 50% more vitamins.

Please note the change in terminology for our preservations storage, VitaFresh® is now 0°C FreshSafe②, HydroFresh is now FreshSafe②, Crisper Box is now


## WE'RE COMMITTED TO REDUCING FOOD WASTAGE

Did you know that around a third of the food we buy is thrown away?

The average family of four throws away £680 worth of food per year. At NEFF, we're keen to help you manage your costs by developing the most effective food preservation systems. FreshSafe is a 0°C compartment, independent from the fridge temperature, comprising two humidity zones. The dry section maintains 50% humidity to preserve meat and fish, while the moist zone, at 90% humidity, extends the life of vegetables, salad

### FreshSense

Uses intelligent sensors to monitor the temperature within the fridge, the freezer and the room outside. This feature ensures that the appliance maintains an optimal storage climate independent of the surrounding ambient temperatures.



## EASY ACCESS TO YOUR FRESH INGREDIENTS

Access to the fresh safe drawers is easy. The telescopic FlexiRail® system allows the drawers to slide out fully for added convenience.



WITH INNOVATIONS IN FOOD PRESERVATION, NEFF FRIDGES KEEP YOUR FAVOURITE INGREDIENTS AT THEIR BEST FOR LONGER.

## Big and bold

AMERICAN-STYLE

FRIDGE FREEZERS

Supersized for family-life, our American-style fridge freezers truly have a place for everything. With storage solutions to keep your fruit and vegetables fresh, freezer compartments for large joints of meat, and enough door trays for those everyday favourites, our American design is perfect for British kitchens. With selected models featuring water and ice dispensers, there's also the option to plumb your fridge into the mains for ice cold drinks on tap.

KA3923I20G




0°C FreshSafe 3

Energy	Height (cm)	Total Capacit
<b>A</b> ⁺	176	541 uman (yan)
Electronic	Noise Level	No Frost

DESIGN/PERFORMANCE







Colour of sides Style of handle Colour of handle No Frost in fridge and freezer Home Connect, WI-FI dongle included

Food freshness system

Product highlights Super Cool

KEY FEATURES - FRIDGE SECTION









N 70	N 50	N 50	N 50
KA3923I20G	KA3902120G	KA7902I20G*	KA3902B20G
Inox-easyclean	Inox-easyclean	Inox-easyclean	Black
Chrome Inox-metallic	Grey	Grey	Black
vertical bar handle	vertical bar handle	vertical bar handle	vertical bar handle
Stainless steel	Stainless steel	Stainless steel	Aluminium
•	•	•	•
25 105 1 21 1			
1 FreshSafe drawer with telescopic rails			
1 vegetable drawer with telescopic rails 1 Chiller	2 vegetable drawer on rails	2 vegetable drawer on rails	2 vegetable drawer on rails
i Crillier	2 vegetable drawer ormalis	z vegetable drawer ormalis	z vegetable drawer ormalis
LED	LED	LED	LED
Yes	Yes	Yes	Yes
Electronic	Electronic	Electronic	Electronic
4	4	4	4
3	1	1	1
Yes			
4	4	5	4
Digital	Digital	Digital	Digital
visual and audible	visual and audible	visual and audible	visual and audible
visual and audible	visual and audible	visual and audible	visual and audible
Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes
Automatic ice cube maker	Automatic ice cube maker	2 ice cube trays	1 ice cube tray
Crushed Ice, Ice Cubes, Water, Water filter	Crushed Ice, Ice Cubes, Water, Water filter 2	2	Crushed Ice, Ice Cubes, Water, Water filter 2
Z	Ζ	Δ	Z
A+	A+	A+	A+
443	436	475	436 kwh
541 I	533 I	573	533 I
3681	3701	373	370
158	157	195	157 I
SN-T	SN-T	SN-T	SN-T
43 dB	43 dB	44 dB	43 dB
2 x ice packs, 1 x connection hose, 1 x egg tray	1 x connection hose, 1 x egg tray	1 x egg tray	1 x connection hose, 1 x egg tray
1756	1770	1770	1770
912	910	910	910
732	720	720	720
The second secon			



AMERICAN-INSPIRED DESIGN FOR NEFF-INSPIRED KITCHENS

With an energy efficiency rating of A++ and state of the art food preservation technology, our built-in fridge freezer range offers the ideal solution for busy families and passionate cooks. Innovative refrigeration features include Home Connect available within the N90 Collection along with Telescopic Flexi Rail Drawers for easy access, Fresh Safe humidity controlled zones and efficient LED interior lighting. With No Frost, Low Frost or manual defrost freezers available in the range, the freezer compartment delivers on intelligent features too.

### KI8865D30 Built-in Fridge Freezer

K17863D30G Built-in Fridge Freezer



DESIGN/PERFORMANCE

DESIGN/PERFORMANCE

Energy	Height (cm)	W1-F1	Electronic Control	Noise Level
$A^{++}$	177	िं	E	36 dB
No Frost	Fresh Safe Fo © L \$0°C _	Fresh Safe F⊗ ⊘ □ L ‡0°C □	Fresh Safe	Fixed Hinge Door

			Fridge / Freezer split	
M. The second			No Frost	
A SAME AND	The state of the s		Low Frost or Manual defrost	
		100000	Soft Close hinge	
			Type of hinge (reversible)	
			Home Connect	
	-	W.L.	Food freshness system	
		January S.	FreshSafe food freshness system	
		P. (20)	KEY FEATURES – FRIDGE SECTION	
			Light	
de.			Super Cool	
			Type of control	
			Number of shelves	
			Number of adjustable shelves	
			Number of door bins / shelves	
			Type of shelves	
	<u> </u>		Temperature display	
			Warning signal door open	
00	E		*NEW* Bottle shelves in fridge	
FreshSafe			KEY FEATURES – FREEZER SECTION	
		10 232	Door opened indicator	
			Super Freeze function	
			Temperature adjustable in freezer	
	The state of the s		Number of ice cube trays	
			NUMBER OF FREEZER DRAWERS	
			Additional information	
			Energy efficiency class	
DieDey			Energy consumption	kWh/ann
BigBox			Total net capacity	
1 is Annoted by the College Co			Refrigerator net capacity 4° - 8°	
Estal Nafroni			Refrigerator net capacity 0°	
		<b>建</b>	Freezer net capacity	
		A mar 14	Climate class	
			Noise level (dB(A) re 1 pW)	
m = m = m = m			Additional accessories included	
			Height of product	n
		200	Width of product	п

Depth of product

## FLEXIBLE STORAGE FRIDGE OR FREEZER

177CM HIGH



1				A STATE OF THE STA	人名意
N 90	N 70	N 70	N 70	N 70	N 70
KI8865D30	KI7863D30G	KI7853D30G	KI7862F30G	KI6873F30G	KI6863F30G
60 / 40	60 / 40	50 / 50	60 / 40	70 / 30	60 / 40
•	•	•	•		
				Low Frost	Low Frost
•	•	•			
Fixed hinge	Fixed hinge	Fixed hinge	Fixed hinge	Fixed hinge	Fixed hinge
•					
1 FreshSafe Premium 0	10				
drawer	1 FreshSafe drawer	1 FreshSafe drawer	1 FreshSafe drawer	1 FreshSafe drawer	1 FreshSafe drawer
LED with soft start	LED	LED	LED	LED	LED
•	•	•		Yes	Yes
Electronic	Electronic	Electronic	Electronic	Electronic	Electronic
3	5	4	4	5	5
2	4	3	3	4	4
2	5	3	4	5	5
Safety glass	Safety glass	Safety glass	Safety glass	Safety glass	Safety glass
digital 7 segment	digital 7 segment	digital 7 segment	digital 7 segment	digital 7 segment	digital 7 segment
visual and audible	visual and audible	visual and audible	No signal	visual and audible	visual and audible
Wire					
visual and audible	visual and audible	visual and audible	No signal	visual and audible	visual and audible
•	•	•	•	•	•
•	•	•		•	•
1	1	1	1	1	1
A++	A++	A++	A++	A++	A++
232	221	232	222	225	218 kwh
223	255	246 I	255	270 I	265 I
101	188 I	1541	188	209	191
55 I	0	0	0	0	0
67	67	92 I	67	61	741
SN-ST	SN-ST	SN-ST	SN-ST	SN-T	SN-ST
36 dB	39 dB	39 dB	39 dB	36 dB	36 dB
2 x ice packs, 2 x egg tra 1 x ice cube tray with li 1 x bottle holder in door t	ay, d, 2 x ice packs, 2 x egg tray, tray 1 x ice cube tray	2 x ice packs, 2 x egg tray, 1 x ice cube tray	2 x ice packs, 2 x egg tray, 1 x ice cube tray	2 x ice packs, 2 x egg tray, 1 x ice cube tray	2 x ice packs, 2 x egg tra 1 x ice cube tray
1772	1772	1772	1772	1772	1772
558	558	558	541	558	558
545	545	545	545	545	545

Split

Split 60/40 Split

Split 60/40 Split

Split













3	-	α
ı	-	
ı	88	$\subseteq$
1	-	
ı		
1		
ı	-	
1	-	

## **BUILT-IN FRIDGE FREEZERS**

Our single door fridges and freezers are designed to sit parallel to one another in order to create a double-door effect. By placing a left-hinged and a right-hinged freezer (or vice versa) side by side, you can easily browse fresh and frozen ingredients before getting creative in the kitchen. For those who tend to shop little and often, a smaller capacity fridge & freezer doesn't need to impact on your space. Equally, if family life makes ample freezer space essential, an equal height '50/50' fridge freezer combination provides the perfect solution.



N 50





DESIGN/ PERFORMANCE					
Energy	H g m	Fridge Capacity	Freezer Capacity	Fixed Hing Door	
$ A^{\!\scriptscriptstyleTT} $	177	209 LITTRES (NET)	63 LITTRES (NET)		
Reversible Door	Noise Level	Fresh Safe	Low Frost		
X	(38 dB	_\$0.6.7 [\$2 @]			

COLLECTION	
MODEL NO.	
DESIGN FEATURES	
Fridge / Freezer split	
No Frost	
Low Frost or Manual defrost	
Soft Close hinge	
Type of hinge (reversible)	
Home Connect	
Food freshness system	
FreshSafe food freshness system	
KEY FEATURES – FRIDGE SECTION	
Light	
Super Cool	
Type of control	
Number of shelves	
Number of adjustable shelves	
Number of door bins / shelves	
Type of shelves	
Temperature display	
Warning signal door open	
Bottle shelves in fridge	
KEY FEATURES – FREEZER SECTION	
Door opened indicator	
Super Freeze function	
Temperature adjustable in freezer	
Number of ice cube trays	
NUMBER OF FREEZER DRAWERS	
Additional information	
Energy efficiency class	
Energy consumption	kWh/annum
Total net capacity	L
Refrigerator net capacity 4° - 8°	L
Refrigerator net capacity 0°	L
Freezer net capacity	L
Climate class	
Noise level (dB(A) re 1 pW)	
Additional accessories included	
Height of product	mm

Width of product

		17. 18. 18. 18. 18. 18. 18. 18. 18. 18. 18	THE PERSON NAMED IN	Said St. Janes	ASSESSED NO.	
4	1					
	N 50	N 30				
	KI5872F30G	KI5872S30G	KI5852F30G	KI5862S30G	KI5852S30G	K8524X8GB
T						
	70 / 30	70/30	50 / 50	60 / 40	50 / 50	70 / 30
	Low Frost	Manual				
100	Fixed hinge	Sliding hinge	Fixed hinge	Sliding hinge	Sliding hinge	Sliding hinge
	1 FreshSafe drawer	1 FreshSafe drawer				
	LED	LED	LED	LED	LED	LED
	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic
	5	5	4	4	4	5
	4 5	4 5	3	3	3 4	4
1	_					Cafety alaca
Er.	Safety glass digital LED	Safety glass  No temperature indication				
1	No signal	No signal				
	No signal	140 signal	140 signal	140 signal	140 Signal	1 3-wave bottle rack
<b>国</b>						
	No signal	No signal				
	•	•	•	•	•	
S.						
	1	1	1	1	1	
	A++	A++	A++	A++	A++	A+
1	227	227	239	231	239	275
	272 I 209 I	272 l 209 l	259 I 157 I	267 I 191 I	259 I 157 I	276 l 217 l
100	0	0	0	0	0	0
	63	63 I	102	761	102	591
	SN-T	SN-T	SN-T	SN-T	SN-T	SN-ST
	38 dB	40 dB				
	2 x ice packs, 2 x egg tray, 1 x ice cube tray	2 x ice packs, 2 x egg tray, 1 x ice cube tray	2 x ice packs, 2 x egg tray, 1 x ice cube tray	2 x ice packs, 2 x egg tray, 1 x ice cube tray	2 x ice packs, 2 x egg tray, 1 x ice cube tray	1 x butter dish
	1772	1772	1772	1772	1772	1772
	541	541	541	541	541	541
48	545	545	545	545	545	545







Split

Split

Split

### 177cm high - A spacious integrated solution

Designed to seamlessly fit around your kitchen design, our builtin solutions allow you to create a sleek integrated effect without compromising on valuable refrigeration space. Featuring Fresh Sense constant temperature control, an automatic defrost fridge and an A++ energy rating, our 177cm fridges & freezers are designed to save time and energy while providing the optimum environment for fresh meats, dairy produce and vegetables.

PERFECT SIDE-BY-SIDE COMBINATIONS

### KI8816D30

Built-in Single Door Fridge Freezer N 90

### GI7813E30G

**Built-in Single Door Freezers** 

N 90



No Frost Low Frost or Manual defros

Soft Close hinge Type of hinge (reversible Home Connect Food freshness system FreshSafe / hyperFresh KEY FEATURES - FRIDGE SECTION Light Super Cool Type of control Number of shelves Number of adjustable shelves Number of door bins / shelves Type of shelves Warning signal door open Defrost system in fridge Bottle shelves in frdge KEY FEATURES - FREEZER SECTION Light in freezer Super Freeze function Number of ice cube trays Number of freezing flaps Number of freezer drawers

Freezer net capacity Climate class Noise level (dB(A) re 1 pW) Additional accessories included

Height of product Width of product

Energy efficiency class Energy consumption annual Total net capacity including 0° drawers Refrigerator net capacity 0°



98	N 90	N 70	N 70	N 50	N 50	N90
	KI8816D30	KI2823F30G	KI1813F30G	KI2822S30G	KI1812S30G	GI7813E30G
4 6						•
整	•					
(公)	Fixed hinge	Fixed hinge	Fixed hinge	Sliding hinge	Sliding hinge	Fixed hinge
	, and the second	J		, ,		, and the second
30						
100	3 FreshSafe 3 0° degree	2 FreshSafe drawers,	2 FreshSafe drawers,	2 FreshSafe drawers	2 FreshSafe drawers	
3	drawer	1 with telescopic rails	1 with telescopic rails	2 I lesitsate diawers	2 I Testisale diawers	
	LED	LED	LED	LED	LED	
	•	•	•	•	•	
総	1 x 7 segment	1 x 7 segment	1 x 7 segment	1 x LED chain	1 x LED chain	
盤	7	5	7	5	7	
1	6	4	6	4	6	
	7	5	7	5	7	
	Glass	Glass	Glass	Glass	Glass	
4	Digital	Digital	Digital	Digital	Digital	
	yes	yes	yes			
1	Automatic	Automatic	Automatic	Automatic	Automatic	
	Flex wire shelf		1 bottle support grid			
Ser.						
88		•				Visual and Audible
8						•
						•
8		1 ice cube tray		1 ice cube tray		2
						2
						5
1	A++	A++	A++	A++	A++	A++
3	131	209	116	209	116	243
1	289	286	319	286	3191	211
	83	0	0	0	0	0
22	0	341	0	341	0	211
	SN-T	SN-ST	SN-T	SN-ST	SN-T	SN-T
T	37 dB	36 dB	37 dB	39 dB	37 dB	36 dB
	2 x egg tray,	2 x egg tray, 1 x ice cube tray	2 x egg tray	2 x egg tray, 1 x ice cube tray	2 x egg tray	2 small ice packs
	1 x bottle holder in door tray 1772	1772	1772	1772	1772	1772
標	558	558	558	541	541	558
	545	545	545	545	545	545
	545	545	343	545	545	343

DESIGN/PERFORMANCE

















FOR MORE INFORMATION PLEASE VISIT NEFF-HOME. COM/UK

## **BUILT-IN SINGLE DOOR** FRIDGES AND FREEZERS

### Plenty of space for family life

Slightly smaller in size, our 140cm and 122cm models are popular with busy family kitchens, offering plenty of storage space. These fridge & freezers more than make up for the less storage space with a range of innovative features to maximize shelf space. With Vario Shelf allowing for taller items and a generous FreshSafe humidity controlled compartment, there's plenty of room for your favourite food and drinks.



## KI8513D30G Built-in Single Door Fridge

Low Frost or Manual defrost Soft Close hinge Type of hinge (reversible Home Connect Food freshness system

KEY FEATURES - FRIDGE SECTION

Number of adjustable shelves Number of door bins / shelves

Warning signal door open Defrost system in fridge Bottle shelves in frdge KEY FEATURES - FREEZER SECTION

Light in freezer

Climate class

Width of product

Noise level (dB(A) re 1 pW) Additional accessories included

Super Freeze function

Number of ice cube trays

Total net capacity including 0° drawers Refrigerator net capacity 0°

Super Cool Type of control



### FreshSafe 3

DESIGN/PERFORMANCE







## SEAMLESS AND MODERN DESIGN

140CM HIGH -

122CM HIGH





1 1 2 2 2					- 4
N 90	N 70	N 70	N 70	N 50	N 50
KI8513D30G	KI1513F30G	KI1413D30G*	KI1413F30G	KI2422S30G	KI1412S30G*
-					
Fixed hinge	Fixed hinge	• Fixed hinge	Fixed hinge	Sliding hinge	Sliding hinge
Fixed ninge	Fixed ninge	rixed ninge	rixed ninge	Silding ninge	Sliding ninge
2 FreshSafe 3 0° degree	15 10 5 1	15 10 6 1	15 10 5 1	15 16 6 1	15 10 6 1
drawer	1 FreshSafe drawer	1 FreshSafe drawer	1 FreshSafe drawer	1 FreshSafe drawer	1 FreshSafe drawer
LED	LED	LED	LED	LED	LED
•	•	•	•	1 150 1 1	1.150.1.1
1 x 7 segment	1 x 7 segment	1 x 7 segment	1 x 7 segment	1 x LED chain	1 x LED chain
5	6	6	6	5	6
4	5	5	5	4	5
5	6	6	6	5	6
Glass	Glass	Glass	Glass	Glass	Glass
Digital	Digital	Digital	Digital	Digital	Digital
yes	yes	yes	yes		
Automatic	Automatic	Automatic	Automatic	Automatic	Automatic
				1 ice cube tray	
				rice cabe tray	
A++	A++	A++	A++	A++	A++
124	109	105	105	172	105
2221	247	211 I	211 I	195 I	211
59					
				15	
SN-T	SN-T	SN-T	SN-T	SN-ST	SN-T
37 dB	33 dB	33 dB	33 dB	38 dB	37 dB
2 x egg tray	2 x egg tray	2 x egg tray	2 x egg tray	2 x egg tray, 1 x ice cube tray	2 x egg tray
1397	1397	1221	1221	1221	1221
558	558	558	558	541	541
5/15	5/15	5/15	5/15	5/15	5/15

DESIGN/PERFORMANCE





KI1413D30G

A smaller size shouldn't mean less functionality and our 102cm and 87cm fridge & freezers delivery a range of innovative NEFF features. With a FreshSafe humidity-controlled drawer, FreshSense constant temperature control and Super Cool technology, the right temperature and conditions are always maintained.

### GI1213F30G

Built-in Single Door Freezer

N 50



DESIGN/PERFORMANCE

A++	Total Capacity  7 97 LINES   PET   LINES   LINES	Right Hinged Door	Noise G
Height (cm)	Fixed Hinge	Reversible	Low
	Door	Door	光

KI1213F30G

N 70



DESIGN/PERFORMANCE







Low Frost or Manual defrost Soft Close hinge

Home Connect

FreshSafe / hyperFresh

KEY FEATURES - FRIDGE SECTION

Super Cool

Type of control

Number of adjustable shelves Number of door bins / shelves

Type of shelves

Temperature display

Warning signal door open

Defrost system in fridge

Bottle shelves in frdge

KEY FEATURES – FREEZER SECTION Light in freezer

Warning signal door open

Super Freeze function

Temperature adjustable in freezer

Number of ice cube trays

Number of freezing flaps

Number of freezer drawers ADDITIONAL INFORMATION

Energy efficiency class

Total net capacity including 0° drawers Refrigerator net capacity 0°

Climate class

Noise level (dB(A) re 1 pW)

Additional accessories included Height of product

Width of product

### COLLECTION

### DESIGN FEATURES

Low Frost or Manual defrost Soft Close hinge

Type of hinge (reversible) Key features – Freezer secti

Light in freezer

Warning signal door open Super Freeze function

Number of ice cube travs

Number of freezing flaps

Number of freezer drawers

ADDITIONAL INFORMATION

Energy efficiency class kWh/annum Energy consumption Total net capacity including 0° drawers Refrigerator net capacity 0°

Freezer net capacity Climate class

Depth of product

Noise level (dB(A) re 1 pW)

Additional accessories included Height of product Width of product

102CM HIGH

## 87CM HIGH









N 50	N 70	N 50	N 50	N 50	N 50
KI1312F30G*	KI1213F30G	KI1212F30G*	KI2222S30G*	KI1212S30G*	K1514X7GB
1415121555	1412131300	1412121303	142223300	1412123300	11131111111111
Fired biass	Fined bines	Fixed hinge	Sliding hinge	Sliding hinge	Sliding hinge
Fixed hinge	Fixed hinge	rixed fillige	Silding hinge	Silding Hinge	Silding fillige
1 FreshSafe drawer	1 FreshSafe drawer	1 FreshSafe drawer	1 FreshSafe drawer	1 FreshSafe drawer	1 FreshSafe drawer
LED	LED	LED	LED	LED	1x15 Watt
•	•	•	•	•	
1 x LED chain	1 x 7 segment	1 x LED chain	1 x LED chain	1 x LED chain	non (mechanical)
4	4	4	3	4	4
3	3	3	2	3	3
4	4	4	3	4	4
Glass	Glass	Glass	Glass	Glass	Glass
Digital	Digital	Digital	Digital	Digital	None
	yes				
Automatic	Automatic	Automatic	Automatic	Automatic	Automatic
			1 ice cube tray		
A++	A++	A++	A++	A++	A+
100	97	97	148	97	122
172 I	1441	144	124 I	1441	150
0	0	0	0	0	0
0	0	0	15 l	0	0
SN-T	SN-T	SN-T	SN-ST	SN-T	SN-ST
36 dB	33 dB	36 dB	38 dB	36 dB	34 dB
2 x egg tray	2 x egg tray	2 x egg tray	2 x egg tray, 1 x ice cube tray	2 x egg tray	1 x butter dish
1021	874	874	874	874	874
541	558	541	541	541	541
545	545	545	545	545	542
N 70	N 50	N 50			
GI1213F30G	G1524X7GB	GI1113F30			

Low Frost	manual	Low Frost
Fixed hinge	Sliding hinge	Fixed hinge
visual and audible	visual and audible	visual and audible
•	•	•
•	•	•
1		1
1		
3	4	3
A++	A+	A++
157	192	144
971	941	72
	0	
97 I	94 I	72
SN-T	SN-ST	SN-T
36 dB	36 dB	36 dB
2 small ice packs	2 small ice packs	2 small ice packs
874	874	712
558	541	558
F/F	F/3	F/F





71CM HIGH

\*Model is discontinuing in Septemper 2019

Create your own cooling solution

DESIGNED TO BE BUILT UNDER THE WORKTOP, OUR SINGLE DOOR FRIDGE AND FREEZER OFFER THE IDEAL COOLING SOLUTION FOR BUSY FAMILY KITCHENS.

G4344X7GB Built-under Single Door Freezer

K4316X7GB

Built-under Single Door Fridge

## PERFECT UNDER-COUNTER COOLING SOLUTION



82CM HIGH

Reversible door

DESIGN/PERFORMANCE



DESIGN/PERFORMANCE

























82CM HIGH



Soft Close hinge

Super Cool



Total net capacity including 0° drawers


Height of product





Fixed hinge

1x25 Watt



FOR MORE RECIPES, VISIT

## DISHWASHERS

### Clean dishes, whatever your wishes

Baked-on egg or grandma's fine china? We have a programme for every dish, plate and occasion: from Chef 70° for very dirty dishes to Auto, the all-round programme, you can count on glistening results. Not only will it be clean, but dry too: with Zeolith, glass, porcelain and even plastic containers come out drip free.



## THE COLLECTION

Choosing the right appliance to complement your kitchen and lifestyle can be challenging. To help you select the perfect kitchen companion we've introduced easy-to-follow Collections based on product features, technology, design and simplicity. There's a Collection to suit everyone

N 90

### STYLES OF DISHWASHER

- 60cm Fully Integrated
- 81.5cm Height



### **FEATURES**

THIS COLLECTION CAN INCLUDE\*:

Home Connect

9.5 Litres water capacity

Zeolith

8 Programmes

Flex 3 baskets

Flex drawer 3

Touch Control with TFT display

Door Open Assist

**Emotion Light** 

N 70

## STYLES OF DISHWASHER

- 60cm Fully Integrated
- 60cm Semi-integrated
- 6 45cm Fully Integrated
- 81.5cm Height



### **FFATURES**

THIS COLLECTION CAN INCLUDE\*:-

6.5 Litre water capacity

Heat exchanger drying

Up to 8 Programmes

Flex 3 baskets

Flex drawer 3

Touch Control with LED display

Door Open Assist

Emotion Light

N 50

- STYLES OF DISHWASHER
- 60cm Fully Integrated 45cm Fully Integrated
  - 8 81.5cm and 86.5cm Height



### FFATURES

THIS COLLECTION CAN INCLUDE\*:-

9.5 Litre water

Heat exchanger drying

Up to 6 programmes

Flex 2 baskets with coloured

Flex Drawer 2

Push Button Control with LED Display

Vario Hinge

## N 30

### STYLES OF DISHWASHER

- 60cm Fully Integrated
- 60cm Semi-integrated
- 81.5cm Height



### FFATURES

THIS COLLECTION CAN INCLUDE\*:-

Residual Heat Drying

\*The features included in each collection are

## OUR DISHWASHERS SUIT YOUR COOKING STYLE

### **FULL SIZE DISHWASHERS**

Designed to be as flexible and accommodating as possible, our full-sized dishwashers have adjustable baskets and racks to hold large or awkward items, as well as a choice of wash cycles from intensive to delicate.

### SLIMLINE DISHWASHERS

Where space is an issue, our SlimLine models: S586T60D0G and S583C50X0G are ideal. Just 45cm wide, these fit into the smallest of spaces, but still offer all the features of a full size model. They are surprisingly roomy and able to cope with nine to ten place settings at a time.



### VARIO HINGE MODELS

In addition to the two height sizes (81.5cm and 86.5cm), dishwashers with VarioHinge S713M60X0G and S723M60X0G, are the perfect solution for installations with limited clearance between

the bottom of the door and the plinth. VarioHinge allows the kitchen frontal to slide up the dishwasher door slightly as it lowers, clearing the plinth to give you a flush and sleek look to your kitchen.

## FULLY INTEGRATED DISHWASHERS

INVISIBLE TO THE EYE. POWERFUL TO YOUR DISHES

Our fully integrated dishwashers are seamlessly tucked away into your kitchen and offer innovative programmes to take care of all of your cookware. With settings for the most stubborn stains and intelligent care programmes for your most delicate glassware, we've created a cleaning solution for all of your everyday cooking and dining utensils. HygienePlus introduces a final rinse at very high temperatures to fight bacteria - perfect for baby bottles or chopping boards. You can even fit in bulkier items by folding down unused racks thanks to VarioFlexPlus



## SEMI-INTEGRATED DISHWASHERS

SLEEK EFFICIENCY

Providing easy access to a front control panel and tastefully integrating with your furniture, our semi-integrated dishwashers are a popular choice in kitchen design. Your pots, pans, crockery and glassware come out clean and dry, using green, efficient technology like Zeolith - a naturally occurring mineral that naturally dries your cookware without using extra energy. And did you know that our dishwashers use just around 7 litres of water to achieve these sparkling results? That's less than the average watering can.



## DISHWASHING FLEXIBILITY

The more flex you choose, the better space is used

Whether you have large, sturdy pots or delicate glasses, the Flex 3 basket system adapts to your crockery and utensils. Just push the Touch Points and adjust the basket to your needs.

## FLEX BASKETS

Fitting casserole dishes, large pans, full dinner sets and tall-stem wine glasses into a dishwasher can be a challenge – especially when you're cleaning your most robust cookware alongside delicate items. Our Flex Baskets are designed to accommodate those bulkier items and provide an even, thorough clean. We have 3 options of basket flexibility



Flex 1 – Featuring a standard grey plastic fascia with 2 bottom basket flexible areas, Flex 1 is our entry basket flexibility feature



Flex 2 – Offering attractive brand coloured fascia's and touch points, our Flex 2 provides 2 top rack flexible areas for glasses and a further 4 bottom basket



Flex 3 - Our premium Flex 3 feature boasts a stainless steel fascia, colour touch points along with 6 top rack flexible areas and 8 bottom basket flexible zones. Perfect for those who love to entertain!









The Flex Drawer 3 on the top level holds cutlery, utensils and espresso cups

## FLEX DRAWERS

We have a choice of 2 Flex Drawers to suit any Cookaholic's cutlery, cooking implements and smaller items.



Flex Drawer2 - Offering a third loading level solution, Flex Drawer 2 frees up space in the bottom basket to secure cutlery more effectively. Tines separate each item preventing different metals from touching and causing rust spots from electrolysis. Cutlery can also dry easier, reducing the potential of water marks.



TEX 3 DRAWER Flex Drawer 3 – Featured on our premium models, our Flex Drawer 3 offers a stainless steel fascia panel, flexible sides that can fold down to take items such as espresso cups, flexible tine areas that can be adjusted to take larger handle cutlery along with full depth zones to cater for ladles



Rack-Matic allows the top basket to be raised or lowered into three different positions. With the option to adjust the basket even when fully loaded, those last minute wine glasses can still go in at the end of the night. The top basket can also run on an angle, using two different heights either side which helps moisture drain away, aiding the drying process.



## FLOOR PROJECTION DISPLAYS

## Let there be light

Knowing when your dishwasher cycle is in action has never been easier, or looked cooler. Clearly lit on the floor of your kitchen, our innovative and stylish floor projection features indicate when the dishwasher is still working hard on your dishes, so you don't have to open and check.



### Never interrupt a cycle again

Time Light projects the remaining time of the dishwasher cycle and other information onto the floor in front of your machine. Stylish, contemporary and practical, there's no risk of disrupting your wash. The end of cycle sound can also be turned off, handy for open plan living.



### Let the floor do the talking

Info Light projects a red light on the floor below your dishwasher which indicates that the machine is still running. Available across selected models, Info Light will stylishly project onto any kitchen floor.



## HOME CONNECT



### Wash dishes, wherever you are

Our fully integrated N90 dishwasher is now Wi-Fi-enabled, so you can now manage your appliance via voice command or using the Home Connect app on your smart device. Our Easy Start feature can send instructions straight to your dishwasher remotely and will automatically determine the best combination of programme to suit your washing requirements through asking a series of simple questions about your load. Worrying about topping up your dishwasher tablets is now a chore of the past as our Home Connect app will monitor how many tablets your dishwasher has used and you'll receive a reminder for when your tabs are running out. Better yet, your dishwasher can even put in an order for more tabs when you set up an Amazon Dash account. Now that's easy cleaning!



## KEY FEATURES



CHEF 70°

### EXTRA CLEANING POWER FOR CREATIVE COOKS

With a hotter setting and a powerful spray, the Chef 70° programme is perfect for cleaning even the dirtiest pots, pans and cooking utensils. Items placed in the lower basket are subject to higher spray pressures, eliminating the need for soaking and effectively removing even the most stubborn stains.



## DOOR OPEN ASSIST

### The ideal choice for seamless kitchens

Door Open Assist is the perfect solution for anybody looking to achieve a sleek, handleless design in their kitchen. Simply press lightly on the front of the unit to open the dishwasher door Ideal for a range of integrated designs, Door Open Assist is also a convenient addition to busy kitchens. Electronic child lock can be activated creating a double push to open.







## NEFF SPARKLE

### CARE FOR YOUR MOST DELICATE GLASSWARE

Introducing NEFF Sparkle, the perfect mix of conditions to clean your delicate glassware, so you can relax and enjoy the company of your guests. NEFF Sparkle is a combination of the Glass 40 programme, the top basket area, and either heat exchanger or Shine&Dry drying systems to clean your items impeccably without worry.



A form of naturally occurring mineral, Zeolith has the ability to absorb moisture and turn it in to heat. The heat produced naturally by Zeolith is used during the drying cycle, ensuring that no additional energy is needed to dry your cookware. With the ability to absorb moisture, your glasses will come out steam free and will be cool enough to handle. Automatically activated by programmes with a drying phase, Zeolith regenerates itself and lasts a lifetime, so you don't have to maintain it.



### DISHWASHER FUNCTIONS & PROGRAMMES



All of our dishwashers come with a choice of programmes, from intensive wash cycles capable of tackling tough burnt on food, to delicate washes for glassware.

### **FUNCTIONS & PROGRAMMES**



### **AQUA STOP**



### **TOUCH CONTROL**



### HEAT EXCHANGER

protected by preventing extreme



### RESIDUAL **DRYING SYSTEM**

Uses a very hot final rinse



### LARGE ITEM SPRAY

Designed for washing tall items such as roasting pans, oven shelves and tall vases, the top basket is removed, and an additional spray head is fitted to the back of the appliance. This showers the items to achieve excellent cleaning results.



### **EASY CLEAN**

Give your dishwasher a deep clean with the new Easy Clean programme. Simply run the high temperature setting, without loading your dishwasher, for lime and grease layers inside the cavity.



### CHILD SAFETY LOCK

be fitted to the machine at the Child Lock, creating a double push



### **AUTOMATIC** PROGRAMMES 🗻

Take the worry out of selecting and let the machine do it for you. Automatically changes settings to ensure you get the



### VARIO SPEED AND VARIO SPEED PLUS

quicker wash option that ill provides a hygienically clean and dry load. Vario Speed reduces programme times by up to 50% and Vario Speed Plus by up to 66%



### HYGIENE PLUS OPTION

Provides a hotter final rinse, with 70°C water for 10 minutes to effectively cleanse items such as chopping boards and cooking utensils.



### INTENSIVE WASH ZONE

Activates higher wash temperatures and increases spray arm pressure in the bottom basket, while maintaining a more gentle wash in the top basket.



### HALF LOAD

Jses up to 20% less water and up to 10% less energy than a full load. This programme will wash up to six place settings and is flexible enough to allow for loading dishes anywhere in the dishwasher.



### AQUA SENSORS

leasures the amount of soiling in the dishwasher to adjust the level of water used.



### LOAD SENSOR

Load sensor recognises how many dishes are loaded, adjusts enables the lowest noise levels



### SHINE&DRY

By increasing the amount of water during the rinse cycle and extending the drying phase, stains are prevented and the drying result is further improved.



### EMOTIONLIGHT

LED lights in the front edge light up the dishwasher cavity.



### 10 YEAR ANTI-RUST WARRANTY

Due to advanced materials and manufacturing technologies, in addition to our standard appliance warranty we are able to provide a free of charge warranty against rustingthrough of the dishwasher's inner cavity.

The same

conomy 50


## **FULLY INTEGRATED** DISHWASHERS



### Tough on pots and pans, gentle on glassware and crockery

Our fully integrated dishwashers are packed with clever features such as Home Connect Wi-Fi connectivity, Time Light, Door Open Assist and basket flexibility to take care of all of your cookware. Offering a range of intelligent programs from our Chef 70° to tackle the most stubborn stains and NEFF Sparkle for your most delicate glassware, we've created a cleaning solution for all of your everyday cooking and dining utensils. Selected models include an A+++ energy efficiency rating and Zeolith mineral assisted drying, leaving dishes beautifully clean without using excessive energy.







Door Open

DESIGN/PERFORMANCE

April 1980	Acres 1 hours
Energy	Height (cm)
<b>A</b> ****	81.5
Operating	Water Consumption (LITRES PER YEAR)











### HIGHLIGHTS

	Control Panel
	Height (cm) / Hinge Type
	DESIGN FEATURES
	Home Connect Wi-Fi connectivity
	Floor Projection Display
	Door Open Assist
	NEFF Sparkle
	Drying system
ğ	Interior Emotion Light
	Basket type
ä	Flex Drawer
SAS.	Adjustable upper basket

Largest loadable dish upper / lower basket Number of flip tines in upper / lower rack Real-time clock

Rinse aid & salt light indicators Aqua & Load sensor technology

Self-cleaning filter system AquaStopPlus flood protection system

PROGRAMMES/FUNCTIONS

List of programmes

Additional operational options Fasy Clean

Number of different wash temperatures TECHNICAL SPECIFICATIONS

Energy efficiency class Total annual energy (kWh) / water (litres)

Energy (kWh) / water (litres) consumption<sup>2</sup>

Number of place settings Noise level (dB(A) re 1 pW) Total cycle time of reference progr

Length of electrical supply cord Width / depth of the product Maximum accepted water hardness

Maximum temperature for water intake<sup>3</sup>




		60CM FULLY INTEGRATED		
N 90	N 70	N 70	N 50	N 50
S517T80D6E	S515T80D1G	S515T80D2G	S713M60X1G	S723M60X1G
Home Connect, A+++, Zeolith®, Door	39dB, Heat Exchanger, Door open	6.5L water consumption, Heat	Vario Hinge, Heat Exchanger, Info	86.5cm extra-height with varioHi Heat Exchanger, Info Light (rec

		60CM FULLY INTEGRATED		
N 90	N 70	N 70	N 50	N 50
S517T80D6E	S515T80D1G	S515T80D2G	S713M60X1G	S723M60X1G
Home Connect, A+++, Zeolith®, Door open assist, TFT display, Time Light, Flex 3 baskets and drawer	39dB, Heat Exchanger, Door open assist, Time Light, Flex 3 baskets and drawer	6.5L water consumption, Heat Exchanger, Door open assist, Time Light, Flex 3 baskets and drawer	Vario Hinge, Heat Exchanger, Info Light (red), Flex Drawer 2, Flex 2 baskets with coloured touch points	86.5cm extra-height with varioHin Heat Exchanger, Info Light (red) Flex Drawer 2, Flex 2 baskets wit coloured touch points
Grey touch control with LCD display	Grey touch control with LED display	Grey touch control with LED display	Stainless steel push button with LED display	Stainless steel push button with LE display
81.5 / Fixed	81.5 / Fixed	81.5 / Fixed	81.5 / Vario Hinge	86.5 / Vario Hinge
•				
Time Light	Time Light	Time Light	Info Light (red)	Info Light (red)
•	•	•	•	•
Zeolith®	Heat Exchanger	Heat Exchanger	Heat Exchanger	Heat Exchanger
White	White	White	White	White
Flex 3	Flex 3	Flex 3	Flex 2 with coloured touch points	Flex 2 with coloured touch point
Flex Drawer 3	Flex Drawer 3	Flex Drawer 3	Flex Drawer 2	Flex Drawer 2
Rack-Matic 3-stage	Rack-Matic 3-stage	Rack-Matic 3-stage	Rack-Matic 3-stage	Rack-Matic 3-stage
21 / 31	21 / 31	21/31	21/31	23 / 34
6/8	6/8	6/8	2 / 4	2/4
24	24	24	24	24
Acoustic	Acoustic	Acoustic	Acoustic	Acoustic
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
Chef 70°, Auto 45-65, Economy 50, Silence 50, Short 60, Glass 40, Quick 45, Pre rinse	Chef 70°, Auto 45-65, Economy 50, Silence 50, Glass 40, 1 hour, Quick 45, Pre rinse	Chef 70°, Auto 45-65, Economy 50, Silence 50, Glass 40, 1 hour, Quick 45, Pre rinse	Chef 70°, Auto 45-65, Economy 50, Glass 40, 1 hour, Pre Rinse	Chef 70°,Auto 45-65, Economy 50,Glass 40, 1 hour, Pre Rinse
Wi-Fi, Shine&Dry, HygienePlus, Intensive Zone, VarioSpeed Plus	Extra Dry, HygienePlus, Intensive Zone, VarioSpeed Plus	Extra Dry, HygienePlus, Intensive Zone, VarioSpeed Plus	Extra Dry, HygienePlus, VarioSpeed Plus	Extra Dry, HygienePlus, VarioSpe Plus

Silence 50, Short 60, lass 40, Quick 45, Pre rinse	50,Silence 50,Glass 40, 1 hour, Quick 45, Pre rinse	Silence 50, Glass 40, 1 hour, Quick 45, Pre rinse	Chef 70°, Auto 45-65, Economy 50, Glass 40, 1 hour, Pre Rinse	Economy 5
-Fi, Shine&Dry, HygienePlus, ensive Zone, VarioSpeed Plus	Extra Dry, HygienePlus, Intensive Zone, VarioSpeed Plus	Extra Dry, HygienePlus, Intensive Zone, VarioSpeed Plus	Extra Dry, HygienePlus, VarioSpeed Plus	Extra Dry, Hy
•	•	•	•	
6	5	5	5	
Economy 50	Economy 50	Economy 50	Economy 50	Ec
A+++	A+	A++	A++	
237 / 2660	299 / 2660	262 / 1820	266 / 2660	2
0.83 / 9.5	1.05 / 9.5	0.92 / 6.5	0.93 / 9.5	(
14	14	13	14	
1 (39 in Silence Programme)	39 (37 in Silence Programme)	44 (41 in Silence Programme)	46	
105	105	105	210	

237 / 2660	299 / 2660	262 / 1820	266 / 2660	266 / 2660
0.83 / 9.5	1.05 / 9.5	0.92 / 6.5	0.93 / 9.5	0.93 / 9.5
14	14	13	14	14
41 (39 in Silence Programme)	39 (37 in Silence Programme)	44 (41 in Silence Programme)	46	46
195	195	195	210	210
175	175	175	175	175
165 / 190	165 / 190	165 / 190	165 / 190	165 / 190
875	875	875	875	925
60	60	60	60	60
598 / 550	598 / 550	598 / 550	598 / 550	598 / 550
600	600	600	600	600
47 / 49	49 / 51	42 / 44	37 / 39	38/40
50°DH	50°DH	50°DH	50°DH	50°DH
60	60	60	60	60
Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Variable cutlery basket,	Large item spray head,	Large item spray head,	Large item spray head, Steam	Large item spray head,

## **FULLY INTEGRATED DISHWASHERS**



### Room to fit it all

Completely invisible behind your chosen cabinetry, it's incredibly quiet, yet packed with ideas to make cleaning as effortless and eco-friendly as possible. Our fully-integrated models are fitted with no handle in sight – just lightly press the front of the unit to open. The InfoLight function projects a red light onto the floor when the dishwasher is still running, so you never need to interrupt a cycle. Chef 70° gets rid of the most stubborn stains plus features like our Flex 1 & Flex 2 baskets and FlexDrawer 2 make your dishwasher as adaptable as possible.

### S513M60X1G

N 50

HIGHLIGHTS

Control Panel

Height (cm) / Hinge Type DESIGN FEATURES

Floor Projection Display Door Open Assist NEFF Sparkle

Interior Emotion Light

Flex Drawer

Real-time clock

Child safety Self-cleaning filter system AquaStopPlus flood protection system PROGRAMMES/FUNCTIONS

End of cycle indicator

Aqua & Load sensor technology

Additional operational options

Number of place settings Noise level (dB(A) re 1 pW)

Net weight / gross weight

Maximum temperature for water intake 3

Number of different wash temperatures TECHNICAL SPECIFICATIONS Reference programme for measurements

Total annual energy (kWh) / water litres consumption<sup>1</sup> Energy (kWh) / water (litres) consumption<sup>2</sup>

Home Connect Wi-Fi connectivity

Largest loadable dish upper / lower basket



Info Light

### DESIGN/PERFORMANCE



















## FOR MORE INFORMATION ON OUR FULLY-INTEGRATED DISHWASHERS PLEASE VISIT NEFF-HOME.COM/UK













	ACCUSED TO THE RESERVE OF THE RESERV	40014 5111111111111111111111111111111111		
	11.50	60CM FULLY INTEGRATED		N 20
N 50	N 50	N 50	N 30	N 30
S513M60X1G	S513K60X1G	S513G60X0G	S511A50X0G	S511A50X1G
46dB, Heat Exchanger, Info Light (red), Flex Drawer 2, Flex 2 baskets with coloured touch points	Heat Exchanger, Info Light (red), Flex Drawer 2, Flex 2 baskets with coloured touch points	Info Light (red), 10L water consumption, Flex 2 baskets with coloured touch points	48dB, 11.7L water consumption Info Light (red), Flex 1 baskets	Info Light (red), Flex 1 baskets
Stainless steel push button with LED display	Black push button with LED display	Black push button with LED display	Black tap through control with LED indicators	Black tap through control with LE indicators
81.5 / Fixed	81.5 / Fixed	81.5 / Fixed	81.5 / Fixed	81.5 / Fixed
Info Light (red)	Info Light (red)	Info Light (red)	Info Light (red)	Info Light (red)
•	•	•		
Heat Exchanger	Heat Exchanger	Heat Exchanger	Residual	Residual
White				
Flex 2 with coloured touch points	Flex 2 with coloured touch points	Flex 2 with coloured touch points	Flex 1	Flex 1
Flex Drawer 2	Flex Drawer 2			
Rack-Matic 3-stage	Rack-Matic 3-stage	Rack-Matic 3-stage	When empty	When empty
21/31	21/31	27 / 31	27/31	27 / 31
2 / 4	2/4	2/4	0/2	0/2
24	24	24	9	9
Acoustic	Acoustic	Acoustic	Acoustic	Acoustic
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
Chef 70°, Auto 45-65, Economy, Glass 40, 1 hour, Pre Rinse	Chef 70°, Auto 45-65, Economy, Glass 40, 1 hour, Pre Rinse	Chef 70°, Auto 45-65, Economy, Glass 40, 1 hour, Pre Rinse	Chef 70°, Auto 45-65, Economy, Glass 40, Quick 45	Chef 70°, Normal 65, Economy 5 Quick 45, Pre rinse
Extra Dry, HygienePlus, VarioSpeed Plus	Extra Dry, VarioSpeed Plus	Extra Dry, VarioSpeed Plus	VarioSpeed	VarioSpeed
Fius	•	•		
5	5	5	5	4
Economy 50	Economy 50	Economy 50	Economy 50	Economy 50
A++	A++	A++	A+	A+
266 / 2660	262 / 2660	258 / 2800	290 / 3300	290 / 3920
0.93 / 9.5	0.92 / 9.5	0.9 / 10.0	1.02 / 11.7	1.02 / 14.0
14	13	12	12	12
46	48	48	48	52
210	210	210	210	210
175	175	175	175	175
165 / 190	165 / 190	165 / 190	165 / 190	165 / 190
875	875	875	875	875
60	60	60	60	60
598 / 550	598 / 550	598 / 550	598 / 550	598 / 550
600	600	600	600	600
36/38	35/37	44 / 46	32 / 34	30 / 32
50°DH	50°DH	50°DH	35°DH	35°DH
60	60	60	60	60

Stainless steel / Polinox base

Large item spray head, Steam

Stainless steel / Polinox base

Large item spray head,

Stainless steel

Large item spray head,

Stainless steel / Polinox base

Large item spray head,

Stainless steel / Polinox base

Large item spray head,

## SEMI-INTEGRATED **DISHWASHERS**



### Flexible solutions for your bulkiest cookware

Providing easy access to a front control panel and seamlessly integrating with your furniture, our semi-integrated dishwashers are a popular choice in kitchen design. With selected models including a highly energy efficient A++ rating and heat exchanger drying, our semi-integrated dishwashers are designed to offer the ultimate adaptability. With the Flex 3 basket system, there's more room for large plates in the bottom basket, more safety for glasses in the top basket, and more freedom with the adjustable Rack-Matic system.

### S416T80S0G -Integrated Dishwasher (60cm)





Door Open Assist

### DESIGN/PERFORMANCE


























APPLIANCE TYPE
COLLECTION
MODEL NO.
HIGHLIGHTS
Control Panel
Height (cm) / Hinge Type

Height (cm) / Hinge Type
DESIGN FEATURES
Home Connect Wi-Fi connectivity
Floor Projection Display
Door Open Assist
NEFF Sparkle
Drying system
Interior Emotion Light
Basket type
Flex Drawer
Adjustable upper basket
Largest loadable dish upper / lower basket
Number of flip tines in upper / lower rack

ricar ciric ciocic
Start delay time max
End of cycle indicator
Rinse aid & salt light indicators
Aqua & Load sensor technology
Child safety
Self-cleaning filter system

AquaStopPlus flood protection system PROGRAMMES/FUNCTIONS

### List of programmes

Number of different wash temperatures TECHNICAL SPECIFICATIONS Reference programme for measurements

Energy efficiency class Total annual energy (kWh) / water litres consumption<sup>1</sup>

Energy (kWh) / water (litres) consumption<sup>2</sup> Number of place settings Noise level (dB(A) re 1 pW)

otal cycle time of reference programme	m
ength of electrical supply cord	C
ength of inlet / oulet hose	C
Maximum height for installation	m
Maximum adjustability feet	m
Vidth / depth of the product	m
Maximum width for installation	m
Net weight / gross weight	ķ
Maximum accepted water hardness	
Asvimum tomporature for water intake	0/

Interior cavity Included accessories















	60CM SEMI-	INTEGRATED	
N 70	N 30	N 30	N 30
S416T80S0G	S41E50W1GB	S41E50N1GB	S41E50S1GB
Heat Exchanger, TFT display, Flex 3 baskets and drawer	Half load, Flex 1 baskets	Half load, Flex 1 baskets	Half load, Flex 1 baskets
Stainless steel contorl panel	White control panel	Stainless steel control panel	Black control panel
81.5 / Fixed	81.5 / Fixed	81.5 / Fixed	81.5 / Fixed
● Heat Exchanger	Residual	Residual	Residual
White			
Flex 3	Flex 1	Flex 1	Flex 1
Flex Drawer 3			
Rack-Matic 3-stage	When empty	When empty	When empty
21 / 31	27 / 31	27/31	27/31
6/8	0/2	0/2	0 / 2
•			10
24	24	24	24
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
Ch. f. 70° A. t. / F. / F. F F.			
Chef 70°, Auto 45-65, Economy 50, Silence 50, Glass 40, 1 hour, Quick 45, Pre rinse	Chef 70°, Auto 45-65, Economy 50, Quick 45, Pre rinse	Chef 70°, Auto 45-65, Economy 50, Quick 45, Pre rinse	Chef 70°, Auto 45-65, Economy 50, Quick 45, Pre rinse
Extra Dry, HygienePlus, Intensive Zone, VarioSpeed Plus,	VarioSpeed, Half load	VarioSpeed, Half load	VarioSpeed, Half load
5	4	4	4
	-		
Economy 50	Economy 50	Economy 50	Economy 50
A++	A+	A+	A+
266 / 2660	290 / 2660	290 / 2660	290 / 2660
0.93 / 9.5	1.02 / 9.5	1.02 / 9.5	1.02 / 9.5
0.93 / 9.5	1.02 / 9.5	1.02 / 9.5	1.02 / 9.5
	46	46	46
44 (41 in Silence Programme) 210	210	210	210
175	175	175	175
165 / 190	165 / 190	165 / 190	165 / 190
875	875	875	875
	60	60	60
60			
598 / 550	598 / 550	598 / 550	598 / 550
600	600	600	600
38 / 40	34 / 36 50°DH	34 / 36 50°DH	34 / 36 50°DH
50°DH	20.DH	50 DH	20.DH

Stainless steel / Polinox base

Large item spray head,

Stainless steel

Large item spray head,

Stainless steel / Polinox base

Large item spray head, Steam

Stainless steel / Polinox base

Large item spray head,

### SLIMLINE **DISHWASHERS**

### Now every kitchen can benefit from a dishwasher

Our Slim Line dishwashers are ideal for cooks who need the convenience of a dishwasher without impacting on valuable kitchen space. Incorporating a range of innovative NEFF features such as Chef 70°, Vario Speed, Dosage Assist, Emotion Light and Door Open Assist a smaller dishwasher doesn't mean you have to sacrifice performance.

### S586T60D0G

line Dishwasher (45cm)



N 70

Door Open Assist Time Light

DESIGN/PERFORMANCE						
Energy A++	81.5	Capacity  10 Place Settings	Time Light			
Operating Programmes	Vario Speed Plus	Intensive Zone	Rack Matic			
Water Consumption (LITRES PER YEAR)  ECONOMY 50  9.5	Noise Level	Easy Clean				

Efficient

30 J			





All of our dishwashers have Aqua Stop water protection, detergent aware, Dosage Assist and a door lock as standard. All NEFF dishwashers are suitable for use with correct door springs are installed. All models comply with COMMISSION REGULATION (EC) No 1275/2008 with regard to eco design requirements for standby and off to Data valid in this table as of October 2013. Subject to modification without prior nothout prior and the provided in the stable provide

•Yes, model has this feature.¹ Based on 280 standard cleaning cycles using cold water fill, including consumption of the standby mode. 2° The Consumption per cleaning cycle of the "Eco 50" programme using cold water fill.³ We would recommend our dishwashers are connected to an external water softener as long as the water softener produces softenedwater less than 1.1 mm/litre (7.0°e) and the water softener in the appliance is turned off. Please contact product adviser



# LAUNDRY APPLIANCE FEATURES

## LAUNDRY



Quality, performance and efficiency are standard on all our laundry appliances

A good laundry appliance should be reliable enough to provide perfect results again and again. We have three types of model to cover all your laundry needs: washing machines, washer dryer combination models and tumble dryers. All feature our signature innovations, designed to improve efficiency and, most importantly, to make life easier.


### **LESS IRONING**

Reduces the creasing of clothes as the water is gently removed from the wash with a light interval spin at the end

### TIME DELAY

Allows you to programme the machine up to 24 hours in advance to suit any schedule or to take advantage of off-peak electricity rates.

### TIME LIGHT



### FLEXI TIME

Image shown for marketing purposes only

Cuts programme times by up to 30%. Simply select the cycle you wish to run and then select Flexi Time.

### **EXTRA RINSE OPTION**

Available on almost every programme, it's especially helpful

### INTELLIGENT WATER SYSTEM

Efficient washing is made simple with our built-in load sensor. With up to 256 load levels distinguished and a flow sensor for detecting the kind of textile, the amount of water used is tailored to your wash.

### STAIN-REMOVAL PROGRAMME

Banish even the most stubborn stains with our stain-specific programmes. With dedicated settings for red wine spillages, tomato splashes and butter/oil residue, there's no need to worry about cooking-related stains.

### DRUM CLEAN WITH REMINDER

Prevent odours and germs with our handy Drum Clean of low washing temperatures (<40°), you'll be prompted to start the Drum Clean programme.

Some features are relevant for freestanding models only. For full details please refer to the website.

### **ANTI-VIBRATION SIDE PANELS**

Our new side panels increase stability and reduce vibrations during even the fastest spin cycle. With a 3-step system which absorbs motor vibrations, centres unbalanced laundry and compensates for vibrations on the side walls, you benefit from low noise washing with every load.

### SENSOR DRYING

Continuously monitors the drying performance using sophisticated sensors to prevent overheating and over drying. The dryer stops automatically when the correct level of dryness is reached to deliver the finest fabric care and reduce ironing.

### **ECO BAR / ECO BAR PLUS**

Know how much energy you are using with the new Eco Bar feature, available on selected freestanding appliances. The LED bar displays five possible consumption levels. With Eco Bar Plus, energy and water consumption is displayed, giving you an indication of resources used on your chosen programme and options. The fewer LEDs illuminated, the more energy you are saving

### **AQUA STOP / AQUA SECURE PLUS**

Protects inlet and outlet hoses from leakage. A safety valve, independent of the electricity supply, prevents any more water from entering the washing machine.

### **DRUM LIGHT**

The new drum interior LED light is a big help when unloading your fully-integrated NEFF built-in washing machine. It lights up the inside brightly enough so you'll never overlook another item of laundry.

### **FLEX PERFECT**

Super fast or super saver – it's up to you. If you're in a hurry, the fast option makes washing up to 65% quicker; but if speed isn't a priority, you can reduce energy use by up to 50% for a more eco-friendly cycle.

reminder. When the machine detects a consecutive number

### **RELOAD FUNCTION**

If you need to add or remove an item after the programme has started, you can pause the cycle by pressing the Start/ Reload button. The machine will check whether you can open the door and, if so, it lets you. To resume operation, just press the Start/Reload button again.

Our new washing machine is so quiet it won't drown out your

Featured on model W544BX0GB (shown)

conversation. We have also added the innovative Time Light feature

so you can see when your washing will be finished even when the

furniture door is closed. A perfect solution for open plan kitchens.



Designed to blend seamlessly with the rest of your kitchen.

Discreet and unobtrusive, our built-in washing machines and washer dryers remain hidden behind cabinet doors in the kitchen, maintaining a clean and coordinated look.

## QUALITY PERFORMANCE AND EFFICIENCY

W544BX0GB

Built-in Washing Machine



## ULTIMATE SPACE SAVING SOLUTION

Our machines are easy to fit, slotting in neatly between two units. A full height furniture door has to be fitted to the front of our built-in machines and can be hinged from the left or right, but remember, the porthole door on the machine cannot be changed around. A plinth, which is easy to remove or cut out (to allow access to the pump and vent) should be fitted across the bottom.



Not all options and programmes are shown, this is a guide, please refer to the website for more details.

All models comply with COMMISSION REGULATION (EC) No 1275/2008 with regard to ecodesign

DESIGN/PERFORMANCE

### FREESTANDING LAUNDRY



Designed with utility rooms in mind

## W7460X4GB Freestanding Washing Machine



### DESIGN/PERFORMANCE









W746IX0GB Freestanding Washing Machine




### DESIGN/PERFORMANCE









MODELNIC	LWZ/ COV/ CD	WZ/CIVOCD
MODEL NO.		W746IX0GB
TYPE	WASHING	MACHINE
PERFORMANCE		
Energy efficiency class	A+++	A+++
Capacity cotton kg	9.0	9.0
Maximum spin speed rpm	1400	1400
Washing performance class	А	A
Spin drying performance class	В	В
Energy consumption annual kWh/annum	152	152
10% more economical than the standard value of 217kWh p.a.		
30% more economical than the standard value of 196kWh p.a.	•	•
Water consumption annual L/annum	11220	11220
Noise level washing (dB(A) re 1 pW)	49	49
Noise level spinning (dB(A) re 1 pW)	75	75
KEY FEATURES		
i-DOS detergent dosing system		•
EcoSilence Drive	•	•
EcoBar+/EcoBar	-/•	●/-
VarioPerfect	•	•
AntiVibration design	•	•
Reload facility	•	•
ADDITIONAL FEATURES		
Time delay/Time Remaining	24	24
Child lock	•	•
PROGRAMMES/FUNCTIONS		
Cottons	•	•
Easy-care programme	•	•
Wool programme	•	•
Delicates/Silk	•	•
Rinse/Spin	•	•
Auto Programmme		•
Super Quick 15 /Super Quick 15/30	-/•	-/●
Sportswear	•	•
AllergyPlus	•	•
Dark Wash	•	
Mixed Load	•	•
Night Wash	•	
Shirts and blouses	•	•
Down Wear	•	
Reduced Ironing	•	•
Aqua Plus/Extra Rinse	•/-	•/-
Pre Wash	-,	-,
Variable Temperature/Variable Spin	•	•
Drum Clean		
TECHNICAL INFORMATION		
Dimensions of the product cm	84 8 y 50 8 y 50 1	84.8 × 59.8 × 59.1
Dimensions of the product CIT	04.0 X 33.0 X 39.1	04.0 X 33.0 X 39.1

## PEACEFULLY LIGHTENING THE LOAD

# FREESTANDING

DESIGN/PERFORMANCE







## FREESTANDING WASHER DRYER

DESIGN/PERFORMANCE

A 7kg 4kg 500







MODEL NO.		R8580X3GB
TYPE		WASHING MACHINE
PROGRAMMES/FUNCTIONS		
Energy efficiency class		В
Capacity cotton	kg	9.0
Energy consumption annual kWl	h/annum	616
Condensation efficiency class		В
Condensation efficiency for standard cotton programme on		0.88
full and partial load		
Noise level (dB(A) re 1 pW)		65
KEY FEATURES		
Home Connect		
AutoDry		
Heat pump		
Sensor drying with revolution drying system		•
ADDITIONAL FEATURES		
Sensitive Drying system		•
Anti crease cycle mins		120
Time delay/Time Remaining		•
Drum interior light		•
Water container full/blocked filter warning indicate	٦	•
Child lock		•
PROGRAMME/FUNCTIONS		
Cottons		•
Easy-care		•
Woollen Finish		•
Superquick 40		•
Timed programmes		•
Mixed Load		•
Sportswear		•
Shirts 15		•
Towels		
Delicates		
Down Wear		•
AllergyPlus		•
Memory /My Favourite		
Buzzer		•
Low Heat option		•
Crease Guard		•
TECHNICAL INFORMATION		
Dimensions of the product	cm	84.2 x 59.8 x 59.9

h COMMISSION REGULATION (EC) No 1275/2008 with regard

MODEL NO.		V7446X2GB
TYPE		WASHER DRYER
PERFORMANCE		WASHERBRIER
Energy efficiency class		A
Capacity cotton washing	kg	7.0
Capacity cotton drying	kg	4
Maximum spin speed	rpm	1500
Washing performance class		A
SPIN DRYING PERFORMANCE CLASS		В
Energy consumption (wash and dry of full wash	n load) kWh	4.76
Energy consumption (wash only)	kWh	0.73
Water consumption (wash and dry full wash lo	ad) L	103
i i		Total water wash and dry
Total annual water consumption		20600
(Washing and drying 200 full loads)	L	Total water wash only 11600
Total appual water consumption (Washing only)	200 full loads)	14200
Total annual water consumption (Washing only		
Noise level (dB(A) re 1 pW) washing/spinning/	'drying	47/74/59
KEY FEATURES		
EcoSilence Drive		•
Reload facility		•
VarioPerfect		•
AutoDry function		•
ADDITIONAL FEATURES		_
Time delay/Time Remaining		•
Child Safety Lock	AA let l	
Water protection system Water protection syst	Multiple water protection	
PROGRAMMES		
Cottons		•
Easy-care programme Wool programme		•
Delicates / Silk		•
Intensive Dry		•
Gentle Dry		•
Rinse / Spin		•
Super Quick 15		•
Wash and Dry 60 mins		•
HygieneCare		•
Drum Clean		•
Sportswear		<u> </u>
Allergy+		•
Mixed Load		•
Reduced Ironing		•
Aqua Plus/Rinse Plus		•
Pre wash (Cottons)		•
Variable Temperature/Spin		•
Time delay/Time Remaining		•
TECHNICAL INFORMATION		
Dimensions of the product	cm	85 x 60 x 59